

## Publications

Effects of multicomponent training and detraining on fitness of older adults with or at risk of frailty: results of a 10-month quasi-experimental study. Fernández-García Á I, Gómez-Cabello A, Gómez-Bruton A, Moradell A, Navarrete-Villanueva D, Pérez-Gómez J, González-Gross M, Ara I, Casajús JA, Vicente-Rodríguez G. 2022. **European Journal of Sport Science**. 1-29.

<https://www.tandfonline.com/doi/full/10.1080/17461391.2022.2104657>

Advancing our understanding of skeletal muscle across the lifecourse: protocol for the MASS\_Lifecourse study and characteristics of the first 80 participants. Dodds R M, Hurst C, Hillman S J, Davies K, Aspray T J, Granic A, Sayer A A. 2022. **Experimental Gerontology**. 166: 111884.

<https://www.sciencedirect.com/science/article/pii/S0531556522001929>

Non-parametric actigraphy-derived measures differ in dementia with Lewy bodies compared to Alzheimer's dementia: a feasibility study. Elder G J, Santhi N, Olsen K, Polasek D, Doyle S, Taylor J P. 2022. **Sleep Medicine**. 100:S151.

<https://www.sciencedirect.com/science/article/pii/S1389945722005949>

Sedentary behaviour and brain health in middle-aged and older adults: a systematic review. Maasackers C M, Weijs R W J, Dekkers C, Gardiner P A, Ottens R, Olde Rikkert M G M, Melis R J F, Thijssen D H J, Claassen J A H R. 2022. **Neuroscience & Biobehavioral Reviews**. 104802.

<https://www.sciencedirect.com/science/article/pii/S0149763422002913>

The effect of time on task, sleep deprivation and time of day on simulated driving performance. Marando I, Matthews R W, Grosser L, Yates C, Banks S. 2022. **Sleep**. zsac167.

<https://academic.oup.com/sleep/advance-article/doi/10.1093/sleep/zsac167/6648493?login=true>

Identification of the Pop-up Acceleration Waveform Signal: A case study. Lowrie J R, Sayers M G. 2022. *ISBS Proceedings Archive*. 40(1):387. <https://commons.nmu.edu/isbs/vol40/iss1/93/>

Preliminary Investigations of the Validity and Interinstrument Reliability for Classification of Accelerometer Physical Activity Cut-Points Against Indirect Calorimetry in Healthy Adults. McDevitt B, Connolly J, Duddy D, Doherty R, Condell J. 2022. In 33rd Irish Signals and Systems Conference (ISSC) 2022 Jun 9 (pp. 1-9). IEEE. <https://ieeexplore.ieee.org/abstract/document/9826199>

Sleep deprivation results in diminished perceptual stability independently of psychosis proneness. Balter L, Matheson G J, Sundelin T, Sterzer P, Petrovic P, Axelsson J. 2022. **PsyArXiv**.

<https://psyarxiv.com/sjva7/>

Longitudinal change in physical activity and adiposity in the transition from adolescence to early adulthood: the 1993 Pelotas cohort study. Kwon S, Menezes A, Ekelund U, Wehrmeister F C, Gonçalves H, da Silva B G, Janz K F. 2022. **International Journal of Behavioral Nutrition and Physical Activity**. 19(1):1-9. <https://ijbnpa.biomedcentral.com/articles/10.1186/s12966-022-01321-0>

Longitudinal associations of DNA methylation and sleep in children: a meta-analysis. Sammallahti S, Koopman-Verhoeff M E, Binter A C, Mulder R H, Cabré-Riera A, Kvist T, Malmberg A L, Pesce G,



Plancoulaine S, Heiss J A, Rifas-Shiman S L. 2022. **Clinical Epigenetics**. 14(1):1-2.  
<https://clinicalepigeneticsjournal.biomedcentral.com/articles/10.1186/s13148-022-01298-4>

Intelligence predicts better cognitive performance after normal sleep but larger vulnerability to sleep deprivation. Balter L, Sundelin T, Holding B C, Petrovic P, Axelsson J. 2022. **PsyArXiv**.  
<https://psyarxiv.com/qenm4/>

Physical activity and exercise outcomes in Huntington's disease (PACE-HD): results of a 12-month trial-within-cohort feasibility study of a physical activity intervention in people with Huntington's disease. Quinn L, Playle R, Drew C J, Taiyari K, Williams-Thomas R, Muratori L M, Hamana K, Griffin B A, Kelson M, Schubert R, Friel C. 2022. **Parkinsonism & Related Disorders**. 101:75-89.  
<https://www.sciencedirect.com/science/article/pii/S1353802022002048>

Use of Digital Health Technology in Heart Failure and Diabetes: a Scoping Review. Kallas D, Sandhu N, Gandilo C, Schleicher M, Banks L, Jabara M, Alberto Cerqueira Batista Filho L, Colella T J, Connelly K, Randhawa V K. 2022. **Journal of Cardiovascular Translational Research**. 1-5.  
<https://link.springer.com/article/10.1007/s12265-022-10273-6#Sec4>

Patterns of activity correlate with symptom severity in major depressive disorder patients. Spulber S, Elberling F, Svensson J, Tiger M, Ceccatelli S, Lundberg J. 2022. **Translational Psychiatry**. 12(1):1-8.  
<https://www.nature.com/articles/s41398-022-01989-9>

Physical activity predicts task-related behaviour, affect and tiredness in the primary school classroom: A within-person experiment. Heemskerk C, Strand S, Malmberg L E. 2022. **British Journal of Educational Psychology**. e12523.  
<https://bpspsychub.onlinelibrary.wiley.com/doi/full/10.1111/bjep.12523>

Physical activity in non-disabled people with early multiple sclerosis: a multicenter cross-sectional study. Gervasoni E, Anastasi D, Di Giovanni R, Solaro C, Rovaris M, Bricchetto G, Carpinella I, Confalonieri P, Tacchino A, Rabuffetti M, Cattaneo D. 2022. **Multiple Sclerosis and Related Disorders**. 103941.  
<https://www.sciencedirect.com/science/article/pii/S2211034822004527>

Impact of Time in Motion on Blood Pressure Regulation Among Patients with Metabolic Syndrome. Schrack J A, Dougherty R J, Corkum A, Liu F, Wanigatunga A A. 2022. **Current Hypertension Reports**. 1-8. <https://link.springer.com/article/10.1007/s11906-022-01202-8#Tab1>

The effect of peripheral arterial disease and intermittent claudication on gait regularity and symmetry. Barden J M, Hoffert L, Ruf S, McCarville D, Kopriva D. 2022. **Journal of Biomechanics**. 111205.  
<https://www.sciencedirect.com/science/article/pii/S0021929022002482>

Device-based monitoring in physical activity versus self-report in Uruguayan university students. Pintos-Toledo E, Bizzozero Peroni B, Fernández-Giménez S, Corvos C A, Brazo-Sayavera J. 2022. **Revista Médica del Uruguay**. 38(2). [http://www.scielo.edu.uy/scielo.php?pid=S1688-03902022000201204&script=sci\\_abstract&tlng=en](http://www.scielo.edu.uy/scielo.php?pid=S1688-03902022000201204&script=sci_abstract&tlng=en)

Evaluation of environmental, social, and behavioral modulations of the circadian phase of dancers trained in shifts. Coirolo N, Casaravilla C, Tassino B, Silva A. 2022. **iScience**. 104676.  
<https://www.sciencedirect.com/science/article/pii/S2589004222009488>

Reliability and validity of using the global school-based student health survey to assess 24 hour movement behaviours in adolescents from Saudi Arabia. Alkhraiji M H, Barker A R, Williams C A. 2022. **Journal of Sports Sciences**. 1-9. <https://www.tandfonline.com/doi/full/10.1080/02640414.2022.2092982>



Effect of detoxification on N3 sleep correlates with brain functional but not structural changes in alcohol use disorder. Zhang R, Tomasi D, Shokri-Kojori E, Manza P, Feldman D E, Kroll D S, Biesecker C L, McPherson K L, Schwandt M, Wang G J, Wiers C E. 2022. **Drug and Alcohol Dependence**. 238:109545. <https://www.sciencedirect.com/science/article/pii/S0376871622002824>

Thrice daily consumption of a novel, premeal shot containing a low dose of whey protein increases time in euglycemia during 7 days of free-living in individuals with type 2 diabetes. Smith K, Taylor G S, Brunsgaard L H, Walker M, Davies K A, Stevenson E J, West D J. 2022. **BMJ Open Diabetes Research and Care**. 10(3):e002820. <https://drc.bmj.com/content/10/3/e002820.abstract>

Effect of goal-directed mobilisation intervention compared with standard care on physical activity among medical inpatients: protocol for the GoMob-in randomised controlled trial. Liechti F D, Heinzmann J, Leuenberger J M, Limacher A, Wertli M M, Verra M L. 2022. **BMJ Open**. 12(5):e058509. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9109085/>

Investigating and defining outcomes of suprapatellar versus infrapatellar intramedullary nailing of tibial shaft fractures: a protocol for a pilot randomised controlled trial. Thwaites S, Thewlis D, Hall K, Rickman M. 2022. **Pilot and Feasibility Studies**. 8(1):1-3. <https://pilotfeasibilitystudies.biomedcentral.com/articles/10.1186/s40814-022-01057-5>

Risk stratification for hospital-acquired venous thromboembolism in medical patients (RISE): Protocol for a prospective cohort study. Choffat D, Farhoumand P D, Jaccard E, de la Harpe R, Kraege V, Benmachiche M, Gerber C, Leuzinger S, Podmore C, Truong M K, Dumans-Louis C. 2022. **PLoS One**. 17(5):e0268833. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0268833>

Detecting accelerometer non-wear periods using change in acceleration combined with rate-of-change in temperature. Vert A, Weber K S, Thai V, Turner E, Beyer K B, Cornish B F, Godkin F E, Wong C, McIlroy W E, Van Ooteghem K. 2022. **BMC Medical Research Methodology**. 22(1):1-2. <https://link.springer.com/article/10.1186/s12874-022-01633-6>

Objectively Measured Vigorous-Intensity Physical Activity is Related to Endothelial Function in Midlife and Older Men but not in Estrogen-Deficient Postmenopausal Women. Maurer G S, Freeberg K A, Seals D R, Craighead D H. 2022. **The FASEB Journal**. 36 (S1). <https://faseb.onlinelibrary.wiley.com/doi/abs/10.1096/fasebj.2022.36.S1.L7575>

Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial. Stathi A, Greaves C J, Thompson J L, Withall J, Ladlow P, Taylor G, Medina-Lara A, Snowsill T, Gray S, Green C, Johansen-Berg H. 2022. **The Lancet Public Health**. 7(4):e316-26. <https://www.sciencedirect.com/science/article/pii/S2468266722000044>

Cross-sectional survey on researchers' experience in using accelerometers in health-related studies. Albrecht B M, Flaßkamp F T, Koster A, Eskofier B M, Bammann K. 2022. **BMJ Open Sport & Exercise Medicine**. 8(2):e001286. <https://bmjopensem.bmj.com/content/8/2/e001286>

Children's physical activity and sedentary behavior is related between different parts of a day. Nigg C R, Chard C, Zhang G, Nigg C. 2022. **Current Issues in Sport Science (CISS)**. 7:002. <https://ciss-journal.org/article/view/7677>



Gamification in a Physical Activity App: What Gamification Features Are Being Used, by Whom, and Does It Make a Difference?. Maher C A, Olds T, Vandelanotte C, Plotnikoff R, Edney S M, Ryan J C, DeSmet A, Curtis R G. 2022. **Games for Health Journal**. 11 (3):193-199.

<https://www.liebertpub.com/doi/full/10.1089/g4h.2021.0207>

Relationship between parents' and children's objectively assessed movement behaviours prior to and during the COVID-19 pandemic. García-Alonso Y, García-Hermoso A, Izquierdo M, Legarra-Gorgoñon G, Ramírez-Vélez R, Alonso-Martínez A M. 2022. **Pediatric Obesity**. e12923.

<https://onlinelibrary.wiley.com/doi/full/10.1111/ijpo.12923>

P277. Sleep in Children at High Familial Risk for Major Mood Disorders. Freeman K, Liu D, Howes-Vallis E, Cumby J, Pavlova B, Alda M, Rusak B, Uher R. 2022. **Biological Psychiatry**. 91(9):S199.

[https://www.biologicalpsychiatryjournal.com/article/S0006-3223\(22\)00600-X/fulltext](https://www.biologicalpsychiatryjournal.com/article/S0006-3223(22)00600-X/fulltext)

Does feedback from activity trackers influence physical activity? Evidence from a randomized controlled trial. Kapteyn A, Saw H W, Darling J. <https://preprints.jmir.org/preprint/34460>

Relationship between parents' and children's objectively assessed movement behaviours prior to and during the COVID-19 pandemic. García-Alonso Y, García-Hermoso A, Izquierdo M, Legarra-Gorgoñon G, Ramírez-Vélez R, Alonso-Martínez A M. 2022. **Pediatric Obesity**. e12923.

<https://onlinelibrary.wiley.com/doi/full/10.1111/ijpo.12923>

High dietary nucleotide consumption for one week increases circulating uric acid concentrations but does not compromise metabolic health: a randomised controlled trial. Coelho M O, Monteyne A J, Kamalanathan I D, Najdanovic-Visak V, Finnigan T J, Stephens F B, Wall B T. 2022. **Clinical Nutrition ESPEN**. <https://www.sciencedirect.com/science/article/pii/S2405457722002479>

Effect of an ongoing pharmacist service to reduce medicine-induced deterioration and adverse reactions in aged-care facilities (nursing homes): a multicentre, randomised controlled trial (the ReMInDAR trial). Roughead E E, Pratt N L, Parfitt G, Rowett D, Kalisch-Ellett L M, Bereznicki L, Merlin T, Corlis M, Kang AC, Whitehouse J, Bilton R. 2022. **Age and Ageing**. 51(4):afac092.

<https://academic.oup.com/ageing/article/51/4/afac092/6572256?login=true>

Calibration and Cross-validation of Accelerometry in Children and Adolescents with Cystic Fibrosis. Bianchim M S, McNarry M A, Evans R, Thia L, Barker A R, Williams C A, Denford S, Mackintosh K A. 2022. **Measurement in Physical Education and Exercise Science**. 1-9.

<https://www.tandfonline.com/doi/full/10.1080/1091367X.2022.2065919>

Elexacaftor-Tezacaftor-Ivacaftor improves exercise capacity in adolescents with cystic fibrosis. Causer A J, Shute J, Cummings M, Shepherd A, Wallbanks S, Pulsford R, Bright V, Connett G, Saynor Z.

<https://www.authorea.com/doi/full/10.22541/au.164985130.09443305>

Effect of a multicomponent intervention in postnatal mothers' groups on meeting the Australian Physical Activity Guidelines for infants: protocol for a randomised controlled trial. Hewitt L, Frohmuller C, Wen L M, Okely A D. 2022. **BMJ Open**. 12(4):e054183. <https://bmjopen.bmj.com/content/12/4/e054183.long>

Relative protein intake and associations with markers of physical function in those with type 2 diabetes. Henson J, Arsenyadis F, Redman E, Brady E M, Coull N A, Edwardson C L, Hall A P, James L J, Khunti K, Rowlands A V, Stevenson E J. 2022. **Diabetic Medicine**. e14851.

<https://onlinelibrary.wiley.com/doi/full/10.1111/dme.14851>



Classifying the posture and activity of ewes and lambs using accelerometers and machine learning on a commercial flock. Price E, Langford J, Fawcett T W, Wilson A J, Croft D P. 2022. **Applied Animal Behaviour Science**. 105630. <https://www.sciencedirect.com/science/article/pii/S0168159122000880>

Recommendations for Defining and Reporting Adherence Measured by Biometric Monitoring Technologies: Systematic Review. Olaye I M, Belovsky M P, Bataille L, Cheng R, Ciger A, Fortuna K L, Izmailova E S, McCall D, Miller C J, Muehlhausen W, Northcott C A. 2022. **Journal of medical Internet research**. 24(4):e33537. <https://www.jmir.org/2022/4/e33537/>

MRI signal and morphological alterations of the suprapatellar fat pad in asymptomatic subjects: are these normal variants?. Cosentino A, Richard R, Baron M, Demondion X, Favre J, Omoumi P. 2022. **Skeletal Radiology**. 1-3. <https://link.springer.com/article/10.1007/s00256-022-04055-z>

Digital tools to support the maintenance of physical activity in people with long-term conditions: A scoping review. Clarkson P, Stephenson A, Grimmett C, Cook K, Clark C, Muckelt PE, O'Gorman P, Saynor Z, Adams J, Stokes M, McDonough S. 2022. **Digital Health**. 8:20552076221089778. <https://journals.sagepub.com/doi/full/10.1177/20552076221089778>

Individual Barriers to an Active Lifestyle at Older Ages Among Whitehall II Study Participants After 20 Years of Follow-up. Chen M, Yerramalla M S, van Hees V T, Bloomberg M, Landré B, Fayosse A, Benadjaoud MA, Sabia S. 2022. **JAMA Network Open**. 5(4):e226379. <https://jamanetwork.com/journals/jamanetworkopen/article-abstract/2790798>

Adolescent circadian patterns link with psychiatric problems: A multimodal approach. Kuula L, Halonen R, Lipsanen J, Pesonen A K. 2022. **Journal of Psychiatric Research**. 150:219-26. <https://www.sciencedirect.com/science/article/pii/S0022395622001856>

Equivalency of four research-grade movement sensors to assess movement behaviors and its implications for population surveillance. Migueles J H, Molina-Garcia P, Torres-Lopez L V, Cadenas-Sanchez C, Rowlands A V, Ebner-Priemer U W, Koch E D, Reif A, Ortega F B. 2022. **Scientific Reports**. 12(1):1-9. <https://www.nature.com/articles/s41598-022-09469-2>

Effect of a physical activity and behaviour maintenance programme on functional mobility decline in older adults: the REACT (Retirement in Action) randomised controlled trial. Stathi A, Greaves C J, Thompson J L, Withall J, Ladlow P, Taylor G, Medina-Lara A, Snowsill T, Gray S, Green C, Johansen-Berg H. 2022. **The Lancet Public Health**. 7(4):e316-e326. <https://www.sciencedirect.com/science/article/pii/S2468266722000044>

iEngage: a digital health education program designed to enhance physical activity in young adolescents. Caillaud C, Ledger S, Diaz C, Clerc G, Olivier G A, Yacef K. <https://www.researchsquare.com/article/rs-1456896/v1>

The Impact of COVID-19 Lockdown on Daily Activities, Cognitions, and Stress in a Lonely and Distressed Population: Temporal Dynamic Network Analysis. Haucke M, Heinz A, Liu S, Heinzl S. 2022. **Journal of Medical Internet Research**. 24(3):e32598. <https://www.jmir.org/2022/3/e32598>

Real-life Wrist Movement Patterns Capture Motor Impairment in Individuals with Ataxia-Telangiectasia. Gupta A S, Luddy A C, Khan N C, Reiling S, Thornton J K. 2022. **The Cerebellum**. 1-1. <https://link.springer.com/article/10.1007/s12311-022-01385-5>



Evaluation of an accelerometer-based monitor for detecting bed net use and human entry/exit using a machine learning algorithm. Koudou G B, Monroe A, Irish S R, Humes M, Krezanoski J D, Koenker H, Malone D, Hemingway J, Krezanoski P J. 2022. *Malaria Journal*. 21(1):1-0.  
<https://malariajournal.biomedcentral.com/articles/10.1186/s12936-022-04102-z>

Potential mechanisms underlying sleep disturbance in young people with borderline personality disorder features: an exploratory study. Jenkins C A, Thompson K N, Nicholas C L, Hartmann J A, Chanen A M. 2022. *Borderline Personality Disorder and Emotion Dysregulation*. 9(1):1-3.  
<https://bpd.biomedcentral.com/articles/10.1186/s40479-022-00180-2>

Local slow-wave activity over the right prefrontal cortex reveals individual risk preferences. Studler M, Gianotti L R, Koch K, Hausfeld J, Tarokh L, Maric A, Knoch D. 2022. *NeuroImage*. 119086.  
<https://www.sciencedirect.com/science/article/pii/S1053811922002154>

Challenged by extremely irregular school schedules, Uruguayan adolescents only set their waking time. Estevan I, Tassinio B, Vetter C, Silva A. 2022. *Journal of Adolescence*. 1-5.  
<https://onlinelibrary.wiley.com/doi/full/10.1002/jad.12036>

Assessment of Physical Activity and Muscle Function in Adult Inflammatory Myopathies. Gregory W J, Saygin D. 2022. *Current Rheumatology Reports*. 1-0. <https://link.springer.com/article/10.1007/s11926-022-01059-5>

Sleep disturbances in the context of neurohormonal dysregulation in patients with bipolar disorder. Roloff T, Haussleiter I, Meister K, Juckel G.  
<https://journalbipolardisorders.springeropen.com/articles/10.1186/s40345-022-00254-8>

Sleep and mental health in childhood: a multi-method study in the general paediatric population. Blok E, Koopman-Verhoeff E, Dickstein D P, Saletin J, Luik A I, Rijlaarsdam J, Hillegers M, Kocevskaja D, White T, Tiemeier H. <https://link.springer.com/article/10.1186/s13034-022-00447-0>

Changes in Physical Activity Patterns Due to the Covid-19 Pandemic: A Systematic Review and Meta-Analysis. Wunsch K, Kienberger K, Niessner C. <https://www.mdpi.com/1660-4601/19/4/2250>

Gait metrics analysis utilizing single-point inertial measurement units: a systematic review. Mobbs R J, Perring J, Raj SM, Maharaj M, Yoong N K M, SY L W, Fonseka R D, Natarajan P, Choy W J.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8800203/>

Behavioral, Environmental, and Demographic Factors Associated with Objectively Measured Physical Activity in Infants. Shull E.R, Dowda M, McIver K.L, McLain A.C, Benjamin-Neelon S.E, Ulrich B, Pate R.R. <https://www.liebertpub.com/doi/abs/10.1089/chi.2021.0197>



Demographic Correlates of Movement Behaviors in Infants: A Longitudinal Study. Zhang Z, Predy M, Hesketh K.D, Pritchard L, Carson V. <https://journals.humankinetics.com/view/journals/jpah/aop/article-10.1123-jpah.2021-0570/article-10.1123-jpah.2021-0570.xml>

The Transtheoretical model's processes of change in the heart of a physical activity intervention- a series of n-of-1. Lapointe J, Comtois A.S, Romain A.J, Bernard P. <https://osf.io/zbxdm/>

Association of daily composition of physical activity and sedentary behaviour with incidence of cardiovascular disease in older adults. Yerramalla M S, McGregor D E, van Hees V T, Fayosse A, Dugravot A, Tabak A G, Chen M, Chastin S F, Sabia S. 2021. **International Journal of Behavioral Nutrition and Physical Activity**. 18(1):1-3. <https://ijbnpa.biomedcentral.com/articles/10.1186/s12966-021-01157-0>

Equivalence of activity outcomes derived from three research grade accelerometers worn simultaneously on each wrist. Buchan D S. 2021. **Journal of Sports Sciences**. <https://www.tandfonline.com/doi/full/10.1080/02640414.2021.2019429>

Identifying Data Quality Dimensions for Person-Generated Wearable Device Data: Multi-Method Study. Cho S, Weng C, Kahn M G, Natarajan K. 2021. **JMIR mHealth and uHealth**. 9(12):e31618. <https://mhealth.jmir.org/2021/12/e31618/>

From Alpha Diversity to Zzz: Interactions among sleep, the brain, and gut microbiota in the first year of life. Schoch S F, Castro-Mejía J L, Krych L, Leng B, Kot W, Kohler M, Huber R, Rogler G, Biedermann L, Walser J C, Nielsen D S. 2021. **Progress in Neurobiology**. 102208. <https://www.sciencedirect.com/science/article/pii/S0301008221002227>

Physical Activity Levels in Physical Education Lessons at Singapore Primary School. Jamaluddin N S, Kawabata M. 2021. **ACPES Journal of Physical Education, Sport, and Health (AJPESH)**. 1(2):118-23. <https://journal.unnes.ac.id/sju/index.php/ajpesh/article/view/52585>

Objectively Measured Physical Activity Is Inversely Associated With Nonalcoholic Fatty Liver Disease: The Rotterdam Study. van Kleef L A, Hofman A, Voortman T, de Kneegt R J. 2021. **Official journal of the American College of Gastroenterology | ACG**. 10-4309. [https://journals.lww.com/ajg/Fulltext/9900/Objectively\\_Measured\\_Physical\\_Activity\\_Is.161.aspx](https://journals.lww.com/ajg/Fulltext/9900/Objectively_Measured_Physical_Activity_Is.161.aspx)

Relationship between Objectively and Subjectively Measured Physical Activity in Adolescents during and after COVID-19 Restrictions. Cocca A, Greier K, Drenowatz C, Ruedl G. 2021. **Behavioral Sciences**. 11(12):177. <https://www.mdpi.com/2076-328X/11/12/177/htm>

Feasibility study of a multicentre cluster randomised control trial to investigate the clinical and cost-effectiveness of a structured diagnostic pathway in primary care for chronic breathlessness: protocol paper. Doe G, Clanchy J, Wathall S, Chantrell S, Edwards S, Baxter N, Jackson D, Armstrong N, Steiner M, Evans R A. 2021. **BMJ Open**. 11(11):e057362. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8611440/>



Evaluation of the mechanisms of sarcopenia in chronic inflammatory disease: protocol for a prospective cohort study. Dhaliwal A, Williams F R, Quinlan J I, Allen S L, Greig C, Filer A, Raza K, Ghosh S, Lavery G G, Newsome P N, Choudhary S. 2021. **Skeletal muscle**. 11(1):1-4.  
<https://skeletalmusclejournal.biomedcentral.com/articles/10.1186/s13395-021-00282-5>

The relationship between sleep and physical activity in an in-patient rehabilitation stroke setting: a cross-sectional study. Hei Chow C, Fraysse F, Hillier S. 2021. **Topics in Stroke Rehabilitation**. 1-0.  
<https://www.tandfonline.com/doi/full/10.1080/10749357.2021.2006982>

Poor parental sleep did not predict future sleep problems in children aged 2 to 6 years. Rönnlund H, Elovainio M, Virtanen I, Heikkilä A R, Raaska H, Lapinleimu H. 2021. **Acta Paediatrica**. 110: 3094-3096.  
<https://onlinelibrary.wiley.com/doi/full/10.1111/apa.15984>

High-Intensity Interval Training for Heart Failure Patients With Preserved Ejection Fraction (HIT-HF)-Rational and Design of a Prospective, Randomized, Controlled Trial. Gasser B A, Boesing M, Schoch R, Brighenti-Zogg S, Kröpfl J M, Thesenvitz E, Hanssen H, Leuppi J D, Schmidt-Trucksäss A, Dieterle T. 2021. **Frontiers in Physiology**. 1596. <https://www.frontiersin.org/articles/10.3389/fphys.2021.734111/full>

A pilot randomised controlled trial of a structured, home-based exercise programme on cardiovascular structure and function in kidney transplant recipients: the ECSERT study design and methods. Billany R E, Vadaszy N, Bishop N C, Wilkinson T J, Adenwalla S F, Robinson K A, Croker K, Brady E M, Wormleighton J V, Parke K S, Cooper N J. 2021. **BMJ Open**. 11(10):e046945.  
<https://bmjopen.bmj.com/content/11/10/e046945.abstract>

Quantitative assessment of sitting time in ambulant adults with Muscular Dystrophy. Jacques M F, Onambele-Pearson G L, Edwards B, De Goede C G, Morse C I. 2021. **Plos one**. 16(11):e0260491.  
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0260491>

Timing of objectively-collected physical activity in relation to body weight and metabolic health in sedentary older people: a cross-sectional and prospective analysis. Albalak G, Stijntjes M, Wijsman C A, Slagboom P E, van der Ouderaa F J, Mooijaart S P, van Heemst D, Noordam R. 2021. **International Journal of Obesity**. 1-8. <https://www.nature.com/articles/s41366-021-01018-7>

Digital Biomarkers in Multiple Sclerosis. Dillenseger A, Weidemann M L, Trentzsch K, Inojosa H, Haase R, Schriefer D, Voigt I, Scholz M, Akgün K, Ziemssen T. 2021. **Brain Sciences**. 11(11):1519.  
<https://www.mdpi.com/2076-3425/11/11/1519>

Methodological aspects for accelerometer-based assessment of physical activity in heart failure and health. Schwendinger F, Wagner J, Infanger D, Schmidt-Trucksäss A, Knaier R. 2021. **BMC medical research methodology**. 21(1):1-2. <https://link.springer.com/article/10.1186/s12874-021-01350-6>

Impaired vision and physical activity in childhood and adolescence: findings from the Millennium Cohort Study. Horvat-Gitsels L A, Cortina-Borja M, Solebo A L, Rahi J S. 2021. **British Journal of**





**Ophthalmology.** [https://bjo.bmj.com/content/early/2021/11/09/bjophthalmol-2021-320315.abstract?casa\\_token=cLCnd2IZxSsAAAAA:jtbfGrULS\\_kiDbK9AeKdVbGv49V-yiaijtFCgE1nmlAVRIBVjQDP8rvqZGQbm1rl\\_sfuM4LNL2Y](https://bjo.bmj.com/content/early/2021/11/09/bjophthalmol-2021-320315.abstract?casa_token=cLCnd2IZxSsAAAAA:jtbfGrULS_kiDbK9AeKdVbGv49V-yiaijtFCgE1nmlAVRIBVjQDP8rvqZGQbm1rl_sfuM4LNL2Y)

Quality of life of locally advanced pancreatic cancer patients after FOLFIRINOX treatment. van der Sijde F, Schafthuizen L, van't Land F R, Moskie M, van Laarhoven H W, van Dijk M, van Eijck C H. 2021. **Supportive Care in Cancer.** 1-9. <https://link.springer.com/article/10.1007/s00520-021-06648-1>

Generational issues in linking family farming production, traditional food in diet, physical activity and obesity in Pacific Islands countries and territories: the case of the Melanesian population on Lifou Island. Galy O, Frayon S, Goldin M, Zongo P, Wattelez G, Lameta S, Quartermain A, Fotsing J M, Bouard S. 2021. **Open Research Europe.** 1(135):135. <https://open-research-europe.ec.europa.eu/articles/1-135/v1>

O'Rourke B. Move eat sleep repeat: investigating diet, 24-hour movement, and indicators of mental health among children and youth (Master's dissertation). <https://tspace.library.utoronto.ca/handle/1807/108160>

Enhanced Parkinson's Disease Tremor Severity Classification by Combining Signal Processing with Resampling Techniques. AlMahadin G, Lotfi A, Carthy M M, Breedon P. 2022. **SN Computer Science.** 3(1):1-21. <https://link.springer.com/article/10.1007/s42979-021-00953-6>

A Quasi-Experimental Study of the Effects of an Outdoor Learning Program on Physical Activity Patterns of Children with a Migrant Background: the PASE Study. Lacoste Y, Dancause K, Bernard P, Gadais T. 2021. **Physical Activity and Health.** 5(1). <https://paahjournal.com/articles/10.5334/paah.133/>

High intensity interval training versus moderate intensity continuous training for people with interstitial lung disease: protocol for a randomised controlled trial. Dowman L M, May A K, Hill C J, Bondarenko J, Spencer L, Morris N R, Alison J A, Walsh J, Goh N S, Corte T, Glaspole I. 2021. **BMC Pulmonary Medicine.** 21(1):1-9. <https://link.springer.com/article/10.1186/s12890-021-01704-2>

Validity of Fitbit activity monitoring for adults with progressive muscle diseases. Roberts-Lewis S F, White C M, Ashworth M, Rose M R. 2021. **Disability and Rehabilitation.** <https://www.tandfonline.com/doi/full/10.1080/09638288.2021.1995057>

Feasibility of a continuous, multi-sensor remote health monitoring approach in persons living with neurodegenerative disease. Godkin F E, Turner E, Demnati Y, Vert A, Roberts A, Swartz R H, McLaughlin P M, Weber K S, Thai V, Beyer K B, Cornish B. 2021. **Journal of Neurology.** <https://link.springer.com/article/10.1007/s00415-021-10831-z>

Estimated all-day and evening whole-brain radiofrequency electromagnetic fields doses, and sleep in preadolescents. Cabré-Riera A, van Wel L, Liorni I, Koopman-Verhoeff M E, Imaz L, Ibarluzea J, Huss A, Wiert J, Vermeulen R, Joseph W, Capstick M. 2022. **Environmental Research.** 204:112291. <https://www.sciencedirect.com/science/article/pii/S0013935121015929>



Genetic and environmental influences on sleep-wake behaviors in adolescence. O'Callaghan V S, Hansell N K, Guo W, Carpenter J S, Shou H, Strike L T, Crouse J J, McAloney K, McMahon K L, Byrne E M, Burns J M. 2021. **Sleep Advances**. 2(1):zpb018.

<https://academic.oup.com/sleepadvances/article/2/1/zpb018/6408541?login=true>

Do Brief Mindfulness Interventions (BMI) and Health Enhancement Programs (HEP) Improve Sleep in Patients in Hemodialysis with Depression and Anxiety?. Lavin P, Nazar R, Nassim M, Noble H, Solomonova E, Dikaios E, Novak M, Mucsi I, Trinh E, Potes A. 2021. **Healthcare**. 9, 1410.

[https://pureadmin.qub.ac.uk/ws/portalfiles/portal/251768065/healthcare\\_09\\_01410.pdf](https://pureadmin.qub.ac.uk/ws/portalfiles/portal/251768065/healthcare_09_01410.pdf)

Accelerometer-Determined Physical Behavior Metrics and their Associations with Sarcopenia among Oldest-Old Adults. Eberl E M. Masters Thesis.

[https://scholarworks.umass.edu/cgi/viewcontent.cgi?article=2162&context=masters\\_theses\\_2](https://scholarworks.umass.edu/cgi/viewcontent.cgi?article=2162&context=masters_theses_2)

Rationale and design of the SafeHeart study: Development and testing of a mHealth tool for the prediction of arrhythmic events and implantable cardioverter-defibrillator therapy. Frodi D M, Kolk M Z, Langford J, Andersen T O, Knops R E, Tan H L, Svendsen J H, Tjong F V, Diederichsen S Z. 2021. **Cardiovascular Digital Health Journal**.

<https://www.sciencedirect.com/science/article/pii/S2666693621001183>

The relationship between physical activity and health-related quality of life in people with dementia: An observational study. Farina N, Hughes L J, Thomas S, Lowry R G, Banerjee S. 2021. **Journal of Aging and Physical Activity**. 1(aop):1-9. <https://journals.humankinetics.com/view/journals/japa/aop/article-10.1123-japa.2021-0189/article-10.1123-japa.2021-0189.xml>

Investigating the effects of applying different raw Actigraphy processing approaches to examine the sleep data in a neuropathic pain population. Coyle-Asbil H J, Singh M, Lim A, Kara J, Bhatia A. 2021. SASM 2021 Virtual Annual Meeting Abstract 21 p.63. [http://sasmhq.org/wp-content/uploads/2021/10/SASM\\_21AM\\_Syllabus.pdf](http://sasmhq.org/wp-content/uploads/2021/10/SASM_21AM_Syllabus.pdf)

Investigating the effects of short-term spinal cord stimulation on sleep health in patients with refractory neuropathic pain: A state-of-the-art actigraphy analysis. Coyle-Asbil H J, Singh M, Lim A, Kara J, Bhatia A. 2021. SASM 2021 Virtual Annual Meeting Abstract 17 p.53. [http://sasmhq.org/wp-content/uploads/2021/10/SASM\\_21AM\\_Syllabus.pdf](http://sasmhq.org/wp-content/uploads/2021/10/SASM_21AM_Syllabus.pdf)

Obesity, Lifestyle Behaviors, and Dietary Habits of Saudi Adolescents Living in Riyadh (ATLS-2 Project): Revisited after a Ten-Year Period. Al-Hazzaa H M, Albawardi N M. 2021. **Life**. 11(10):1078.

<https://www.mdpi.com/2075-1729/11/10/1078>

The use of accelerometer-based wearable activity monitors in clinical settings: current practice, barriers, enablers, and future opportunities. Maher C, Szeto K, Arnold J. 2021. **BMC Health Services Research**. 21(1):1-2. <https://link.springer.com/article/10.1186/s12913-021-07096-7>



Open-source Longitudinal Sleep Analysis From Accelerometer Data (DPSleep): Algorithm Development and Validation. Rahimi-Eichi H, Coombs III G, Bustamante C M, Onnela J P, Baker J T, Buckner R L. 2021. **JMIR mHealth and uHealth**. 9(10):e29849. <https://mhealth.jmir.org/2021/10/e29849/PDF>

Feasibility, acceptability and validation of wearable devices for climate change and health research in the low-resource contexts of Burkina Faso and Kenya: Study protocol. Barteit S, Boudo V, Ouedraogo A, Zabré P, Ouremi L, Sié A, Munga S, Obor D, Kwaro D, Huhn S, Bunker A. 2021. **PloS one**. 16(9):e0257170. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0257170>

Sleep, circadian rhythms and physical activity in depression and anxiety: The role of ambulatory assessment tools. Difrancesco S. 2021. Doctoral thesis. <https://research.vu.nl/ws/portalfiles/portal/137396020/S++Difrancesco+-+thesis.pdf#page=130>

Trends in Workplace Wearable Technologies and Connected-Worker Solutions for Next-Generation Occupational Safety, Health, and Productivity. Patel V, Chesmore A, Legner C M, Pandey S. 2021. **Advanced Intelligent Systems**. 2100099. <https://onlinelibrary.wiley.com/doi/full/10.1002/aisy.202100099>

Real-world gait speed estimation, frailty and handgrip strength: a cohort-based study. Soltani A, Abolhassani N, Marques-Vidal P, Aminian K, Vollenweider P, Paraschiv-Ionescu A. 2021. **Scientific Reports**. 11(1):1-1. <https://www.nature.com/articles/s41598-021-98359-0>

The 24-h Movement Compositions in Weekday, Weekend Day or Four-Day Periods Differentially Associate with Fundamental Movement Skills. Roscoe C M, Duncan M J, Clark C C. 2021. **Children**. 8(10):828. <https://www.mdpi.com/2227-9067/8/10/828>

Normative wrist-worn accelerometer values for self-paced walking and running: a walk in the park. Dawkins N P, Yates T, Soczawa-Stronczyk A A, Bocian M, Edwardson C L, Maylor B, Davies M J, Khunti K, Rowlands A V. 2021. **Journal of Sports Sciences**. 1-8. <https://www.tandfonline.com/doi/abs/10.1080/02640414.2021.1976491>

Improving Practices of Mental Health Professionals in Recommending More Physical Activity and Less Sedentary Behaviour to Their Clients: An Intervention Trial. Shrestha N, Parker A, Jurakic D, Biddle S J, Pedisic Z. 2021. **Issues in Mental Health Nursing**. 1-7. <https://www.tandfonline.com/doi/abs/10.1080/01612840.2021.1972189?journalCode=imhn20>

Improving physical activity levels among childhoodcancer survivors: A digital educational program. Ha L, Mizrahi D, Johnston K, Drew D, Diaz C, Cohn R J, Yacef K, Signorelli C, Wakefield C E, Simar D. 2021. **Asia-Pacific Journal of Clinical Oncology**. 17(S5):11-22. Paper ID 39. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/ajco.13651>

Task-Oriented Intelligent Solution to Measure Parkinson's Disease Tremor Severity. AlMahadin G, Lotfi A, Carthy M M, Breedon P. 2021. **Journal of Healthcare Engineering**. <https://www.hindawi.com/journals/jhe/2021/9624386/>



Pacing and Body Weight Changes During a Mountain Ultramarathon: Sex Differences and Performance. Martínez-Navarro I, Montoya-Vieco A, Collado-Boira E, Hernando B, Hernando C. 2021. **Journal of Human Kinetics**.  
[http://repositori.uji.es/xmlui/bitstream/handle/10234/194870/martinez\\_2021\\_pacing.pdf?sequence=1&isAllowed=y](http://repositori.uji.es/xmlui/bitstream/handle/10234/194870/martinez_2021_pacing.pdf?sequence=1&isAllowed=y)

Crowdsourcing digital health measures to predict Parkinson's disease severity: the Parkinson's Disease Digital Biomarker DREAM Challenge. Sieberts S K, Schaff J, Duda M, Pataki B Á, Sun M, Snyder P, Daneault J F, Parisi F, Costante G, Rubin U, Banda P. 2021. **NPJ digital medicine**. 4(1):1-2.  
<https://www.nature.com/articles/s41746-021-00414-7#Sec9>

Signal quality and patient experience with wearable devices for epilepsy management. Nasser M, Nurse E, Glasstetter M, Böttcher S, Gregg N M, Laks Nandakumar A, Joseph B, Pal Attia T, Viana P F, Bruno E, Biondi A. 2020. **Epilepsia**. 61:S25-35. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/epi.16527>

Promoting physical activity through group self-management support for those with multimorbidity: a randomised controlled trial. Khunti K, Highton P J, Waheed G, Dallosso H, Redman E, Batt M E, Davies M, Gray L, Herring L, Mani H, Rowlands A, Yates T. 2021. **British Journal of General Practice**.  
<https://bjgp.org/content/early/2021/08/26/BJGP.2021.0172>

Community Participation by People with Chronic Obstructive Pulmonary Disease. Malaguti C, Holland A E, McDonald C F, Mahal A, Alison J A, Hill C J, Zanaboni P, O'Halloran P, Bondarenko J, Macdonald H, Barker K. 2021. **COPD: Journal of Chronic Obstructive Pulmonary Disease**. 1-8.  
<https://www.tandfonline.com/doi/abs/10.1080/15412555.2021.1966761>

Sleep duration and sleep efficiency in UK long-distance heavy goods vehicle drivers. Sherry A P, Clemes S A, Chen Y L, Edwardson C, Gray L J, Guest A, King J, Rowlands A V, Ruettger K, Sayyah M, Varela-Mato V. 2021. **Occupational and environmental medicine**. 0:1-7.  
<https://pubmed.ncbi.nlm.nih.gov/34413157/>

Subjective and objective sleep in young people with borderline personality disorder features. Jenkins C A, Thompson K N, Chanen A M, Hartmann J A, Nicol K, Nicholas C L. 2021. **Journal of Sleep Research**. e13463. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jsr.13463>

Feature Selection for Unsupervised Machine Learning of Accelerometer Data Physical Activity Clusters—A Systematic Review. Jones P J, Catt M, Davies M J, Edwardson C L, Mirkes E M, Khunti K, Yates T, Rowlands A V. 2021. **Gait & Posture**. 90:120-128.  
<https://reader.elsevier.com/reader/sd/pii/S0966636221002824?token=D8637F24DA01AFA9913EBA9A0E6EA6A6BFCBAD354CCE34E8B17FA9474B95B2B0BFAF233BF3260E16AEE315FCB7839EDD&originRegion=eu-west-1&originCreation=20210902103020>

Natural history, outcome measures and trial readiness in LAMA2-related muscular dystrophy and SELENON-related myopathy in children and adults: protocol of the LAST STRONG study. Bouman K, Groothuis J T, Doorduyn J, van Alfen N, Udink ten Cate F E, van den Heuvel F, Nijveldt R, van Tilburg W,



Buckens S C, Dittrich A, Draaisma J M. 2021. **BMC neurology**. 21(1):1-4.  
<https://bmcneurol.biomedcentral.com/track/pdf/10.1186/s12883-021-02336-z.pdf>

The bidirectional association of 24-h activity rhythms and sleep with depressive symptoms in middle-aged and elderly persons. de Feijter M, Kocevskaja D, Ikram M A, Luik A I. 2021. **Psychological Medicine**. 1-8. [https://www.cambridge.org/core/services/aop-cambridge-core/content/view/F989001649B3C94D4F1A83F4A51AA82C/S003329172100297Xa.pdf/bidirectional\\_association\\_of\\_24h\\_activity\\_rhythms\\_and\\_sleep\\_with\\_depressive\\_symptoms\\_in\\_middleaged\\_and\\_elderly\\_persons.pdf](https://www.cambridge.org/core/services/aop-cambridge-core/content/view/F989001649B3C94D4F1A83F4A51AA82C/S003329172100297Xa.pdf/bidirectional_association_of_24h_activity_rhythms_and_sleep_with_depressive_symptoms_in_middleaged_and_elderly_persons.pdf)

Resilience and vulnerability factors influence the cortisol awakening response in individuals vulnerable to suicide. O'Connor D B, Branley-Bell D, Green J A, Ferguson E, O'Carroll R E, O'Connor R C. 2021. **Journal of psychiatric research**. 142:312-320.  
<https://reader.elsevier.com/reader/sd/pii/S0022395621005057?token=D516A22296FA3CE7DFF559EE0A0F1564B778D0F4E314C31FD3F45D769A9EC92C3E3771A5CB8D6FD7DB22504EF0B5AE80&originRegion=eu-west-1&originCreation=20210902102224>

Commercially available seizure detection devices: A systematic review. Shum J, Friedman D. 2021. **Journal of the Neurological Sciences**. 117611.  
<https://www.sciencedirect.com/science/article/pii/S0022510X21003051>

Lifestyle interventions to reduce sedentary behaviour in clinical populations: A systematic review and meta-analysis of different strategies and effects on cardiometabolic health. Nieste I, Franssen W M, Spaas J, Bruckers L, Savelberg H H, Eijnde B O. 2021. **Preventive Medicine**. 106593.  
<https://www.sciencedirect.com/science/article/pii/S0091743521001778>

Intensive Longitudinal Assessment of College Transition and Psychiatric Illness Supports an Energy Allostatic Model of Depression and Sleep-Wake Dynamics. Eichi H R, Coombs G, Rauch S, Buckner R, Baker J. 2021. **Biological Psychiatry**. 89(9):S333-4.  
<https://www.sciencedirect.com/science/article/pii/S0006322321009379>

Association of transportation noise with sleep during the first year of life: A longitudinal study. Blume C, Schoch S F, Vienneau D, Rööslä M, Kohler M, Moeller A, Kurth S, Usemann J. 2021. **Environmental Research**. 111776. <https://www.sciencedirect.com/science/article/pii/S0013935121010707>

Free-Living Motor Activity Monitoring in Ataxia-Telangiectasia. Khan N C, Pandey V, Gajos K Z, Gupta A S. 2021. **The Cerebellum**. <https://link.springer.com/article/10.1007/s12311-021-01306-y>

Data-driven modelling approach to circadian temperature rhythm profiles in free-living conditions. Lipsanen J, Kuula L, Elovainio M, Partonen T, Pesonen A K. 2021. **Scientific Reports**. 11(1):1-2.  
<https://www.nature.com/articles/s41598-021-94522-9>

Sleep-related and diurnal effects on brain diffusivity and cerebrospinal fluid flow. Tuura R O, Volk C, Callaghan F, Jaramillo V, Huber R. 2021. **NeuroImage**. 118420.  
<https://www.sciencedirect.com/science/article/pii/S1053811921006959>



Substitutions of physical activity, sedentary behaviour and sleep: associations with mental health in middle-aged and elderly persons. Hofman A, Voortman T, Ikram M A, Luik A I. 2021. **J Epidemiol Community Health**. <https://jech.bmj.com/content/early/2021/07/22/jech-2020-215883.abstract>

Sedentary behaviour, physical activity and cardiometabolic health in highly trained athletes: A systematic review and meta-analysis. Franssen W M, Vanbrabant E, Cuveele E, Ivanova A, Franssen G H, Eijnde B O. 2021. **European Journal of Sport Science**. 1-33. <https://www.tandfonline.com/doi/full/10.1080/17461391.2021.1955013>

Classifying strength exercises performed by wheelchair users using accelerometer data of wearables. Spierings L. Dissertation [Universiteit Leiden]. 2021. <https://theses.liacs.nl/pdf/2019-2020-SpieringsL.pdf>

Assessment of Physical Activity in Adults using Wrist Accelerometers. Liu F, Wanigatunga A A, Schrack J A. 2021. **Epidemiologic Reviews**. mxab004. <https://academic.oup.com/epirev/advance-article-abstract/doi/10.1093/epirev/mxab004/6313190>

Is there a bidirectional association between sedentary behaviour and cognitive decline in older adults? Findings from the Irish Longitudinal Study on Ageing. Maasackers C M, Claassen J A, Scarlett S, Thijssen D H, Kenny R A, Feeney J, Melis R J. 2021. **Preventive Medicine Reports**. 23:101423. <https://www.sciencedirect.com/science/article/pii/S2211335521001133>

Neurobiology Youth Follow-up Study: protocol to establish a longitudinal and prospective research database using multimodal assessments for current and past mental health treatment-seeking young people within an early intervention service. Nichles A, Zmicerevska N, Song Y J, Wilson C, McHugh C, Hamilton B, Crouse J, Rohleder C, Carpenter J S, Ho N, Hermens D F. 2021. **BMJ Open**. 11(6):e044731. <https://bmjopen.bmj.com/content/11/6/e044731.abstract>

Quantifying Shoulder Activity After Rotator Cuff Repair: Technique and Preliminary Results. Ruder M, Zauel R, Diefenbach B J, Bey M J. **Journal of Orthopaedic Research**. 1-8. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/jor.25122>

Longitudinal Associations of Healthy Behaviors on Fitness in Adolescents: DADOS Study. Beltran-Valls M R, Adelantado-Renau M, Mota J, Moliner-Urdiales D. 2021. **American Journal of Preventive Medicine**. 61(3):410-417. <https://www.sciencedirect.com/science/article/pii/S0749379721002622>

Identification of sleep wake stages in actigraphy data utilising gradient boosting algorithm. Mikulec M. [https://dspace.vutbr.cz/bitstream/handle/11012/200855/270\\_eeict-2021\\_2.pdf?sequence=1](https://dspace.vutbr.cz/bitstream/handle/11012/200855/270_eeict-2021_2.pdf?sequence=1)

Validity of an Infant Tummy Time Questionnaire and Time-use Diary against the GENEActiv Accelerometer. Zhang Z, Predy M, Kuzik N, Hewitt L, Hesketh K D, Pritchard L, Okely A D, Carson V. 2021. **Measurement in Physical Education and Exercise Science**. <https://www.tandfonline.com/doi/full/10.1080/1091367X.2021.1941033>



Comparability of Postural and Physical Activity Metrics from Different Accelerometer Brands Worn on the Thigh: Data Harmonization Possibilities. Edwardson C L, Maylor B D, Dawkins N P, Plekhanova T, Rowlands A V. 2021. **Measurement in Physical Education and Exercise Science**.  
<https://www.tandfonline.com/doi/full/10.1080/1091367X.2021.1944154>

Sleep behavior of infants with infantile hemangioma treated with propranolol—a cohort study. Theiler M, Knöpfel N, von der Heydt S, Schwiieger-Briel A, Luchsinger I, Smith A, Kernland-Lang K, Waelchli R, Neuhaus K, Kohler M, Gnannt R. 2021. **European Journal of Pediatrics**. Jun 18:1-4.  
<https://link.springer.com/article/10.1007/s00431-021-04147-3>

Behavioral and Emotional Changes in Early Childhood during the COVID-19 Pandemic. Kairupan T S, Rokot N T, Lestari H, Rampengan N H, Kairupan B H. 2021. **e-CliniC**. 9(2):402-11.  
<https://ejournal.unsrat.ac.id/index.php/eclinic/article/view/34014>

Protocol: Impact of The Daily Mile on children's physical and mental health, and educational attainment in primary schools: iMprOVE cohort study protocol. Ram B, Chalkley A, van Sluijs E, Phillips R, Venkatraman T, Hargreaves D S, Viner R M, Saxena S. 2021. **BMJ Open**. 11(5).  
<https://bmjopen.bmj.com/content/11/5/e045879.abstract>

Validity and Test-Retest Reliability of a Thai Stroke Physical Activity Questionnaire. Potchana K, Saengsuwan J, Kittipanya-Ngam P. 2021. **Journal of Stroke and Cerebrovascular Diseases**. 30(8):105907. <https://www.sciencedirect.com/science/article/abs/pii/S1052305721003104>

Association between Social Network Structure and Physical Activity in Middle-aged Korean Adults. Cho S M, Lee H, Shim J S, Youm Y, Jung S J, Kim D J, Kim H C. 2021. **Social Science & Medicine**. 114:112.  
<https://www.sciencedirect.com/science/article/abs/pii/S0277953621004445>

Project Cope: An Investigation of Daily Experiences of Stress, Physical Activity, and Sleep During the COVID-19 Pandemic. Lyons R C. Masters dissertation, Arizona State University.  
<https://www.proquest.com/openview/7bfb7a9f7462e63338e45f0c78ef0a27/1?pq-origsite=gscholar&cbl=18750&diss=y>

Reliability of GENEActiv accelerometers to estimate sleep, physical activity, and sedentary time in children. Antczak D, Lonsdale C, del Pozo Cruz B, Parker P, Sanders T. **International 2021. Journal of Behavioral Nutrition and Physical Activity**. 18, 73.  
<https://ijbnpa.biomedcentral.com/articles/10.1186/s12966-021-01143-6>

Improving the objectivity of the current World Para Swimming motor coordination test for swimmers with hypertonia, ataxia and athetosis using measures of movement smoothness, rhythm and accuracy. Maia A C, Hogarth L, Burkett B, Payton C. 2021. **Journal of Sports Sciences**.  
<https://www.tandfonline.com/doi/full/10.1080/02640414.2021.1935114>



Older adults' experiences with using wearable devices: Qualitative systematic review and meta-synthesis. Moore K, O'Shea E, Kenny L, Barton J, Tedesco S, Sica M, Crowe C, Alamäki A, Condell J, Nordström A, Timmons S. 2021. **JMIR mHealth and uHealth**. 9(6):e23832. <https://mhealth.jmir.org/2021/6/e23832>

Comparing GENEActiv against Actiwatch-2 over Seven Nights Using a Common Sleep Scoring Algorithm and Device-Specific Wake Thresholds. Jenkins C A, Tiley L C, Lay I, Hartmann J A, Chan J K, Nicholas C L. 2021. **Behavioral Sleep Medicine**. <https://www.tandfonline.com/doi/abs/10.1080/15402002.2021.1924175?journalCode=hbsm20>

Associations between daily movement distribution, bone structure, falls, and fractures in older adults: a compositional data analysis study. Moradell A, Rodríguez-Gómez I, Fernández-García Á I, Navarrete-Villanueva D, Marín-Puyalto J, Pérez-Gómez J, Villa-Vicente J G, González-Gross M, Ara I, Casajús J A, Gómez-Cabello A. 2021. **International Journal of Environmental Research and Public Health**. 18(7):3757. <https://www.mdpi.com/1660-4601/18/7/3757>

455 Correlation between objective measures of sleep and nocturnal scratch in children with atopic dermatitis. Yang A F, Xu S. 2021. **Journal of Investigative Dermatology**. 141(5):S79. [https://www.jidonline.org/article/S0022-202X\(21\)00703-X/fulltext](https://www.jidonline.org/article/S0022-202X(21)00703-X/fulltext)

Exploring the effects of daily hassles and uplifts on eating behaviour in young adults: The role of daily cortisol levels. Moss R H, Conner M, O'Connor D B. 2021. **Psychoneuroendocrinology**. 129:105231. <https://www.sciencedirect.com/science/article/abs/pii/S0306453021001050>

Device-measured sedentary behavior in oldest old adults: A systematic review and meta-analysis. Webster K E, Zhou W, Gallagher NA, Smith EM, Gothe N P, Ploutz-Snyder R, Colabianchi N, Larson J L. 2021. **Preventive Medicine Reports**. 18:101405. <https://www.sciencedirect.com/science/article/pii/S2211335521000954>

Personalised Accelerometer Cut-point Prediction for Older Adults' Movement Behaviours using a Machine Learning approach. Nnamoko N, Cabrera-Diego L A, Campbell D, Sanders G, Fairclough S J, Korkontzelos I. 2021. **Computer Methods and Programs in Biomedicine**. 18:106165. [https://www.sciencedirect.com/science/article/abs/pii/S016926072100239X?dgcid=rss\\_sd\\_all](https://www.sciencedirect.com/science/article/abs/pii/S016926072100239X?dgcid=rss_sd_all)

Self-reported reasons for on-duty sleepiness among commercial airline pilots. Sallinen M, Onninen J, Ketola K, Puttonen S, Tuori A, Virkkala J, Åkerstedt T. 2021. **Chronobiology International**. 15:1-1. <https://www.tandfonline.com/doi/abs/10.1080/07420528.2021.1927071>

Association between maternal prepregnancy body mass index with offspring cardiometabolic risk factors: analysis of three Brazilian birth cohorts. da Silva Dias M, Matijasevich A, Menezes A M, Barros F C, Wehrmeister F C, Gonçalves H, Santos I S, Horta B L. 2021. **Journal of Developmental Origins of Health and Disease**. 1-7. <https://www.cambridge.org/core/journals/journal-of-developmental-origins-of-health-and-disease/article/abs/association-between-maternal-prepregnancy-body-mass-index-with-offspring-cardiometabolic-risk-factors-analysis-of-three-brazilian-birth-cohorts/8536AE6E06322659BC69610CDB8026D1>





Behavioural mediators of reduced energy intake in a physical activity, diet, and sleep behaviour weight loss intervention in adults. Fenton S, Burrows T L, Collins C E, Holliday E G, Kolt G S, Murawski B, Rayward A T, Stamatakis E, Vandelanotte C, Duncan M J. 2021. **Appetite**. 1:105273. <https://www.sciencedirect.com/science/article/abs/pii/S019566632100180X>

Changes in physical activity and rest-activity circadian rhythm among Hong Kong community aged population before and during COVID-19. Lee P M, Huang B, Liao G, Chan C K, Tai LB, Tsang C Y, Leung C C, Kwan M P, Tse L A. 2021. **BMC public health**. 21(1):1-2. <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-021-10890-x>

Effect of exercise on sleep and bi-directional associations with accelerometer-assessed physical activity in men with obesity. Plekhanova T, Rowlands A V, Davies M, Edwardson C L, Hall A, Yates T. 2021. **Applied Physiology, Nutrition, and Metabolism**. 99(999):1-9. <https://cdnsiencepub.com/doi/full/10.1139/apnm-2020-0361>

Sensitivity of Apple Watch fall detection feature among wheelchair users. Abou L, Fliflet A, Hawari L, Presti P, Sosnoff J J, Mahajan H P, Frechette M L, Rice L A. 2021. **Assistive Technology**. <https://www.tandfonline.com/doi/abs/10.1080/10400435.2021.1923087>

Accelerometry vs. video-derived stroke parameters in high-level swimmers. Musson C, Kramer M. 2021. **South African Journal of Sports Medicine**. 33(1):1-6. <https://journals.assaf.org.za/index.php/sajsm/article/view/9483>

Association of sleep duration in middle and old age with incidence of dementia. Sabia S, Fayosse A, Dumurgier J, van Hees V T, Paquet C, Sommerlad A, Kivimäki M, Dugravot A, Singh-Manoux A. 2021. **Nature Communications**. 12(1):1-0. <https://www.nature.com/articles/s41467-021-22354-2>

Hemodynamic and structural brain measures in high and low sedentary older adults. Maasackers C M, Thijssen D H, Knight S P, Newman L, O'Connor J D, Scarlett S, Carey D, Buckley A, McMorrow J P, Leidhin C N, Feeney J. 2021. **Journal of Cerebral Blood Flow & Metabolism**. 0271678X211009382. <https://journals.sagepub.com/doi/full/10.1177/0271678X211009382>

A population-based prospective study on rest-activity rhythm and mild cognitive impairment among Hong Kong healthy community-dwelling older adults. Lee P M, Kwok B H, Ma J Y, Tse L A. 2021. **Neurobiology of Sleep and Circadian Rhythms**. 100065. <https://www.sciencedirect.com/science/article/pii/S2451994421000067>

Minimally invasive versus conventional sternotomy for Mitral valve repair: protocol for a multicentre randomised controlled trial (UK Mini Mitral). Maier R H, Kasim A S, Zacharias J, Vale L, Graham R, Walker A, Laskawski G, Deshpande R, Goodwin A, Kendall S, Murphy G J. 2021. **BMJ open**. 11(4):e047676. <https://bmjopen.bmj.com/content/11/4/e047676.abstract>



Supplemental light exposure improves sleep architecture in people with type 2 diabetes. 2021. Adhikari P, Pradhan A, Zele A J, Feigl B. **Acta Diabetologica**. 1-8.  
<https://link.springer.com/article/10.1007%2Fs00592-021-01712-y>

Reliability and Validity of Three Clinical Methods to Measure Lower Extremity Muscle Power. Pontiff M E, Li L, Moreau N G. 2021. **International Journal of Kinesiology and Sports Science**. 9(1):1-8.  
<http://www.journals.aiac.org.au/index.php/IJKSS/article/view/6588>

Evaluation of an 8-Week Vegan Diet on Plasma Trimethylamine-N-Oxide and Postchallenge Glucose in Adults with Dysglycemia or Obesity. Argyridou S, Davies M J, Biddle G J, Bernieh D, Suzuki T, Dawkins N P, Rowlands A V, Khunti K, Smith A C, Yates T. 2021. **The Journal of Nutrition**. nxab046.  
<https://academic.oup.com/jn/advance-article-abstract/doi/10.1093/jn/nxab046/6204686>

Community participation of community dwelling older adults: a cross-sectional study. Gough C, Lewis L K, Barr C, Maeder A, George S. 2021. **BMC public health**. 21(1):1-3.  
<https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-021-10592-4>

Nurse-led telephone intervention for lifestyle changes on glycaemic control in people with prediabetes: Study protocol for a randomized controlled trial. Abbate M, Fresneda S, Yañez A, Ricci-Cabello I, Galmes-Panades A M, Aguilo A, Bennasar-Veny M, PREDIPHONE trial group, Vidal C, Llobera J, Gonzalez-Torrente S. 2021. **Journal of Advanced Nursing**. <https://onlinelibrary-wiley-com.ezproxy4.lib.le.ac.uk/doi/pdfdirect/10.1111/jan.14842>

COVID-19 lockdown impact on the physical activity of adults with progressive muscle diseases. Roberts-Lewis S F, Ashworth M, White C M, Rose M R. 2021. **BMJ Neurology Open**. 3(1):e000140.  
<https://neurologyopen.bmj.com/content/bmjno/3/1/e000140.full.pdf>

Time in nature associated with decreased fatigue in UK truck drivers. Longman D P, Shaw C N, Varela-Mato V, Sherry A P, Ruettger K, Sayyah M, Guest A, Chen Y L, Paine N J, King J A, Clemes S A. 2021. **International Journal of Environmental Research and Public Health**. 18(6):3158.  
<https://www.mdpi.com/1660-4601/18/6/3158/htm>

Supplemental light exposure for sleep disturbances associated with type 2 diabetes. Pradhan A. Doctoral dissertation. Queensland University of Technology.  
[https://eprints.qut.edu.au/208390/1/Asik\\_Pradhan\\_Thesis.pdf](https://eprints.qut.edu.au/208390/1/Asik_Pradhan_Thesis.pdf)

Changes in 24-hour movement behaviours during the transition from primary to secondary school among Australian children. Chong K H, Parrish A M, Cliff D P, Dumuid D, Okely A D. 2021. **European Journal of Sport Science**. 16:1-25. <https://www.tandfonline-com.ezproxy3.lib.le.ac.uk/doi/pdf/10.1080/17461391.2021.1903562?needAccess=true&>

Validation of Walking Speed Estimation from Trunk Mounted Accelerometers for a Range of Walking Speeds. Rispens S M, Cox L G, Ejupi A, Delbaere K, Annegarn J, Bonomi A G. 2021. **Sensors**. 21(5):1854. <https://www.mdpi.com/1424-8220/21/5/1854/htm>



The impact of COVID-19 restrictions on accelerometer-assessed physical activity and sleep in individuals with type 2 diabetes. Rowlands A V, Henson J J, Coull N A, Edwardson C L, Brady E, Hall A, Khunti K, Davies M, Yates T. 2021. **Diabetic Medicine**. e14549. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/dme.14549>

Development of digital measures for nighttime scratch and sleep using wrist-worn wearable devices. Mahadevan N, Christakis Y, Di J, Bruno J, Zhang Y, Dorsey ER, Pigeon WR, Beck LA, Thomas K, Liu Y, Wicker M. 2021. **NPJ digital medicine**. 4(1):1-0. <https://www.nature.com/articles/s41746-021-00402-x.pdf>

The self-reported causes of sleepiness in shift-working tram and truck drivers. Onninen J, Pylkkönen M, Hakola T, Puttonen S, Virkkala J, Tolvanen A, Sallinen M. 2021. **Transportation Research Part F: Traffic Psychology and Behaviour**. 78:153-63. <https://reader.elsevier.com/reader/sd/pii/S1369847821000280?token=A3DE14AA8E11F37E7E5A55F3E8F4E9FB4EFF4416F0C2E4F34F97A669AC9E2A7E751A3B762E709A90CD0B307E6A747E94&originRegion=us-east-1&originCreation=20210405100138>

Physical Activity after Cardiac Events (PACES): a group education programme with subsequent text message support designed to increase physical activity in individuals with diagnosed coronary heart disease: a randomised controlled trial. Herring L Y, Dallosso H, Schreder S, Smith E J, Waheed G, Gray L J, Khunti K, Yates T, Highton P J, Rowlands A V, Hudson I. 2021. **Open heart**. 8(1):e001351. <https://openheart.bmj.com/content/openhrt/8/1/e001351.full.pdf>

A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. Dalai H M, Taylor R S, Wingham J, Greaves C, Jolly K, Lang C, Davis R C, Smith K M, Doherty P J, Miles J, Van Lingen R. 2021. **Programme Grants for Applied Research**. 9(1). <https://eprints.whiterose.ac.uk/171493/1/3035957.pdf>

Shedding light on light exposure in elderly with intellectual disabilities. Böhmer M N, Valstar M J, Aarts M P, Bindels P J, Oppewal A, van Someren E J, Festen D A. 2021. **Journal of Intellectual Disability Research**. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jir.12822>

Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. Difrancesco S, Riese H, Merikangas K R, Shou H, Zipunnikov V, Antypa N, van Hemert A M, Schoevers R A, Penninx B W, Lamers F. 2021. **Journal of Medical Internet Research**. 23(2):e20700. <https://www.jmir.org/2021/2/e20700/pdf>

Daily activities are associated with non-invasive measures of neuroplasticity in older adults. Smith A E, Dumuid D, Goldsworthy M R, Graetz L, Hodyl N, Thornton N L, Ridding M C. 2021. **Clinical Neurophysiology**. 132(4):984-992. <https://www.sciencedirect.com.ezproxy4.lib.le.ac.uk/science/article/pii/S1388245721000444>

Accelerometer data collected with a minimum set of wearable sensors from subjects with Parkinson's disease. Daneault J F, Vergara-Diaz G, Parisi F, Admati C, Alfonso C, Bertoli M, Bonizzoni E, Carvalho



G F, Costante G, Fabara E E, Fixler N. 2021. **Scientific Data**. 8, 48.  
<https://www.nature.com/articles/s41597-021-00830-0.pdf>

Limb and trunk accelerometer data collected with wearable sensors from subjects with Parkinson's disease. Vergara-Diaz G, Daneault J F, Parisi F, Admati C, Alfonso C, Bertoli M, Bonizzoni E, Carvalho G F, Costante G, Fabara E E, Fixler N. 2021. **Scientific Data**. 8(1):1-2.  
<https://www.nature.com/articles/s41597-021-00831-z.pdf>

Associations among masticatory muscle activity, physical activity and self-reported oral behaviours in adult women. Prasad S, Ramanan D, Bennani H, Paulin M, Cannon R D, Palla S, Farella M. 2021. **Clinical Oral Investigations**. <https://link.springer.com/article/10.1007/s00784-021-03816-9#citeas>

Predictors of sleep disturbances in caregivers of patients with advanced cancer receiving home palliative care: A descriptive cross-sectional study. Valero-Cantero I, Wärnberg J, Carrión-Velasco Y, Martínez-Valero F J, Casals C, Vázquez-Sánchez M Á. 2021. **European Journal of Oncology Nursing**. 51:101907. <https://www-sciencedirect-com.ezproxy3.lib.le.ac.uk/science/article/pii/S1462388921000132>

DPSleep: Open-Source Longitudinal Sleep Analysis From Accelerometer Data. Eichi H R, Coombs G, Bustamante CM, Onnela J P, Baker J T, Buckner R L. 2021. **bioRxiv**.  
<https://www.biorxiv.org/content/biorxiv/early/2021/02/04/2021.02.02.429455.full.pdf>

Virtual reality intervention to improve apathy in residential aged care: protocol for a multisite non-randomised controlled trial. Saredakis D, Keage H A, Corlis M, Loetscher T. 2021. **BMJ Open**. 11(2):e046030. <https://bmjopen.bmj.com/content/bmjopen/11/2/e046030.full.pdf>

Sleep and cardiometabolic risk: a cluster analysis of actigraphy-derived sleep profiles in adults and children. Matricciani L, Paquet C, Fraysse F, Grobler A, Wang Y, Baur L, Juonala M, Nguyen M T, Ranganathan S, Burgner D, Wake M. 2021. **Sleep**. zsab014. <https://academic.oup.com/sleep/advance-article-abstract/doi/10.1093/sleep/zsab014/6124580?redirectedFrom=fulltext>

Physical activity intensity cut-points for wrist-worn GENEActiv in older adults. Fraysse F, Post D, Eston R, Kasai D, Rowlands A V, Parfitt G. 2021. **Frontiers in Sports and Active Living**. 2:215.  
<https://www.frontiersin.org/articles/10.3389/fspor.2020.579278/full>

Heart Rate Variability and Firstbeat Method for Detecting Sleep Stages in Healthy Young Adults: Feasibility Study. Kuula L, Pesonen A K. 2021. **JMIR mHealth and uHealth**. 9(2):e24704.  
<https://mhealth.jmir.org/2021/2/e24704/PDF>

Reaching to inhibit a prepotent response: a wearable 3-axis accelerometer kinematic analysis. Angeli A, Valori I, Farroni T, Marfia G. 2021. **bioRxiv**.  
<https://www.biorxiv.org/content/10.1101/2021.01.28.428591v1.full.pdf>



Targeting body composition in an older population: do changes in movement behaviours matter? Longitudinal analyses in the PREDIMED-Plus trial. Galmes-Panades A M, Konieczna J, Varela-Mato V, Abete I, Babio N, Fiol M, de Paz J A, Casas R, Olbeyra R, Ruiz-Canela M, Palau-Galindo A. 2021. **BMC Medicine**. 19(1):1-1. <https://bmcmmedicine.biomedcentral.com/articles/10.1186/s12916-020-01847-9>

Examining social-cognitive theory constructs as mediators of behaviour change in the active team smartphone physical activity program: a mediation analysis. Romeo A V, Edney S M, Plotnikoff R C, Olds T, Vandelanotte C, Ryan J, Curtis R, Maher C A. 2021. **BMC Public Health**. 21(1):1-1. <https://link.springer.com/content/pdf/10.1186/s12889-020-10100-0.pdf>

The role of depressive symptoms and symptom dimensions in actigraphy-assessed sleep, circadian rhythm, and physical activity. Difrancesco S, Penninx B W, Riese H, Giltay E J, Lamers F. 2021. **Psychological Medicine**. 1-7. <https://www.cambridge.org/core/services/aop-cambridge-core/content/view/5AF7E2B2733ED9EF2C8CDC4CF7F2C82F/S0033291720004870a.pdf/the-role-of-depressive-symptoms-and-symptom-dimensions-in-actigraphy-assessed-sleep-circadian-rhythm-and-physical-activity.pdf>

UK University Staff experience high levels of sedentary behaviour during work and leisure time. Faghy M A, Duncan M J, Pringle A, Buchanan Meharry J, Roscoe C M. 2021. **International Journal of Occupational Safety and Ergonomics**. 1-21. <https://www.tandfonline.com.ezproxy4.lib.le.ac.uk/doi/pdf/10.1080/10803548.2021.1874704?needAccess=true&>

Protocol for a young adult mental health (Uspace) cohort: personalising multidimensional care in young people admitted to hospital. Tickell A M, Rohleder C, Garland A, Song Y J, Carpenter J S, Harel K, Parker L, Hickie I B, Scott E. 2021 **BMJ Open**. 11(1):e038787. <https://bmjopen.bmj.com/content/bmjopen/11/1/e038787.full.pdf>

Accelerometer-determined physical activity and its relationship with health. Migueles J H. [Doctoral Thesis]. 2020. <https://digibug.ugr.es/handle/10481/65421>

Balancing time use for children's fitness and adiposity: Evidence to inform 24-hour guidelines for sleep, sedentary time and physical activity. Dumuid D, Wake M, Burgner D, Tremblay M S, Okely A D, Edwards B, Dwyer T, Olds T. 2021. **Plos One**. 16(1):e0245501. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0245501>

Physical Activity, Sedentary Behavior, Sleep and Self-Regulation in Spanish Preschoolers during the COVID-19 Lockdown. Alonso-Martínez A M, Ramírez-Vélez R, García-Alonso Y, Izquierdo M, García-Hermoso A. 2021. **International Journal of Environmental Research and Public Health**. 18(2):693. [https://www.researchgate.net/profile/Mikel\\_Izquierdo3/publication/348484516\\_Physical\\_Activity\\_Sedentary\\_Behavior\\_Sleep\\_and\\_Self-Regulation\\_in\\_Spanish\\_Preschoolers\\_during\\_the\\_COVID-19\\_Lockdown/links/6001290f299bf140889753d2/Physical-Activity-Sedentary-Behavior-Sleep-and-Self-Regulation-in-Spanish-Preschoolers-during-the-COVID-19-Lockdown.pdf](https://www.researchgate.net/profile/Mikel_Izquierdo3/publication/348484516_Physical_Activity_Sedentary_Behavior_Sleep_and_Self-Regulation_in_Spanish_Preschoolers_during_the_COVID-19_Lockdown/links/6001290f299bf140889753d2/Physical-Activity-Sedentary-Behavior-Sleep-and-Self-Regulation-in-Spanish-Preschoolers-during-the-COVID-19-Lockdown.pdf)

The day-to-day bidirectional longitudinal association between objective and self-reported sleep and affect: an ambulatory assessment study. Difrancesco S, Penninx B W, Antypa N, van Hemert A M, Riese H, Lamers F. 2021. **Journal of Affective Disorders**. In press.



<https://reader.elsevier.com/reader/sd/pii/S0165032721000690?token=991F0791C20CF60AD7441D71A44E69BF274F355ADF556AB3263A6A2F28A10A21A70324C1015A2C058D94A12940624713>

A randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: Protocol for the Trial of physical Activity assisted Reduction of Smoking (TARS) study. Taylor A, Thompson T, Ussher M, Aveyard P, Murray R, Harris T, Creanor S, Green C, Streeter AJ, Chynoweth J, Ingram W. 2020. **BMJ Open**. 10:e043331. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7709511/pdf/bmjopen-2020-043331.pdf>

Device agnostic sleep-wake segment classification from wrist-worn accelerometry. Peraza L R, Joules R, Dauvilliers Y, Wolz R, Peraza L R, Wolz R. 2020. In IEEE International Conference on Healthcare Informatics (ICHI). <https://ixico.com/assets/Uploads/Device-agnostic-sleep-wake-segment-classification.pdf>

Screening for Depression in Daily Life: Development and External Validation of a Prediction Model Based on Actigraphy and Experience Sampling Method. Minaeva O, Riese H, Lamers F, Antypa N, Wichers M, Booij S H. 2020. **J Med Internet Res**. 22(12):e22634. <https://www.jmir.org/2020/12/e22634/pdf>

Protocol for PD SENSORS: Parkinson's Disease Symptom Evaluation in a Naturalistic Setting producing Outcome measuRes using SPHERE technology. An observational feasibility study of multi-modal multi-sensor technology to measure symptoms and activities of daily living in Parkinson's disease. Morgan C, Craddock I, Tonkin E L, Kinnunen K M, McNaney R, Whitehouse S, Mirmehdi M, Heidarincheh F, McConville R, Carey J, Horne A, Rolinski M, Rochester L, Maetzler W, Matthew H, Watson O, Eardley R, Whone A L. 2020. **BMJ Open**. 10(11):e041303. <https://bmjopen.bmj.com/content/bmjopen/10/11/e041303.full.pdf>

The validity of the 'General Practice Physical Activity Questionnaire' against accelerometry in patients with chronic kidney disease. Wilkinson T J, Palmer J, Gore E F, Smith A C. 2020. **Physiother Theory Pract**. <https://www.tandfonline.com/doi/pdf/10.1080/09593985.2020.1855684?needAccess=true>

Twitter-based Social Support added to Fitbit Self-monitoring for Decreasing Sedentary Behavior: Protocol for A Randomized Controlled Pilot Trial with Women Patients from a Women's Heart Clinic. Oppezzo M, Tremmel J, Desai M, Baiocchi M, Ramo D, Cullen M, Prochaska J J. 2020. **JMIR Res Protoc**. 9(12):e20926. <https://www.researchprotocols.org/2020/12/e20926/PDF>

A randomised controlled trial of energetic activity for depression in young people (READY): a multi-site feasibility trial protocol. Howlett N, Bottoms L, Chater A, Clark A B, Clarke T, David L, Irvine K, Jones A, Jones J, Mengoni S E, Murdoch J. 2020. **Pilot and Feasibility Studies**. 7(1):1-9. <https://link.springer.com/content/pdf/10.1186/s40814-020-00734-7.pdf>

Neighbourhood walkability and physical activity: moderating role of a physical activity intervention in overweight and obese older adults with metabolic syndrome. Colom A, Mavoa S, Ruiz M, Wärnberg J, Muncunill J, Konieczna J, Vich G, Barón-López F J, Fitó M, Salas-Salvadó J, Romaguera D. 2020. **Age and ageing**. afaa246. <https://academic.oup.com/ageing/advance-article/doi/10.1093/ageing/afaa246/5992349>



Physical Activity Recognition and Identification System (PARIS) [Thesis]. Twaites J G N. 2020. University of Exeter.

<https://ore.exeter.ac.uk/repository/bitstream/handle/10871/123850/TwaitesJ.pdf?sequence=1&isAllowed=y>

Application of Machine Learning Approaches for Activity Recognition and Energy Expenditure Prediction in Free Living Children and Adolescents [Thesis]. Ahmadi M. 2020. Queensland University of Technology. [https://eprints.qut.edu.au/206178/1/Matthew%20Nguyen\\_Ahmadi\\_Thesis.pdf](https://eprints.qut.edu.au/206178/1/Matthew%20Nguyen_Ahmadi_Thesis.pdf)

Association of physical activity metrics with indicators of cardiovascular function and control in children with and without type 1 diabetes. Marshall Z A, Mackintosh K A, Lewis M J, Ellins E A, McNarry M A. 2020. **Pediatr Diabetes**. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/pedi.13159>

Dynamic fluctuations of emotional states in adolescents with delayed sleep phase—A longitudinal network modeling approach. Elovainio M, Kuula L, Halonen R, Pesonen A K. 2020. **J Affect Disord**. 276:467–75.

<https://reader.elsevier.com/reader/sd/pii/S0165032720324952?token=CB6AD2E1D9584BA14C842647339C585D5EA0BD82F8CC3ED2C9C3E473E4C36BE8A50EF7DC4EE393FA2F5CC7AE940C1B3C>

Ear-EEG for sleep assessment: a comparison with actigraphy and PSG. Tabar Y R, Mikkelsen K B, Rank M L, Hemmsen M C, Otto M, Kidmose P. 2020. **Sleep Breath**.

<https://link.springer.com/article/10.1007/s11325-020-02248-1>

Fundamental Movement Skills and Accelerometer-Measured Physical Activity Levels during Early Childhood: A Systematic Review. Dobell A, Pringle A, Faghy M A, Roscoe C M P. 2020. **Children**. 7(11):224. <https://www.mdpi.com/2227-9067/7/11/224/html>

Health-related quality of life in adolescents: individual and combined impact of health-related behaviors (DADOS study). Solera-Sanchez A, Adelantado-Renau M, Moliner-Urdiales D, Beltran-Valls M R. 2020. **Qual Life Res**. <https://link.springer.com/article/10.1007/s11136-020-02699-9>

Inactograms and objective sleep measures as means to capture subjective sleep problems in patients with a bipolar disorder. Lavin-Gonzalez P, Bourguignon C, Crescenzi O, Beaulieu S, Storch K F, Linnaranta O. 2020. **Bipolar Disord**. 22(7):722–30.

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/bdi.12903>

Intervention to improve quality of sleep of palliative patient carers in the community: protocol for a multicentre randomised controlled trial. Valero-Cantero I, Carrión-Velasco Y, Casals C, Martínez-Valero F J, Barón-López F J, Vázquez-Sánchez MÁ. 2020. **BMC Nurs**. 19(1):1–9.

<https://link.springer.com/article/10.1186/s12912-020-00501-2>

Measuring physical activity with activity monitors in patients with heart failure: from literature to practice. A position paper from the Committee on Exercise Physiology and Training of the Heart Failure



Association of the European Society of Cardiology. Klompstra L, Kyriakou M, Lambrinou E, Piepoli M F, Coats A J S, Cohen-Solal A, Cornelis J, Gellen B, Marques-Sule E, Niederseer D, Orso F. 2020. **Eur J Heart Fail**. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/ejhf.2035>

The effects of the Australian bushfires on physical activity in children. del Pozo Cruz B, Hartwig T B, Sanders T, Noetel M, Parker P, Antczak D, Lee J, Lubans D R, Bauman A, Cerin E, Lonsdale C. 2020. **Environ Int**. 146:106214. <https://reader.elsevier.com/reader/sd/pii/S0160412020321693?token=1AD11615AAD306B42DE16DA0D07C0C7B476BC03BCC0ECE8E2E1F6488CBB1294E82FB7636BD3BFF0F08232E10B1BC50D7>

The effect of bilingual Physical Education on students' Physical Activity. Things are not always as they seem. Salvador-García C, Chiva-Bartoll O, & Colomer-Diago C. 2020. **Cultura, Ciencia y Deporte**. 15(43):53-61. <https://dialnet.unirioja.es/servlet/articulo?codigo=7282462>

Psychosocial factors affecting sleep misperception in middle-aged community-dwelling adults. Park S, Park K, Shim J S, Youm Y, Kim J, Lee E, Kim H C. 2020. **PloS One**. 15(10):e0241237. <https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0241237&type=printable>

Weekly group tummy time classes are feasible and acceptable to mothers with infants: a pilot cluster randomized controlled trial. Hewitt L, Stephens S, Spencer A, Stanley R M, Okely A D. 2020. **Pilot and feasibility studies**. 6:155. <https://pilotfeasibilitystudies.biomedcentral.com/articles/10.1186/s40814-020-00695-x>

Age and environment-related differences in gait in healthy adults using wearables. Czech M D, Psaltos D, Zhang H, Adamusiak T, Calicchio M, Kelekar A, Messere A, Van Dijk K R, Ramos V, Demanuele C, Cai X. 2020. **NPJ Digital Medicine**. 3(1):1-9. <https://www.nature.com/articles/s41746-020-00334-y>

Reallocating time spent in physical activity intensities: Longitudinal associations with physical fitness (DADOS study). Beltran-Valls M R, Adelantado-Renau M, Moliner-Urdiales D. 2020. **Journal of Science and Medicine in Sport**. 23(10):968-972. <https://reader.elsevier.com/reader/sd/pii/S1440244019313532?token=B26F8457122CE3CEF85383C1A7000979A53E90741831320A933789B14DD88CD2A5F68D85D9ED1B110159C8F636E80BD8>

Day-to-day and longer-term longitudinal associations between physical activity, sedentary behavior, and sleep in children. Antczak D, Sanders T, del Pozo Cruz B, Parker P, Lonsdale C. 2020. **Sleep**. <https://academic.oup.com/sleep/advance-article-abstract/doi/10.1093/sleep/zsaa219/5939976>

Are young children with asthma more likely to be less physically active? Cassim R, Dharmage S C, Peters R L, Koplin J J, Allen K J, Tang M L K, Lowe A J, Olds T S, Frayssse F, Milanzi E, Russell M A. 2020. **Pediatr Allergy Immunol**. 00:1–7. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/pai.13383>

Associations of Activity and Sleep With Quality of Life: A Compositional Data Analysis. Verhoog S, Braun K V E, Bano A, van Rooij F J A, Franco O H, Koolhaas C M, Voortman T. 2020. **Am J Prev Med**. 59(3):412–9.





<https://reader.elsevier.com/reader/sd/pii/S0749379720301963?token=36E664713C98CF76D14D7284A3FE3576AB97419B4FD7A9E15AA7577F951D204C6C2A0F237F6297DC4146DE83CFB1D3B5>

Characterization of overnight slow-wave slope changes across development in an age-, amplitude-, and region-dependent manner. Jaramillo V, Volk C, Maric A, Furrer M, Fattinger S, Kurth S, Lustenberger C, Huber R. 2020. **Sleep**. 43(9):1–10. <https://academic.oup.com/sleep/article-abstract/43/9/zsaa038/5802398>

Deep Learning-Based Human Activity Recognition for Continuous Activity and Gesture Monitoring for Schizophrenia Patients With Negative Symptoms. Umbricht D, Cheng W Y, Lipsmeier F, Bamdadian A, Lindemann M. 2020. **Front Psychiatry**. 11:574375. <https://www.frontiersin.org/articles/10.3389/fpsy.2020.574375/full>

Engaging adolescents in changing behaviour (EACH-B): a study protocol for a cluster randomised controlled trial to improve dietary quality and physical activity. Strømmer S, Barrett M, Woods-Townsend K, Baird J, Farrell D, Lord J, Morrison L, Shaw S, Vogel C, Lawrence W, Lovelock D. 2020. **Trials**. 21(1):1–13. <https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-020-04761-w>

Exercise program and blood pressure in children: The moderating role of sedentary time. García-Hermoso A, Hormazábal-Aguayo I, González-Calderón N, Russell-Guzmán J, Vicencio-Rojas F, Chacana-Cañas C, Urrutia-Reyes I, Ramírez-Vélez R, Alonso-Martinez A M, Izquierdo M, Fernández-Vergara O. 2020. **J Sci Med Sport**. 23(9):854–9. <https://reader.elsevier.com/reader/sd/pii/S1440244019315567?token=ED78731B4AE1ADEEABF4D0AC7287A75D46903D97EB54B45931ECADCA6C46DFCA6523D69B91CA67E8996C6491A0DF3419>

Monitoring ocular discomfort using a wrist-mounted electronic logger. Read M L, Navascues-Cornago M, Keir N, Maldonado-Codina C, Morgan P B. 2020. **Contact Lens Anterior Eye**. 43(5):476–83. <https://reader.elsevier.com/reader/sd/pii/S136704842030028X?token=519CEE4DDA727DBF034F55E10E958AA967C6613C465068C1FCA13E9B63762C99B6E57639DFACB933EEDDE786DBCCB5AA>

Nonparametric time series summary statistics for high-frequency actigraphy data from individuals with advanced dementia. Suibkitwanchai K, Sykulski A M, Algorta G P, Waller D, Walshe C. 2020. arXiv:2005.01171. <https://arxiv.org/pdf/2005.01171.pdf>

Relationship between change in physical activity and in clinical status in patients with idiopathic inflammatory myopathy: A prospective cohort study. Landon-Cardinal O, Bachasson D, Guillaume-Jugnot P, Vautier M, Champtiaux N, Hervier B, Rigolet A, Aggarwal R, Benveniste O, Hogrel J Y, Allenbach Y. 2020. **Semin Arthritis Rheum**. 50(5):1140–9. <https://reader.elsevier.com/reader/sd/pii/S004901722030189X?token=3CC3C3D5A893A550C508E15026B7650C308CB25AC8AA2D84A1E735F6EAE08A78345F987A3B1E9F428616B8687DF4C402>

Role of ultra-processed food in fat mass index between 6 and 11 years of age: a cohort study. Costa C dos S, Assunção M C F, Loret de Mola C, Cardoso J de S, Matijasevich A, Barros A J D, Santos I S. 2020. **Int J Epidemiol**. 00(00):1–10. <https://academic.oup.com/ije/advance-article-abstract/doi/10.1093/ije/dyaa141/5901742>



Sleep profiles of Australian children aged 11–12 years and their parents: sociodemographic characteristics and lifestyle correlates. Matricciani L, Paquet C, Fraysse F, Wake M, Olds T. 2020. **Sleep Med.** 73:53–62.

<https://reader.elsevier.com/reader/sd/pii/S1389945720301866?token=813C5EC0355BB89B3A631069A3B1911B02A900A0EF90FC58339FFDDE0958B9FA7B1906B180E940EB3D581FC9111DAD8C>

The effects of an aerobic training intervention on cognition, grey matter volumes and white matter microstructure. Sexton C E, Betts J F, Dennis A, Doherty A, Leeson P, Holloway C, Dall'Armellina E, Winkler A M, Demnitz N, Wassenaar T, Dawes H. 2020. **Physiol Behav.** 23:112923.

<https://reader.elsevier.com/reader/sd/pii/S0031938420302377?token=1901610B4176DB34A680C400258D605443B2264BF06980B034CA5CB8D0BC2454B725944DC4215F865C86FFE208BD8DDE>

The influence of acute partial sleep deprivation on liking, choosing and consuming high- and low-energy foods. Benjamins J S, Hooge I T C, Benedict C, Smeets P A M, van der Laan L N. 2020. **Food Qual Prefer.** 88:104074.

<https://reader.elsevier.com/reader/sd/pii/S0950329320303438?token=89ED114683AD5CE0CD48BCA3C110479293E13BA84E99A992303F796BB51390E14267554CFF52B9D6657EF26509C1B2A4>

Virtual reality intervention to improve apathy in residential aged care : protocol for a multi-site trial. Saredakis A D, Keage H A D, Corlis M, Loetscher T. 2020. **PsyArXiv.** <https://psyarxiv.com/waub8/>

Wearable Technology and the Measurement of Physical Activity Intensity and Volume [Master's thesis]. Weber K S. 2020. University of Waterloo.

[https://uwspace.uwaterloo.ca/bitstream/handle/10012/16326/Weber\\_Kyle.pdf?sequence=3&isAllowed=y](https://uwspace.uwaterloo.ca/bitstream/handle/10012/16326/Weber_Kyle.pdf?sequence=3&isAllowed=y)

Impact of obstructive sleep apnoea and experiences of using positive airway pressure [Thesis]. Brown A. 2020. Lancaster University. <https://eprints.lancs.ac.uk/id/eprint/148401/1/2020AmyBrownDClinPsy.pdf>

12-Month changes of muscle strength, body composition and physical activity in adults with dystrophinopathies. Jacques M F, Onambele-Pearson G L, Reeves N D, Stebbings G K, Dawson E A, Stockley R C, Edwards B, Morse C I. 2020. **Disabil Rehabil.** 0(0):1–8.

<https://www.tandfonline.com/doi/epub/10.1080/09638288.2020.1808087?needAccess=true>

Absolute accelerometer-based intensity prescription compared to physiological variables in pregnant and nonpregnant women. Birnbaumer P, Dietz P, Watson E D, Mukoma G, Müller A, Sattler M C, Jaunig J, van Poppel M N, Hofmann P. 2020. **Int J Environ Res Public Health.** 17(16):1–10.

<https://www.mdpi.com/1660-4601/17/16/5651/htm>

Associations Between 24-Hour Time Use and Academic Achievement in Australian Primary School–Aged Children. Watson A, Dumuid D, Olds T. 2020. **Heal Educ Behav.** 47(6):905–13.

<https://journals.sagepub.com/doi/pdf/10.1177/1090198120952041>



Comparing 24 h physical activity profiles: Office workers, women with a history of gestational diabetes and people with chronic disease condition(s). Dawkins N P, Yates T, Edwardson C L, Maylor B, Davies M J, Dunstan D, Highton P J, Herring L Y, Khunti K, Rowlands A V. 2020. **J Sports Sci.** 00(00):1–8. <https://shapeamerica.tandfonline.com/doi/pdf/10.1080/02640414.2020.1812202>

Device-measured physical activity and its association with physical function in adults with type 2 diabetes mellitus. Mickute M, Henson J, Rowlands A V, Sargeant J A, Webb D, Hall A P, Edwardson C L, Baldry E L, Brady E M, Khunti K, Davies M J. 2020. **Diabet Med.** 00:e14393. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/dme.14393>

Displacing sedentary behaviour with light intensity physical activity spontaneously alters habitual macronutrient intake and enhances dietary quality in older females. Grant D, Tomlinson D, Tsintzas K, Kolic P, Onambele-Pearson G. 2020. **Nutrients.** 12(8):1–19. <https://www.mdpi.com/2072-6643/12/8/2431/htm>

Improving Sleep among Adults with Multiple Sclerosis using Mindfulness plus Sleep Education. Lorenz R A, Auerbach S, Nisbet P, Sessanna L, Alanazi N, Lach H, Newland P, Fisher N, Pandey K, Thomas F P, Chang Y P. 2020. **West J Nurs Res.** <https://journals.sagepub.com/doi/pdf/10.1177/0193945920947409>

Physical activity assessment by accelerometry in people with heart failure. Dibben G O, Gandhi M M, Taylor R S, Dalal H M, Metcalf B, Doherty P, Tang L H, Kelson M, Hillsdon M. 2020. **BMC Sports Sci Med Rehabil.** 12(1):1–12. <https://bmcsportsscimedrehabil.biomedcentral.com/articles/10.1186/s13102-020-00196-7>

Suicidal Ideation and Insomnia in Bipolar Disorders: Idéation suicidaire et insomnie dans les troubles bipolaires. Bertrand L, Bourguignon C, Beaulieu S, Storch K F, Linnaranta O. 2020. **Can J Psychiatry.** 65(11):802–10. <https://journals.sagepub.com/doi/pdf/10.1177/0706743720952226>

Equivalency of sleep estimates: comparison of three research-grade accelerometers. Journal for the Measurement of Physical Behaviour. Plekhanova T, Rowlands A V, Yates T, Hall A, Brady E M, Davies M, Khunti K, Edwardson C L. 2020. **Journal for the Measurement of Physical Behaviour.** 3(4):294–303. <https://journals.humankinetics.com/view/journals/jmpb/3/4/article-p294.xml?content=pdf-6970>

Actigraphy in sleep research with infants and young children: Current practices and future benefits of standardized reporting. Schoch S F, Kurth S, Werner H. **J Sleep Res.** 2020. 00:e13134. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jsr.13134>

Assessment of time window for sleep onset on the basis of continuous wrist temperature measurement. Partonen T, Haukka J, Kuula L, Pesonen A K. 2020. **Biol Rhythm Res.** 00(00):1–11. <https://www.tandfonline.com/doi/pdf/10.1080/09291016.2020.1802160?needAccess=true>

Changes in physical activity, sedentary behaviour and body composition : longitudinal analysis in the PREDIMED-Plus trial. Galmes-Panades A M, Konieczna J, Varela-Mato V, Abete I, Babio N, Fiol M, de Paz J A, Casas R, Olbeyra R, Ruiz-Canela M, Galindo A P. 2020. <https://assets.researchsquare.com/files/rs-44115/v1/bd1e8216-a945-4b8e-b8b7-7017681df0f8.pdf>



Daily mycoprotein consumption for one week does not affect insulin sensitivity or glycaemic control but modulates the plasma lipidome in healthy adults: A randomised controlled trial. Coelho M O C, Monteyne A J, Dirks M L, Finnigan T J A, Stephens F B, Wall B T. 2020. **Br J Nutr.** 125(2):147–60  
<https://pubmed.ncbi.nlm.nih.gov/32660657/>

Discrepancies in self-reported and actigraphy-based sleep duration are associated with self-reported insomnia symptoms in community-dwelling older adults. Scarlett S, Nolan H N, Kenny R A, O'Connell M D L. 2020. **Sleep Health.** 000:1–10.  
<https://reader.elsevier.com/reader/sd/pii/S235272182030173X?token=60DDA96FEC90EEA92149D1270E80E9CCE10BA968B4AB3A85A7BD11C6B3DADE7388BB813C76F44DC667B35D2BED824976>

Foot orthoses for people with rheumatoid arthritis, involving quantitative and qualitative outcomes: Protocol for a randomised controlled trial. Ramos-Petersen L, Nester C J, Gijon-Nogueron G, Ortega-Avila A B. 2020. **BMJ Open.** 10:e036433.  
<https://bmjopen.bmj.com/content/bmjopen/10/7/e036433.full.pdf>

Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. Minaeva O, Booij S H, Lamers F, Antypa N, Schoevers R A, Wichers M, Riese H. 2020. **Transl Psychiatry.** 10(1):1-11. <https://www.nature.com/articles/s41398-020-00952-w>

Optimizing actigraphic estimates of polysomnographic sleep features in insomnia disorder. Te Lindert B H W, van der Meijden W P, Wassing R, Lakbila-Kamal O, Wei Y, Van Someren E J W, Ramautar J R. 2020. **Sleep.** 43(11): zsa090. <https://academic.oup.com/sleep/article-abstract/43/11/zsa090/5869753>

Physical behaviors and chronotype in people with type 2 diabetes. Henson J, Rowlands A V, Baldry E, Brady E M, Davies M J, Edwardson C L, Yates T, Hall A P. 2020. **BMJ Open Diabetes Res Care.** 8(1):1–8. <https://drc.bmj.com/content/bmjdr/8/1/e001375.full.pdf>

Predicting children's energy expenditure during physical activity using deep learning and wearable sensor data. Hamid A, Duncan M J, Eyre E L J, Jing Y. 2020. **Eur J Sport Sci.** 0(0):1–9.  
<https://www.tandfonline.com/doi/epub/10.1080/17461391.2020.1789749?needAccess=true>

The “Goldilocks Day” for Children's Skeletal Health: Compositional Data Analysis of 24-Hour Activity Behaviors. Dumuid D, Simm P, Wake M, Burgner D, Juonala M, Wu F, Magnussen C G, Olds T. 2020. **J Bone Miner Res.** 35(12):2393–403. <https://asbmr.onlinelibrary.wiley.com/doi/epdf/10.1002/jbmr.4143>

Wrist-worn and chest-strap wearable devices: Systematic review on accuracy and metrological characteristics. Cosoli G, Spinsante S, Scalise L. 2020. **Meas J Int Meas Confed.** 159:107789.  
<https://reader.elsevier.com/reader/sd/pii/S0263224120303274?token=4CBF7C8D4452D7A2C374A8658CF1B37A93B45E3AF45D9F85093DDA28E04F47ED6D85FEE333962DC12E7710B54EFB4284>



Activity recognition using wearable sensors for tracking the elderly. Paraschiakos S, Cachucho R, Moed M, van Heemst D, Mooijaart S, Slagboom E P, Knobbe A, Beekman M. 2020. **User Modeling and User-Adapted Interaction**. 30(3):567–605. <https://link.springer.com/article/10.1007/s11257-020-09268-2>

Assessment of diurnal variation of stride time variability during continuous, overground walking in healthy young adults. Lordall J, Bruno P, Ryan N. 2020. **Gait Posture**. 79:108–10. <https://reader.elsevier.com/reader/sd/pii/S0966636220301442?token=3A6E69BDC824B3F5326F16E6556FCAAD6E8121CF3B5413571BD727A18B63A1636FA591C8BB72DF01C9BE34AB8F840D90>

Effects of a workplace sedentary behavior intervention on sleep in office workers with sleep complaints : Results from the Stand and Move at Work Trial [Thesis]. Schaeffler K. 2020. The University of Arizona College of Medicine. [https://repository.arizona.edu/bitstream/handle/10150/641636/SP\\_2020\\_Schaeffler\\_Thesis.pdf?sequence=7&isAllowed=y](https://repository.arizona.edu/bitstream/handle/10150/641636/SP_2020_Schaeffler_Thesis.pdf?sequence=7&isAllowed=y)

Real-World Gait Bout Detection Using a Wrist Sensor: An Unsupervised Real-Life Validation. Soltani A, Paraschiv-Ionescu A, Dejnabadi H, Marques-Vidal P, Aminian K. 2020. In *IEEE Access* 8:102883–96. <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=9104680>

RNNS on monitoring physical activity energy expenditure in older people. Paraschiakos S, de Sá C R, Okai J, Slagboom P E, Beekman M, Knobbe A. 2020. arXiv:2006.01169. <https://arxiv.org/pdf/2006.01169.pdf>

Signal quality and patient experience with wearable devices for epilepsy management. Nasser M, Nurse E, Glasstetter M, Böttcher S, Gregg N M, Laks Nandakumar A, Joseph B, Pal Attia T, Viana PF, Bruno E, Biondi A. 2020. **Epilepsia**. 61:25–35. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/epi.16527>

Telemedicine Cognitive Behavioral Therapy for Anxiety after Stroke: Proof-of-Concept Randomized Controlled Trial. Chun H Y Y, Carson A J, Tsanas A, Dennis M S, Mead G E, Calabria C, Whiteley W N. 2020. **Stroke**. 51(8):2297–306. <https://www.ahajournals.org/doi/epub/10.1161/STROKEAHA.120.029042>

li

Calibration and Cross-Validation of Accelerometry. Duncan M J, Dobell A, Noon M, Clark C C T, Roscoe C M P, Faghy M A, Stodden D, Sacko R, Eyre E L. 2020. **Sensors**. 20(10), 2776. <https://www.mdpi.com/1424-8220/20/10/2776/html>

Effect of High-Intensity Interval Training on Visceral and Liver Fat in Cardiac Rehabilitation: A Randomized Controlled Trial. Taylor J L, Holland D J, Mielke G I, Bailey T G, Johnson N A, Leveritt M D, Gomersall S R, Rowlands A V, Coombes J S, Keating S E. 2020. **Obesity**. 28(7):1245–53. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/oby.22833>

Effects of total and partial sleep deprivation on reflection impulsivity and risk-taking in deliberative decision-making. Salfi F, Lauriola M, Tempesta D, Calanna P, Socci V, De Gennaro L, Ferrara M. 2020. **Nat Sci Sleep**. 12:309–24. <https://www.dovepress.com/effects-of-total-and-partial-sleep-deprivation-on-reflection-impulsivi-peer-reviewed-fulltext-article-NSS>



Genome-wide DNA methylation patterns associated with sleep and mental health in children: a population-based study. Koopman-Verhoeff M E, Mulder R H, Saletin J M, Reiss I, van der Horst G T J, Felix J F, Carskadon M A, Tiemeier H, Cecil C A. 2020. **J Child Psychol Psychiatry Allied Discip.** 61(10):1061–9. <https://acamh.onlinelibrary.wiley.com/doi/epdf/10.1111/jcpp.13252>

Immediate and 24-h post-marathon cardiac troponin T is associated with relative exercise intensity. Martínez-Navarro I, Sánchez-Gómez J, Sanmiguel D, Collado E, Hernando B, Panizo N, Hernando C. 2020. **Eur J Appl Physiol.** 120(8):1723–31. <https://link.springer.com/article/10.1007%2Fs00421-020-04403-8>

Objectives, design and main findings until 2020 from the Rotterdam Study. Ikram M A, Brusselle G, Ghanbari M, Goedegebure A, Ikram M K, Kavousi M, Kieboom B C, Klaver C C, de Knecht R J, Luik A I, Nijsten T E, Peeters R P, van Rooij F J A, Stricker B H, Uitterlinden A G, Vernooij M W, Voortman T. 2020. **European Journal of Epidemiology.** 35:483–517. <https://link.springer.com/article/10.1007%2Fs10654-020-00640-5>

Unsupervised Pre-trained Models from Healthy ADLs Improve Parkinson's Disease Classification of Gait Patterns. Som A, Krishnamurthi N, Buman M, Turaga P. 2020. arXiv:2005.02589. <https://arxiv.org/pdf/2005.02589.pdf>

Accuracy of the GENEActiv Device for Measuring Light Exposure in Sleep and Circadian Research. Stone J E, McGlashan E M, Facer-Childs E R, Cain S W, Phillips A J K. 2020. **Clocks & Sleep.** 2(2):143–52. <https://www.mdpi.com/2624-5175/2/2/12>

Assessing physical behavior through accelerometry – State of the science, best practices and future directions. Burchartz A, Anedda B, Auerswald T, Giurgiu M, Hill H, Ketelhut S, Kolb S, Mall C, Manz K, Nigg C, Reichert M. 2020. **Psychol Sport Exerc.** 49:101703. <https://reader.elsevier.com/reader/sd/pii/S146902921930809X?token=2DEF84BC17E637E6C543D6817E26A89FC25F06C8755732886F723C136D65338601BCABC78581DEBA0AC31B11553C53E9>

Athletes for life: Rationale and methodology of a community- and family-based randomized controlled trial to promote cardiovascular fitness among primarily Latino families. Szeszulski J, Vega-López S, Todd M, Ray F, Behar A, Campbell M, Chavez A, Eckert R, Lorenzo-Quintero A, Manrique L H, Crespo N C. 2020. **Contemp Clin Trials.** 91:91105956. <https://reader.elsevier.com/reader/sd/pii/S1551714420300343?token=E858BCBD1D4A308500B2F8340FD8DC0E0780A4FD8323B9D14601CB24DDBBFB06A9AF21B2B3AF00693D765A3851FBA32E>

Ecological momentary assessment of mood and physical activity in people with depression. Hollands L, Lambert J, Price L, Powell D, Greaves C. 2020. **J Affect Disord.** 271:293–9. <https://reader.elsevier.com/reader/sd/pii/S0165032718317877?token=E5DF2C46A53C6FE67DBC11EF4A18319353199E44E34EB7A99E0B6CE9B3915247A7A4021CA639AF3F53DF9F32AF1D16E23>



Evaluation of an implementation project: The exercise physiology in aged care program. Parfitt G, Post D, Penington A, Davison K, Corlis M. 2020. **Geriatr Gerontol Int.** 20(6):595–601. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/ggi.13923>

Factors Associated with Objectively Assessed Physical Activity Levels of Heart Journal of Clinical and Experimental Factors Associated with Objectively Assessed Physical Activity Levels of Heart Failure Patients. Dibben G O, Hillsdon M, Dalal H M, Metcalf B, Doherty P, Tang L H. 2020. **J Clin Exp Cardiology.** 11:655. <https://eprints.gla.ac.uk/233200/>

Involving the headteacher in the development of school-based health interventions: A mixed-methods outcome and process evaluation using the RE-AIM framework. Christian D L, Todd C, Rance J, Stratton G, Mackintosh K A, Rapport F, Brophy S. 2020. **PLoS One.** 15(4):1–19. <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0230745>

Objective characterization of activity, sleep, and circadian rhythm patterns using a wrist-worn actigraphy sensor: Insights into posttraumatic stress disorder. Tsanas A, Woodward E, Ehlers A. 2020. **JMIR mHealth uHealth.** 8(4):1–20. <https://mhealth.jmir.org/2020/4/e14306/pdf>

Physical activity, sleep and neuropsychiatric symptom severity in children with tourette syndrome. Pringsheim T, Nosratmirshekarlou E, Doja A, Martino D. 2020. **Eur Child Adolesc Psychiatry.** <https://link.springer.com/article/10.1007%2Fs00787-020-01552-1>

Reallocating time spent in physical activity intensities: Longitudinal associations with physical fitness (DADOS study). Beltran-Valls M R, Adelantado-Renau M, Moliner-Urdiales D. 2020. **J Sci Med Sport.** 23(10):968–72. <https://reader.elsevier.com/reader/sd/pii/S1440244019313532?token=912E3FE2856093A9A8AC9E6AE77EFCCC5AD32920E76CAD03FD3E03B6122E80258FC60CE2A47A98486D704638037D9FCB>

Reducing medicine-induced deterioration and adverse reactions (ReMInDAR) trial: Study protocol for a randomised controlled trial in residential aged-care facilities assessing frailty as the primary outcome. Lim R, Bereznicki L, Corlis M, Kalisch Ellett L M, Kang A C, Merlin T, Parfitt G, Pratt N L, Rowett D, Torode S, Whitehouse J. 2020. **BMJ Open.** 10(4):1–9. <https://bmjopen.bmj.com/content/bmjopen/10/4/e032851.full.pdf>

Sleep inconsistency between weekends and weekdays is associated with changes in brain function during task and rest. Zhang R, Tomasi D, Shokri-Kojori E, Wiers C E, Wang G J, Volkow N D. **Sleep.** 2020. 43(10):1–11. <https://academic.oup.com/sleep/article/43/10/zsaa076/5825065?login=true>

The impact of five nights of sleep restriction on emotional reactivity. Tempesta D, Salfi F, De Gennaro L, Ferrara M. 2020. **J Sleep Res.** 29(5):1–8. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jsr.13022>

Using an unbiased symbolic movement representation to characterize Parkinson's disease states. Abrami A, Heisig S, Ramos V, Thomas K C, Ho B K, Caggiano V. 2020. **Sci Rep.** 10(1):1–12. <https://www.nature.com/articles/s41598-020-64181-3>



Change in device-measured physical activity assessed in childhood and adolescence in relation to depressive symptoms: A general population-based cohort study. Hamer M, Patalay P, Bell S, David Batty G. 2020. **J Epidemiol Community Health**. 74(4):330-5.  
<https://jech.bmj.com/content/jech/74/4/330.full.pdf>

Cross-sectional and longitudinal comparisons of self-reported and device-assessed physical activity and sedentary behaviour. Lines R L J, Ntoumanis N, Thøgersen-Ntoumani C, McVeigh J A, Ducker K J, Fletcher D, Gucciardi D F. 2020. **J Sci Med Sport**. 23(9):831–5.  
<https://reader.elsevier.com/reader/sd/pii/S1440244019309168?token=C45B0282F618AB798C510E9111A1AD8878F32ABC679FDCC11E0D33AD996448EBABB96E09054A9AE6910C2F3302E5569F>

Cross-validation of Actigraph derived accelerometer cut-points for assessment of sedentary behaviour and physical activity in children aged 8-11 years. Duncan M J, Eyre E L J, Cox V, Roscoe C M P, Faghy M A, Tallis J, Dobell A. 2020. **Acta Paediatr Int J Paediatr**. 109(9):1825–30.  
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/apa.15189>

Late and Instable Sleep Phasing is Associated with Irregular Eating Patterns in Eating Disorders. Linnaranta O, Bourguignon C, Crescenzi O, Sibthorpe D, Buyukkurt A, Steiger H, Storch K F. 2020. **Ann Behav Med**. 54(9):680–90. <https://academic.oup.com/abm/article-abstract/54/9/680/5811420>

The Role of the Subthalamic Nucleus in Inhibitory Control of Oculomotor Behavior in Parkinson's Disease. Bakhtiari S, Altinkaya A, Pack C C, Sadikot A F. 2020. *Sci Rep.*;10(1):1–12.  
<https://www.nature.com/articles/s41598-020-61572-4>

Emotions relating to romantic love—further disruptors of adolescent sleep. Kuula L, Partonen T, Pesonen A K. 2020. **Sleep Health**. <https://doi.org/10.1016/j.sleh.2020.01.006>.  
<https://reader.elsevier.com/reader/sd/pii/S2352721820300371?token=52301BC119D2C9CF8A9CD0ABCDFE68DB3505A1EFE9B37EF26934006E4E16B4B9AE4F42D534479706567CC9FB9E390D0A>

FilterK: a new outlier detection method for k-means clustering of physical activity. Jones P J, James M K, Davies M J, Khunti K, Catt M, Yates T, Rowlands A V, Mirkes E M. 2020. **Journal of Biomedical Informatics**. <https://doi.org/10.1016/j.jbi.2020.103397>.  
<https://reader.elsevier.com/reader/sd/pii/S1532046420300241?token=A879723D7B91CF0F11940F3464B31BD32864D6C01D13837C925B7ABCEA33B14EBC4C62FBC8516C1BA200D491609B0E30>

Challenges and Opportunities Related to the Objective Assessment of Physical Activity Within United States Surveillance Systems. LaMunion S R, Fitzhugh E C, Crouter S E. 2020. **Annals of Epidemiology**. doi: <https://doi.org/10.1016/j.annepidem.2020.01.011>.  
<https://reader.elsevier.com/reader/sd/pii/S1047279719304326?token=581E1F7EB7FF0DCD838D1860C27E773EB1216A033685D8A760237B4B86C7E403031EAC094A307CB9CDEA4C52B00A31CF>

Evaluation of Three Accelerometer Devices for Physical Activity Measurement Amongst South Asians and Europeans. Afaq S, Loh M, Kooner J, Chambers J. 2020. **Physical Activity and Health**. 4(1), pp. 1-10. <https://paahjournal.com/articles/10.5334/paah.46/>





Proximal Femoral Nail Unlocked versus Locked (ProFNUL): a protocol for a multicentre, parallel-armed randomised controlled trial for the effect of femoral nail mode of lag screw locking and screw configuration in the treatment of intertrochanteric femur fractures. Sivakumar A, Thewlis D, Ladurner A, Edwards S, Rickman M. 2020. **BMJ Open**. 10:e032640. <https://bmjopen.bmj.com/content/bmjopen/10/2/e032640.full.pdf>

Estimation of energy consumed by middle-aged recreational marathoners during a marathon using accelerometry-based devices. Hernando C, Hernando C, Martinez-Navarro I, Collado-Boira E, Panizo N, Hernando B. 2020. **Scientific Reports**. 10, 1523. <https://www.nature.com/articles/s41598-020-58492-8.pdf>

Association Between Physical Activity Levels in the Hospital Setting and Hospital-Acquired Functional Decline in Elderly Patients. Tasheva P, Vollenweider P, Kraege V, Roulet G, Lamy O, Marques-Vidal P, Méan M. 2020. **JAMA Network Open**. 3(1):e1920185. <https://jamanetwork.com/journals/jamanetworkopen/fullarticle/2759840>

The CHIRPY DRAGON intervention in preventing obesity in Chinese primary-school-aged children: A cluster-randomised controlled trial. Li B, Pallan M, Liu W J, Hemming K, Frew E, Lin R, Liu W, Martin J, Zanganeh M, Hurley K, Cheng K K. 2019. **PLoS Medicine**. 16(11):e1002971. <https://journals.plos.org/plosmedicine/article/file?id=10.1371/journal.pmed.1002971&type=printable>

Impaired Insulin Profiles Following a Single Night of Sleep Restriction: The Impact of Acute Sprint Interval Exercise. Sweeney E L, Peart D J, Kyza I, Harkes T, Ellis J G, Walshe I H. 2019. **International Journal of Sport Nutrition and Exercise Metabolism**. [https://researchportal.northumbria.ac.uk/files/25646238/Sweeney et al. 2019 IJSNEM Accepted manuscript.pdf](https://researchportal.northumbria.ac.uk/files/25646238/Sweeney_et_al._2019_IJSNEM_Accepted_manuscript.pdf)

Prenatal and birth predictors of objectively measured physical activity and sedentary time in three population-based birth cohorts in Brazil. Ding D, Mielke G I, Silva I C, Wehrmeister F C, Horta B L, Brage S, Hallal P C, Ekelund U. 2020. **Scientific Reports**. 10:786. <https://www.nature.com/articles/s41598-019-57070-x.pdf>

A Social Networking and Gamified App to Increase Physical Activity: Cluster RCT. Edney S M, Olds T S, Ryan J C, Vandelanotte C, Plotnikoff R C, Curtis R G, Maher C A. 2020. **American Journal of Preventive Medicine**. 58(2):e51-62. <https://reader.elsevier.com/reader/sd/pii/S0749379719304155?token=E046CFB624FCB80F52A8326BAF30360B96796012CBCBF6FA8DC0B28D2AF8E016ED09ECDF250F0007DC99C43177FB4FDA>

Crowdsourcing digital health measures to predict Parkinson's disease severity: the Parkinson's Disease Digital Biomarker DREAM Challenge. Sieberts S K, Schaff J, Duda M, Pataki B Á, Sun M, Snyder P, Daneault J F, Parisi F, Costante G, Rubin U, Banda P. 2020. **bioRxiv**. <https://www.biorxiv.org/content/biorxiv/early/2020/01/16/2020.01.13.904722.full.pdf>



The effect of increased activity in myotonic dystrophy studied with muscle MRI. Heskamp L, Okkersen K, van Nimwegen M, Ploegmakers M J, Bassez G, Deux JF, van Engelen B G. 2019. Quantitative muscle MRI to unravel the physiology of dystrophic and healthy muscle [dissertation], p.69.

<https://repository.ubn.ru.nl/bitstream/handle/2066/213927/213927.pdf?sequence=1#page=71>

mHealth and wearable technology should replace motor diaries to track motor fluctuations in Parkinson's disease. Erb M K, Karlin D R, Ho B K, Thomas K C, Parisi F, Vergara-Diaz G P, Daneault J F, Wacnik P W, Zhang H, Kangarloo T, Demanuele. 2020. C. **npj Digital Medicine**. 3(6).

<https://www.nature.com/articles/s41746-019-0214-x.pdf>

Do we have to reduce the recall period? Validity of a daily physical activity questionnaire (PAQ24) in young active adults. Novak B, Holler P, Jaunig J, Ruf W, van Poppel M N, Sattler M C. 2020. **BMC Public Health**. 20(72).

<https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-020-8165-3>

Number of days required to estimate physical activity constructs objectively measured in different age groups: Findings from three Brazilian (Pelotas) population-based birth cohorts. Ricardo L I, Wendt A, Galliano L M, de Andrade Muller W, Niño Cruz G I, Wehrmeister F, Brage S, Ekelund U, Silva C M. 2020. **PLoS One**. 15(1):e0216017.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6953881/pdf/pone.0216017.pdf>

Validity and bias on the online active Australia survey: activity level and participant factors associated with self-report bias. Curtis R G, Olds T, Plotnikoff R, Vandelanotte C, Edney S, Ryan J, Maher C. 2020. **BMC Medical Research Methodology**. 20(1):1-8.

<https://bmcmmedresmethodol.biomedcentral.com/track/pdf/10.1186/s12874-020-0896-4>

Actigraphic patterns, impulsivity and mood instability in bipolar disorder, borderline personality disorder, and healthy controls. McGowan N M, Goodwin G M, Bilderbeck A C, Saunders K E. 2020. **Acta Psychiatrica Scandinavica**. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/acps.13148>

Sleep in elite swimmers: prevalence of sleepiness, obstructive sleep apnoea and poor sleep quality. Surda P, Putala M, Siarnik P, Walker A, De Rome K, Amin N, Sangha M S, Fokkens W. 2019. **BMJ Open Sport & Exercise Medicine**. 5:e000673.

<https://bmjopensem.bmj.com/content/bmjosem/5/1/e000673.full.pdf>

Prediction of 30-Day Readmission for COPD Patients Using Accelerometer-Based Activity Monitoring.

Lin W Y, Verma V K, Lee M Y, Lin H C, Lai C S. 2020. **Sensors**. 20(1):217. <https://www.mdpi.com/1424-8220/20/1/217/htm>

Improving mental health and physiological stress responses in mothers following traumatic childbirth and in their infants: study protocol for the Swiss TrAumatic biRth Trial (START). Sandoz V, Deforges C, Stuijzand S, Epiney M, Vial Y, Sekarski N, Messerli-Bürgy N, Ehlert U, Bickle-Graz M, Harari M M, Porcheret K. 2019. **BMJ open**. 9:e032469

<https://bmjopen.bmj.com/content/bmjopen/9/12/e032469.full.pdf>



Isotemporal substitution of inactive time with physical activity and time in bed: cross-sectional associations with cardiometabolic health in the PREDIMED-Plus study. Galmes-Panades A M, Varela-Mato V, Konieczna J, Wärnberg J, Martínez-González M Á, Salas-Salvadó J, Corella D, Schröder H, Vioque J, Alonso-Gómez Á M, Martínez J A. 2019. **International Journal of Behavioral Nutrition and Physical Activity**. 16(1):1-2.

[https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6929461/pdf/12966\\_2019\\_Article\\_892.pdf](https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6929461/pdf/12966_2019_Article_892.pdf)

Psychometric properties of the PERMA Profiler for measuring wellbeing in Australian adults. Ryan J, Curtis R, Olds T, Edney S, Vandelanotte C, Plotnikoff R, Maher C. 2019. **PloS one**. 14(12).

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6927648/pdf/pone.0225932.pdf>

The accuracy of artificial and natural light measurements by actigraphs. Joyce D S, Zele A J, Feigl B, Adhikari P. 2019. **Journal of Sleep Research**. 00:e12963.

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/jsr.12963>

The effect of Physical Education lesson intensity and cognitive demand on subsequent learning behaviour. Heemskerk C H, Lubans D, Strand S, Malmberg L E. 2019. **Journal of Science and Medicine in Sport**.

<https://reader.elsevier.com/reader/sd/pii/S1440244019307327?token=6C2FEA1065BAB7DCEE7439A304B066DF3D65D722AE68A9554B6C8C4C07772EFD2B537869E915C7249A63F299027B1586>

Non-wear or sleep? Evaluation of five non-wear detection algorithms for raw accelerometer data. Ahmadi M N, Nathan N, Sutherland R, Wolfenden L, Trost S G. 2019. **Journal of Sports Sciences**. 13:1-6.

<https://www.tandfonline.com/doi/epub/10.1080/02640414.2019.1703301?needAccess=true>

Rationale, design, and development of SleepWell24: A smartphone application to promote adherence to positive airway pressure therapy among patients with obstructive sleep apnea. Petrov M E, Hasanaj K, Hoffmann C M, Epstein D R, Krahn L, Park J G, Hollingshead K, Yu T Y, Todd M, Louis E K, Morgenthaler T I. 2019. **Contemporary Clinical Trials**. 89:105908.

<https://www.contemporaryclinicaltrials.com/action/showPdf?pii=S1551-7144%2819%2930624-X>

The difference in sleep, sedentary behaviour, and physical activity between older adults with 'healthy' and 'unhealthy' cardiometabolic profiles: a cross-sectional compositional data analysis approach. Ryan D J, Willems J A, Stebbings G K, Morse C I, Stewart C E, Onambele-Pearson G L. 2019. **European Review of Aging and Physical Activity**. 16(1), pp.1-12.

<https://eurapa.biomedcentral.com/track/pdf/10.1186/s11556-019-0231-4>

Improving Pacific Adolescents' Physical Activity Toward International Recommendations: Exploratory Study of a Digital Education App Coupled With Activity Trackers. Galy O, Yacef K, Caillaud C. 2019.

**JMIR mHealth and uHealth**. 7(12):e14854. <https://mhealth.jmir.org/2019/12/e14854/pdf>

Healthy Dads, Healthy Kids UK, a weight management programme for fathers: feasibility RCT. Griffin T, Sun Y, Sidhu M, Adab P, Burgess A, Collins C, Daley A, Entwistle A, Frew E, Hardy P, Hurley K. 2019.

**BMJ open**. 9(12):e033534. <https://bmjopen.bmj.com/content/bmjopen/9/12/e033534.full.pdf>



The sedentary behaviour and physical activity patterns of survivors of a critical illness over their acute hospitalisation: An observational study. Baldwin C E, Rowlands A V, Frayssse F, Johnston K N. 2020. **Australian Critical Care**.

<https://reader.elsevier.com/reader/sd/pii/S1036731419300724?token=8F7138BE5F1BB4261345A837DD713795F4CF782953E8FA61375B301DFD043CFB1F3BE1B5CFBBB5FDD8BA13AE600D14AA>

Enhancing the value of accelerometer-assessed physical activity: meaningful visual comparisons of data-driven translational accelerometer metrics. Rowlands A V, Dawkins N P, Maylor B, Edwardson C L, Fairclough S J, Davies M J, Harrington D M, Khunti K, Yates T. 2019. **Sports Medicine-Open**. 5(1):1-1. <https://sportsmedicine-open.springeropen.com/track/pdf/10.1186/s40798-019-0225-9>

Instruments measuring physical activity in persons who use a wheelchair: a systematic review of measurement properties. Lankhorst K, Oerbekke M, van den Berg-Emons R, Takken T, de Groot J. 2019. **Archives of Physical Medicine and Rehabilitation**.

[https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S0003999319311220.pdf?locale=en\\_US&searchIndex=](https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S0003999319311220.pdf?locale=en_US&searchIndex=)

Sleep EEG slow-wave activity in medicated and unmedicated children and adolescents with attention-deficit/hyperactivity disorder. Furrer M, Jaramillo V, Volk C, Ringli M, Aellen R, Wehrle F M, Pugin F, Kurth S, Brandeis D, Schmid M, Jenni O G. 2019. **Translational Psychiatry**. 28;9(1):1-8.

<https://www.nature.com/articles/s41398-019-0659-3.pdf>

User Engagement and Attrition in an App-Based Physical Activity Intervention: Secondary Analysis of a Randomized Controlled Trial. Edney S, Ryan J C, Olds T, Monroe C, Frayssse F, Vandelanotte C, Plotnikoff R, Curtis R, Maher C. 2019. **Journal of Medical Internet Research**. 21(11):e14645.

<https://www.jmir.org/2019/11/e14645/pdf>

Sleep and HbA1c in Patients With Type 2 Diabetes: Which Sleep Characteristics Matter Most?. Brouwer A, van Raalte D H, Rutters F, Elders P J, Snoek F J, Beekman A T, Bremmer M A. 2019. **Diabetes Care**. dc190550 <https://care.diabetesjournals.org/content/diacare/early/2019/11/11/dc19-0550.full.pdf>

Co-morbidity of delayed sleep phase and psychiatric conditions in a cohort of adolescents. Kuula L, Pesonen A K. 2019. **BMJ Open Respiratory Research**. 6:doi: 10.1136/bmjresp-2019-bssconf.60

[https://bmjopenrespres.bmj.com/content/bmjresp/6/Suppl\\_1/A39.2.full.pdf](https://bmjopenrespres.bmj.com/content/bmjresp/6/Suppl_1/A39.2.full.pdf)

Short-term muscle disuse induces a rapid and sustained decline in daily myofibrillar protein synthesis rates. Kilroe S P, Fulford J, Holwerda A M, Jackman S R, Lee B P, Gijsen A P, van Loon L J, Wall B T. 2019. **American Journal of Physiology-Endocrinology and Metabolism**.

<https://www.physiology.org/doi/pdf/10.1152/ajpendo.00360.2019>

Using accelerometry to classify physical activity intensity in older adults: what is the optimal wear-site?. Duncan M J, Rowlands A, Lawson C, Wright S L, Hill M, Morris M, Eyre E, Tallis J. 2019. **European Journal of Sport Science**. 1-27.

<https://www.tandfonline.com/doi/pdf/10.1080/17461391.2019.1694078?needAccess=true>



Accurate whole-night sleep monitoring with dry-contact ear-EEG. Mikkelsen K B, Tabar Y R, Kappel S L, Christensen C B, Toft H O, Hemmsen M C, Rank M L, Otto M, Kidmose P. 2019. **Scientific Reports**. 9(1):1-2. <https://www.nature.com/articles/s41598-019-53115-3.pdf>

Objectively measured sleep and telomere length in a population-based cohort of children and midlife adults. Nguyen M T, Lycett K, Olds T, Matricciani L, Vryer R, Ranganathan S, Burgner D, Saffery R, Wake M. 2019. **Sleep**. <https://academic.oup.com/sleep/advance-article/doi/10.1093/sleep/zsz200/5626508>

Effects of a School Based Intervention on Children's Physical Activity and Healthy Eating: A Mixed-Methods Study. Khan M. and Bell R. 2019. **International Journal of Environmental Research and Public Health**. 16(22), p.4320. <https://www.mdpi.com/1660-4601/16/22/4320/htm>

A peer-led physical activity intervention in schools for adolescent girls: a feasibility RCT. Sebire S J, Banfield K, Campbell R, Edwards M J, Kipping R, Kadir B, Garfield K, Matthews J, Blair P S, Lyons R A, Hollingworth W. Southampton (UK): NIHR Journals Library; 2019 Sep. (Public Health Research, No. 7.16.) Appendix 6, Ancillary accelerometer study. <https://www.ncbi.nlm.nih.gov/books/NBK546118/>

Actigraphic multi-night home-recorded sleep estimates reveal three types of sleep misperception in Insomnia Disorder and good sleepers. te Lindert B H, Blanken T F, van der Meijden W P, Dekker K, Wassing R, van der Werf Y D, Ramautar J R, Van Someren E J. 2019. **Journal of Sleep Research**. 00:e12937. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jsr.12937>

Protocol for a randomised controlled trial of the combined effects of the GLP-1 receptor agonist liraglutide and exercise on maintenance of weight loss and health after a very low-calorie diet. Jensen S B, Lundgren J R, Janus C, Juhl C R, Olsen L M, Rosenkilde M, Holst J J, Stallknecht B M, Madsbad S, Torekov S S. 2019. **BMJ Open**. 9(11). <https://bmjopen.bmj.com/content/bmjopen/9/11/e031431.full.pdf>

Association of Sleep Problems and Melatonin Use in School-aged Children. Koopman-Verhoeff M E, Van Den Dries M A, Van Seters J J, Luijk M P, Tiemeier H, Luik A I. 2019. **JAMA Pediatrics**. 173(9),883-5. <https://jamanetwork.com/journals/jamapediatrics/fullarticle/2738255>

Physical Activity and Exercise Outcomes in Huntington Disease (PACE-HD): Protocol for a 12-Month Trial Within Cohort Evaluation of a Physical Activity Intervention in People With Huntington Disease. Drew C J, Quinn L, Hamana K, Williams-Thomas R, Marsh L, Dimitropoulou P, Playle R, Griffin B A, Kelson M, Schubert R, Muratori L. 2019. **Physical Therapy**. 99(9),1201-10. <https://academic.oup.com/ptj/article/99/9/1201/5491339>

Prevalence and Correlates of Meeting Sleep, Screen-Time, and Physical Activity Guidelines Among Adolescents in the United Kingdom. Pearson N, Sherar L B, Hamer M. 2019. **JAMA Pediatrics**. 173(10),993-4. <https://jamanetwork.com/journals/jamapediatrics/article-abstract/2748680>

*Sahaj Samadhi* meditation vs a Health Enhancement Program in improving late-life depression severity and executive function: study protocol for a two-site, randomized controlled trial. Peckham S B, Ionson E,



Nassim M, Ojha K, Palaniyappan L, Gati J, Thebérge J, Lazosky A, Speechley M, Barušs I, Rej S. 2019. **Trials**. 20,605. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-019-3682-z>

Life on holidays: study protocol for a 3-year longitudinal study tracking changes in children's fitness and fatness during the in-school versus summer holiday period. Watson A, Maher C, Tomkinson G R, Golley R, Frayssse F, Dumuid D, Lewthwaite H, Olds T. 2019. **BMC Public Health**. 19(1),1-8. <https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-019-7671-7>

Actigraphic Sleep and Dietary Macronutrient Intake in Children Aged 6–9 Years Old: A Pilot Study. Coronado Ferrer S, Peraita-Costa I, Llopis-Morales A, Picó Y, Soriano J M, Nieto F J, Llopis-González A, Morales-Suarez-Varela M. 2019. **Nutrients**. 11(11),2568. <https://www.mdpi.com/2072-6643/11/11/2568/htm>

A comparison study of three physical activity measurement tools examining acceptability in people with psychosis. Suetani S, Chapman J, Korman N, Chapman C, Dodd C, Dark F, Parker S, Siskind D. 2019. **Australasian Psychiatry**. 22:1039856219881957. <https://journals.sagepub.com/doi/pdf/10.1177/1039856219881957>

A review of accelerometer-derived physical activity in the idiopathic inflammatory myopathies. Oldroyd A, Little M A, Dixon, W, Chinoy, H. 2019. **BMC rheumatology**. 3(1), p.41. <https://link.springer.com/content/pdf/10.1186%2Fs41927-019-0088-1.pdf>

Impact of visual impairment on physical activity in early and late age-related macular degeneration. Heinemann M, Welker S G, Li J Q, Wintergerst M W, Turski G N, Turski C A, Terheyden J H, Mauschitz M M, Holz F G, Finger R P. 2019. **PloS One**. 14(10). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6802830/pdf/pone.0222045.pdf>

Objectively Measured Physical Activity Reduces the Risk of Mortality among Brazilian Older Adults. Bielemann R M, LaCroix A Z, Bertoldi A D, Tomasi E, Demarco F F, Gonzalez M C, Crespo da Silva P A, Wendt A, Mohnsam da Silva I C, Brage S, Ekelund U. 2019. **Journal of the American Geriatrics Society**. 00,1-10. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jgs.16180>

Objective Sleep Duration in Older Adults: Results From The Irish Longitudinal Study on Ageing. Scarlett S, Nolan H, Kenny R A, O'Connell M D. 2019. **Journal of the American Geriatrics Society**. 00,1-9. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jgs.16177>

7-Days actigraphy in patients with Parkinson disease: a 2-years follow-up. Tomasi C, De Giovannini E, Locallo N, Favaron F, Lain C, Pianalto P, Terrazzi V, Pistacchi M, Rabuffetti M. 2019. **Gait & Posture**. 74, ss.36-37. <https://reader.elsevier.com/reader/sd/pii/S0966636219313177?token=A2DCAD1715D220F3DE16DA0A2E5CCF432762E93ADE0A515DD9E8C71910FB848F271A57046EB1FEE32776C3EBE155B6F0>

[WITHDRAWN by authors Feb 21](#)



To live together is to move together: marriage as testing paradigm for a social actigraphy. Rabuffetti M, De Giovannini E. 2019. **Gait & Posture**. 74, s.31.

<https://reader.elsevier.com/reader/sd/pii/S0966636219313098?token=E0158F68EED33EEDAF61A849A147A4822B9DF972443440DC80E2AFB3F34DD07F1332CA91A2D3E24651ACCEB002E85AAF>

A data-driven, meaningful, easy to interpret, standardised accelerometer outcome variable for global surveillance. Rowlands A V, Sherar L B, Fairclough S J, Yates T, Edwardson C L, Harrington D M, Davies M J, Munir F, Khunti K, Stiles V H. 2019. **Journal of Science and Medicine in Sport**. 22, pp.1132-1138.

<https://reader.elsevier.com/reader/sd/pii/S144024401930249X?token=D69876CC9D3EF5B5AB7166A144B93245E1B1608D19281D1DD2D919E8C811314B198437198988916199AAFC6397A6DC03>

Informal fatigue-related risk management in the emergency department: a trade-off between doing well and feeling well?. Berastegui P, Jaspar M, Ghuysen A, Nyssen A S. 2019. **Safety Science**. 122, p.104508.

<https://reader.elsevier.com/reader/sd/pii/S0925753518310804?token=73E0057BDE08B6473747B7C64233B2E5B5082D518076B847770BE25B9965297085D1FEE9A2082003ECF3EEC9C3B8A990>

Ultra-processed food consumption during childhood and asthma in adolescence: data from the 2004 Pelotas birth cohort study. Machado C A, Cortese M, Dos C S, Bjornevik K, Barros A J, Barros F C, Santos I, Matijasevich A. 2019. **Pediatric Allergy and Immunology: Official Publication of the European Society of Pediatric Allergy and Immunology**.

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/pai.13126>

'Walk this way': results from a pilot randomised controlled trial of a health coaching intervention to reduce sedentary behaviour and increase physical activity in people with serious mental illness. Williams J, Stubbs B, Richardson S, Flower C, Barr-Hamilton L, Grey B, Hubbard K, Spaducci G, Gaughran F, Craig T. 2019. **BMC Psychiatry**. 19(1), p.287.

<https://bmcp psychiatry.biomedcentral.com/track/pdf/10.1186/s12888-019-2274-5>

The effects of a sleep/recovery supplement: 'Night Time Recharge' on sleep parameters in young adults. Simper T, Gilmartin M, Allwood D, Taylor L, Chappell A. 2019. **Nutrition and Health**.

p.0260106019875911. <https://journals.sagepub.com/doi/pdf/10.1177/0260106019875911>

Accelerometer-Based Physical Activity Levels Differ between Week and Weekend Days in British Preschool Children. Roscoe C M, James R S, Duncan M J. 2019. **Journal of Functional Morphology and Kinesiology**. 4(3), p.65. <https://www.mdpi.com/2411-5142/4/3/65/htm>

Accuracy of Accelerometers for Measuring Physical Activity and Levels of Sedentary Behavior in Children: A Systematic Review. Lynch B A, Kaufman T. K, Rajjo T I, Mohammed K, Kumar S, Murad M, H, Gentile N E, Koepp G A, McCrady-Spitzer S K, Levine J A. 2019. **Journal of Primary Care & Community Health**. 10, pp.1-8. <https://journals.sagepub.com/doi/pdf/10.1177/2150132719874252>

Effects of Childhood Trauma, Daily Stress and Emotions on Daily Cortisol Levels in Individuals Vulnerable to Suicide. O'Connor D, Branley-Bell D, Green JA, Ferguson E, O'Carroll R E, O'Connor R C. 2019. **Journal of Abnormal Psychology**. <http://eprints.whiterose.ac.uk/150681/>



Telomere length and lung function in a population-based cohort of children and mid-life adults. Nguyen M T, Saffery R, Burgner D, Lycett K, Vryer R, Grobler A, Dwyer T, Ranganathan S, Wake M. 2019. **Pediatric Pulmonology**. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/ppul.24489>

Comparison of the Physical Activity Frequency Questionnaire (PAFQ) with accelerometry in middle-aged and elderly people: the CoLaus study. Verhoog S, Gubelmann C, Guessous I, Bano A, Franco O H, Marques-Vidal P. 2019. **Maturitas**. <https://reader.elsevier.com/reader/sd/pii/S0378512219304219?token=8784AC9888A70CEC7A2D108F605745DCE76C46B8716A133C3F42C99D95FE98CB8999E8AF423952FCCCEEBD49219BF65B>

Micro-costing and a cost-consequence analysis of the 'Girls Active' programme: A cluster randomised controlled trial. Charles J M, Harrington D M, Davies M J, Edwardson C L, Gorely T, Bodicoat D H, Khunti K, Sherar L B, Yates T, Edwards R T. 2019. **PloS one**. 14(8), p.e0221276. <https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0221276&type=printable>

A before-school physical activity intervention to improve cognitive parameters in children: The Active-Start study. García-Hermoso A, Hormazábal-Aguayo I, Fernández-Vergara O, González-Calderón N, Russell-Guzmán J, Vicencio-Rojas F, Chacana-Cañas C, Ramírez-Vélez R. 2019. **Scandinavian Journal of Medicine & Science in Sports**. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/sms.13537>

Chronotype-dependent changes in sleep habits associated with dim light melatonin onset in the Antarctic summer. Silva A, Simón D, Pannunzio B, Casaravilla C, Díaz Á, Tassino B. 2019. **Clocks & Sleep**. 1(3), pp.352-66. [http://scholar.google.co.uk/scholar\\_url?url=https://www.mdpi.com/2624-5175/1/3/29/pdf&hl=en&sa=X&d=4764041600453157496&scisig=AAGBfm3q7U\\_0Ole8PAIfHcBR02IW64g9hw&nossl=1&oi=scholaralt](http://scholar.google.co.uk/scholar_url?url=https://www.mdpi.com/2624-5175/1/3/29/pdf&hl=en&sa=X&d=4764041600453157496&scisig=AAGBfm3q7U_0Ole8PAIfHcBR02IW64g9hw&nossl=1&oi=scholaralt)

Fatigue-related risk perception among emergency physicians working extended shifts. Pierre B, Mathieu J, Alexandre G, Anne-Sophie N. 2020. **Applied Ergonomics**. 82, p.102914. <https://www.sciencedirect.com/science/article/pii/S0003687018306318> (OS)

Use of time in people with a life-limiting illness: A longitudinal cohort feasibility pilot study. Jones T A, Olds T S, Currow D C, Williams M T. **Palliative Medicine**. 2019. p.0269216319867214. <https://journals.sagepub.com/doi/pdf/10.1177/0269216319867214>

Design and baseline characteristics of the Biomarkers Of Risk In Colorectal Cancer (BORICC) Follow-Up study: A 12+ years follow-up. Malcomson F C, Breininger S P, ElGendy K, Joel A, Ranathunga R M, Hill T R, Bradburn D M, Turnbull D M, Greaves L C, Mathers J C. 2019. **Nutrition and Health**. p.0260106019866963. <https://journals.sagepub.com/doi/pdf/10.1177/0260106019866963>

Functional aging in health and heart failure: the COMpLETE Study. Wagner J, Knaier R, Infanger D, Arbeev K, Briel M, Dieterle T, Hanssen H, Faude O, Roth R, Hinrichs T, Schmidt-Trucksäss A. 2019. **BMC Cardiovascular Disorders**. 19(1), p.180. <https://bmccardiovascdisord.biomedcentral.com/track/pdf/10.1186/s12872-019-1164-6>





Wearable sensors for monitoring the internal and external workload of the athlete. Seshadri D R, Li R T, Voos J E, Rowbottom J R, Alfes C M, Zorman C A, Drummond C K. 2019. **NPJ Digital Medicine**. 2(1), p.71. <https://www.nature.com/articles/s41746-019-0149-2.pdf>

Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. Difrancesco S, Lamers F, Riese H, Merikangas K R, Beekman A T, van Hemert A M, Schoevers R A, Penninx B W. 2019. **Depression and Anxiety**. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/da.22949>

Cohort Profile: The Cardiovascular and Metabolic Diseases Etiology Research Center Cohort in Korea. Shim J S, Song B M, Lee J H, Lee S W, Park J H, Choi D P, Lee M H, Ha K H, Kim D J, Park S, Lee W. 2019. **Yonsei Medical Journal**. 60(8), pp.804-810. <https://synapse.koreamed.org/Synapse/Data/PDFData/0069YMJ/ymj-60-804.pdf>

Influence of different playing surfaces on bone mass accretion in male adolescent football players: A one-season study. Lozano-Berges G, Matute-Llorente Á, Gómez-Bruton A, González-Agüero A, Vicente-Rodríguez G, Casajús J A. 2019. **Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology**. p.1754337119864245. <https://journals.sagepub.com/doi/pdf/10.1177/1754337119864245>

Activity Intensity, Volume, and Norms: Utility and Interpretation of Accelerometer Metrics. Rowlands A V, Fairclough S J, Yates T, Edwardson C L, Davies M, Munir F, Khunti K, Stiles, V H. 2019. **Medicine and Science in Sports and Exercise**. [https://journals.lww.com/acsm-msse/Abstract/publishahead/Activity\\_Intensity,\\_Volume,\\_and\\_Norms\\_Utility\\_and.96554.aspx#pdf-link](https://journals.lww.com/acsm-msse/Abstract/publishahead/Activity_Intensity,_Volume,_and_Norms_Utility_and.96554.aspx#pdf-link)

Long Daytime Napping Is Associated with Increased Adiposity and Type 2 Diabetes in an Elderly Population with Metabolic Syndrome. Papandreou C, Díaz-López A, Babio N, Martínez-González M A, Bulló M, Corella D, Fitó M, Romaguera D, Vioque J, Alonso-Gómez Á M, Wärnberg J. 2019. **Journal of Clinical Medicine**, 8(7), p.1053. <https://www.mdpi.com/2077-0383/8/7/1053/htm>

The association between accelerometer-assessed physical activity and respiratory function in older adults differs between smokers and non-smokers. Benadjaoud M A, Menai M, van Hees V T, Zipunnikov V, Regnaud J P, Kivimäki M, Singh-Manoux A, Sabia S. 2019. **Scientific Reports**, 9(1), p.10270. <https://www.nature.com/articles/s41598-019-46771-y.pdf>

Multiple imputation in the presence of an incomplete binary variable created from an underlying continuous variable. Grobler A C, Lee K. 2019. **Biometrical Journal**, pp.1-12. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/bimj.201900011>

Physical activity and sedentary activity: population epidemiology and concordance in Australian children aged 11–12 years and their parents. Frayssé F, Grobler A C, Muller J, Wake M, Olds T. 2019. **BMJ Open**, 9(Suppl 3), pp.136-146. [https://bmjopen.bmj.com/content/bmjopen/9/Suppl\\_3/136.full.pdf](https://bmjopen.bmj.com/content/bmjopen/9/Suppl_3/136.full.pdf)

How many days are needed to estimate wrist-worn accelerometry-assessed physical activity during the second trimester in pregnancy? da Silva S G, Evenson K R, Ekelund U, da Silva I C M, Domingues M R,



da Silva B G C, de Almeida Mendes M, Cruz G I N, Hallal P C. 2019. **PloS One**, 14(6), p.e0211442.  
<https://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0211442&type=printable>

Can a before-school physical activity program decrease bullying victimization in disadvantaged children? The Active-Start Study. Hormazábal-Aguayo I, Fernández-Vergara O, González-Calderón N, Vicencio-Rojas F, Russell-Guzmán J, Chacana-Cañas C, del Pozo-Cruz B, García-Hermoso A. 2019. **International Journal of Clinical and Health Psychology**.  
<https://reader.elsevier.com/reader/sd/pii/S1697260019300559?token=DC68EB5B1162FD376254755D31B5F97F43EBBE693D5B6F305B3007013717204692DA2DB1918E9FC893CA25D731C7AFB6>

PI-Net: A Deep Learning Approach to Extract Topological Persistence Images. Som A, Choi H, Ramamurthy K N, Buman M, Turaga P. 2019. arXiv preprint arXiv:1906.01769.  
<https://arxiv.org/pdf/1906.01769.pdf>

Superior Aerobic Capacity and Indices of Skeletal Muscle Morphology in Chronically Trained Master Endurance Athletes Compared with Untrained Older Adults. McKendry J, Joannis S, Baig S, Liu B., Parise G, Greig C A, Breen L. 2019. **The Journals of Gerontology: Series A**.  
<https://academic.oup.com/biomedgerontology/advance-article-abstract/doi/10.1093/gerona/glz142/5510184?redirectedFrom=fulltext>

Sleep Patterns During Arduous Military Training in Men and Women. Koivula F N Manderson, Wardle S L, Double R L , Gifford R M, Woods D R, Reynolds R M, Handford S, Wright J, O'Leary T J, Greeves J. 2019. **Medicine & Science in Sports & Exercise**. Volume 51(6) Supplement, p 277-278, Free Communication/Poster - Military Physiology. [https://journals.lww.com/acsm-msse/Fulltext/2019/06001/Sleep\\_Patterns\\_During\\_Arduous\\_Military\\_Training\\_in.844.aspx](https://journals.lww.com/acsm-msse/Fulltext/2019/06001/Sleep_Patterns_During_Arduous_Military_Training_in.844.aspx)

Equation to Estimate Total Energy Expenditure in Military Populations Using a Wrist-Worn Physical Activity Monitor. Blacker S D, Siddall A G, Needham-Beck S, Powell S D, Edwards V C, Kefyalew S S, Singh P A, Orford E R, Venables M C, Jackson S, Greeves J P, Myers S D. 2019. **Medicine & Science in Sports & Exercise**. Volume 51(6) Supplement, p 277-278, Free Communication/Poster - Military Physiology. [https://journals.lww.com/acsm-msse/fulltext/2019/06001/Equation\\_to\\_Estimate\\_Total\\_Energy\\_Expenditure\\_in.838.aspx](https://journals.lww.com/acsm-msse/fulltext/2019/06001/Equation_to_Estimate_Total_Energy_Expenditure_in.838.aspx)

Health Online for Teens (HOT) program for Australian adolescents above a healthy weight: study protocol. Moores C J, Maeder A, Miller J, Prichard I, Lewis L K, Bell L K, Macoustra A, Miller M D. 2019. **JMIR Preprints**. <https://s3.ca-central-1.amazonaws.com/assets.jmir.org/assets/preprints/preprint-13340-accepted.pdf>

Validity of energy expenditure estimation methods during 10 days of military training. Siddall A G, Powell S D, Needham-Beck S C, Edwards V C, Thompson J E, Kefyalew S S, Singh P A, Orford E R, Venables M C, Jackson S, Greeves J P. **Scandinavian Journal of Medicine & Science in Sports**.  
<https://onlinelibrary.wiley.com/doi/abs/10.1111/sms.13488>



Sleep after Heavy Alcohol Consumption and Physical Activity Levels during Alcohol Hangover. Devenney L E, Coyle K B, Roth T, Verster J C. 2019. **Journal of Clinical Medicine**, 8(5), p.752.  
<https://www.mdpi.com/2077-0383/8/5/752>

Daily diary and ambulatory activity monitoring of sleep in patients with multiple sclerosis: An investigation into causal hypotheses of overheating-revoked awakenings. Lorenz R A, Zhang H, Xu W, Chang Y. 2019. NINR Precision Health: Smart Technologies, Smart Health Symposium Abstracts, p.9.  
[https://www.ninr.nih.gov/sites/files/docs/NINR-Methodologies-Boot-Camp-2019-Abstracts\\_508c.pdf](https://www.ninr.nih.gov/sites/files/docs/NINR-Methodologies-Boot-Camp-2019-Abstracts_508c.pdf)

Conducting a pilot randomized controlled trial of community-based mindfulness-based stress reduction versus usual care for moderate-to-severe migraine: protocol for the Mindfulness and Migraine Study (M&M). Pressman A, Law H, Stahl R, Scott A, Jacobson A, Dean L, Sudat S, Obillo A, Avins A. 2019. **Trials**, 20(1), p.257. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-019-3355-y>

Accelerometer-based physical activity levels, fundamental movement skills and weight status in British preschool children from a deprived area. Roscoe C M, James R S, Duncan M J. 2019. **European Journal of Pediatrics**, pp.1-10. <https://link.springer.com/content/pdf/10.1007%2Fs00431-019-03390-z.pdf>

Application of machine learning in the measurement of free-living physical activity behaviours Narayanan T L. 2019. Doctoral dissertation, Auckland University of Technology.  
<https://openrepository.aut.ac.nz/bitstream/handle/10292/12504/15903421%20Anantha%20Narayanan%20MPhil%20Thesis.pdf?sequence=1>

No Effect of Glucomannan on Body Weight Reduction in Children and Adolescents with Overweight and Obesity: A Randomized Controlled Trial. Zalewski B M, Szajewska H. 2019. **The Journal of Pediatrics**.  
<https://www.ncbi.nlm.nih.gov/pubmed/31036412>

Identification of earlier predictors of pregnancy complications through wearable technologies in a Brazilian multicentre cohort: Maternal Actigraphy Exploratory Study I (MAES-I) study protocol. Souza R T, Cecatti J G, Mayrink J, Galvão R B, Costa M L, Feitosa F, Rocha Filho E, Leite D F, Vettorazzi J, Tedesco R P, Santana D S. 2019. **BMJ Open**, 9(4), p.e023101.  
<https://bmjopen.bmj.com/content/bmjopen/9/4/e023101.full.pdf>

Validating the Sedentary Sphere method in children: Does wrist or accelerometer brand matter? Hurter L, Rowlands A V, Fairclough S J, Gibbon K C, Knowles Z R, Porcellato L A, Cooper-Ryan A M, Boddy L M. 2019. **Journal of Sports Sciences**, pp.1-9.  
<https://www.tandfonline.com/doi/pdf/10.1080/02640414.2019.1605647?needAccess=true>

Natural variability of daily physical activity measured by accelerometry in children with a mitochondrial disease. de Vries P R, Janssen M, Spaans E, de Groot I, Janssen A, Smeitink J, Koene S. 2019. **Mitochondrion**. <https://www.sciencedirect.com/science/article/abs/pii/S1567724918300266>

Rationale and methods of the MOVI-da10! Study—a cluster-randomized controlled trial of the impact of classroom-based physical activity programs on children’s adiposity, cognition and motor competence. Sánchez-López M, Ruiz-Hermosa A, Redondo-Tébar A, Visier-Alfonso M E, Jimenez-López E, Martínez-



Andres M, Solera-Martínez M, Soriano-Cano A, Martínez-Vizcaíno V. 2019. **BMC Public Health**, 19(1), p.417. <https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-019-6742-0>

Measurement of physical activity in clinical practice using accelerometers. Arvidsson D, Fridolfsson J, Börjesson M. 2019. **Journal of Internal Medicine**. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/joim.12908>

Diurnal changes in human brain glutamate + glutamine levels in the course of development and their relationship to sleep. Volk C, Jaramillo V, Studler M, Furrer M, O'Gorman Tuura R L, Huber R. 2019. **NeuroImage**, 196, p. 269-275. <https://reader.elsevier.com/reader/sd/pii/S105381191930326X?token=7887687BE2F2A78DB61626BCC138E5C3B5FE87F0D40214567D18292C6F38B6487B26C55B5ABB5EA6A4CC8719D45D8EA3>

Project honeybee: Clinical applications for wearable biosensors. Hartwell L, Ross H M, La Belle J T. 2019. **Biomedical Microdevices**, 21(2), p.37. <https://link.springer.com/content/pdf/10.1007%2Fs10544-019-0392-y.pdf>

Preschool family irregularity and the development of sleep problems in childhood: a longitudinal study. Koopman-Verhoeff M E, Serdarevic F, Kocevaska D, Bodrij F F, Mileva-Seitz V R, Reiss I, Hillegers M H, Tiemeier H, Cecil C A, Verhulst F C, Luijk M P. 2019. **Journal of Child Psychology and Psychiatry**. <https://onlinelibrary.wiley.com/doi/pdf/10.1111/jcpp.13060>

Sleep Duration is Inversely Associated with Serum Uric Acid Concentrations and Uric Acid to Creatinine Ratio in an Elderly Mediterranean Population at High Cardiovascular Risk. Papandreou C, Babio N, Díaz-López A, Martínez-González M Á, Becerra-Tomas N, Corella D, Schröder H, Romaguera D, Vioque J, Alonso-Gómez Á M, Wärnberg J. 2019. **Nutrients**, 11(4), p.761. <https://www.mdpi.com/2072-6643/11/4/761/htm>

Does Perception of Motor Competence Mediate Associations between Motor Competence and Physical Activity in Early Years Children? Hall C J, Eyre E L, Oxford S W, Duncan M J. 2019. **Sports**, 7(4), p.77. <https://www.mdpi.com/2075-4663/7/4/77/htm>

Associations of physical activity and sedentary time with body composition in Brazilian young adults. da Silva B G C, da Silva I C M, Ekelund U, Brage S, Ong K K, Rolfe E D L, Lima N P, da Silva S G, de França G V A, Horta B L. 2019. **Scientific Reports**, 9(1), p.5444. <https://www.nature.com/articles/s41598-019-41935-2.pdf>

Determining the Initial Predictive Validity of the Lifelong Physical Activity Skills Battery. Hulteen R M, Barnett L M, Morgan P J, Robinson L E, Barton C J, Wrotniak B H, Lubans D R. 2018. **Journal of Motor Learning and Development**, 6(2), pp.301-314. <https://journals.humankinetics.com/doi/pdf/10.1123/jmld.2017-0036>

Are We Overestimating Physical Activity Prevalence in Children? Price L, Wyatt K, Lloyd J, Abraham C, Creanor S, Dean S, Hillsdon M. 2018. **Journal of Physical Activity and Health**, 15(12), pp.941-945. <https://journals.humankinetics.com/doi/pdf/10.1123/jpah.2018-0030>



Digital behavior change interventions to promote physical activity and/or reduce sedentary behavior in older adults: A systematic review and meta-analysis. Stockwell S, Schofield P, Fisher A, Firth J, Jackson S E, Stubbs B, Smith L. 2019. **Experimental Gerontology**, 120, p68-87.  
<https://www.ncbi.nlm.nih.gov/pubmed/30836130>

Twin-based Heritability of Actimetry Traits. Gehrman P R, Ghorai A, Goodman M, McCluskey R, Barilla H, Almasy L, Roenneberg T, Bucan M. 2019. **Genes, Brain and Behavior**. Accepted Author Manuscript. doi:10.1111/gbb.12569. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/gbb.12569>

Prospective Study of Physical Activity of Preterm Born Children from Age 5 to 14 Years. Spiegler J, Mendonca M, Wolke D. 2019. **The Journal of Pediatrics**.  
<https://www.sciencedirect.com/science/article/abs/pii/S002234761831730X>

Sleep deprivation and its effects on communication during individual and collaborative tasks. Holding B C, Sundelin T, Lekander M, Axelsson J. 2019. **Scientific Reports**, 9(1), p.3131.  
<https://www.nature.com/articles/s41598-019-39271-6.pdf>

Estimating physical activity in children aged 8-11 years using accelerometry: contributions from fundamental movement skills and different accelerometer placements. Duncan M J, Roscoe C, Faghy M, Tallis J, Eyre E. 2019. **Frontiers in Physiology**, 10, p.242.  
<https://www.frontiersin.org/articles/10.3389/fphys.2019.00242/full>

The Hertfordshire Cohort Study: an overview [version 1; peer review: 3 approved]. Syddall H E, Simmonds S J, Carter S A, Robinson S M, Dennison E M, Cooper C. Hertfordshire Cohort Study Research Group, 2019. *F1000Research*, 8:82.  
[https://www.researchgate.net/publication/330528150\\_The\\_Hertfordshire\\_Cohort\\_Study\\_an\\_overview](https://www.researchgate.net/publication/330528150_The_Hertfordshire_Cohort_Study_an_overview)

Moving Forward With Accelerometer-Assessed Physical Activity: Two Strategies to Ensure Meaningful, Interpretable, and Comparable Measures. Rowlands A V. 2018. **Pediatric Exercise Science**, 30(4), pp.450-456. <https://journals.humankinetics.com/doi/abs/10.1123/pes.2018-0201?journalCode=pes>

Objective measurement of tummy time in infants (0-6 months): A validation study. Hewitt L, Stanley R M, Cliff D, Okely A D. 2019. **PloS one**, 14(2), p.e0210977.  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6392225/pdf/pone.0210977.pdf>

The backwards comparability of wrist worn GENEActiv and waist worn ActiGraph accelerometer estimates of sedentary time in children. Boddy L M, Noonan R J, Rowlands A V, Hurter L, Knowles Z R, Fairclough S J. 2019. **Journal of Science and Medicine in Sport**.  
<https://reader.elsevier.com/reader/sd/pii/S144024401831048X?token=6660A21F250D027018F07F9941179CE30D2B4C462EF752FC4C4B66F204F764D954951657CE56BD8DF5D0D9490F6AB2E5>

Association between actigraphy-based sleep duration variability and cardiovascular risk factors—results of a population-based study. Häusler N, Marques-Vidal P, Haba-Rubio J, Heinzer R. 2019. **Sleep**



## Medicine.

<https://reader.elsevier.com/reader/sd/pii/S1389945719300383?token=0E54A5A6B8677B80F81249921417C499CAAB55BD8A1E2BC164D58DB3AE75FC38B61B2CA66D8BB2D317E0B244F371F048>

Is vigorous-intensity physical activity required for improving bone mass in adolescence? Findings from a Brazilian birth cohort. Bielemann R M, Ramires V V, Wehrmeister F C, Gonçalves H, Assunção M C F, Ekelund U, Horta B L. 2019. **Osteoporosis International**, pp.1-9.

<https://link.springer.com/content/pdf/10.1007%2Fs00198-019-04862-6.pdf>

The Oxford study of Calcium channel Antagonism, Cognition, Mood instability and Sleep (OxCaMS): study protocol for a randomised controlled, experimental medicine study. Atkinson L Z, Colbourne L, Smith A, Harmer C H, Nobre, A C, Rendell J, Jones H, Hinds C, Mould A, Tunbridge E M, Cipriani A. 2019. **Trials**, 20(1), p.120. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-019-3175-0>

Objectively measured sleep and body mass index: a prospective bidirectional study in middle-aged and older adults. Koolhaas C M, Kocevskaja D, te Lindert B H, Eler N S, Franco O H, Luik A I, Tiemeier H. 2019. **Sleep Medicine**.

<https://reader.elsevier.com/reader/sd/pii/S1389945718308633?token=FEC2BF476CF55E0B757AAB6ED81A6F2B5E821AE4B89BD94A51D59A504F2A72EBA6B05E118C317418CD7F6E7235E2D7FF>

Predictors of objectively measured physical activity in 12-month-old infants: A study of linked birth cohort data with electronic health records. Raza H, Zhou S M, Todd C, Christian D, Marchant E, Morgan K, Khanom A, Hill R, Lyons R A, Brophy S. 2019. **Pediatric Obesity**, p.e12512.

<https://onlinelibrary.wiley.com/doi/pdf/10.1111/ijpo.12512>

Effects of exercise intensity on vascular and autonomic components of the baroreflex following glucose ingestion in adolescents. Oliveira R S, Barker A R, Debras F, Kranen S H, Williams C A. 2019. **European Journal of Applied Physiology**, pp.1-12.

<https://link.springer.com/content/pdf/10.1007%2Fs00421-019-04076-y.pdf>

Wearable Sensor Technology to Measure Physical Activity (PA) in the Elderly. Rao A K. 2019. **Current Geriatrics Reports**, pp.1-12. <https://link.springer.com/content/pdf/10.1007%2Fs13670-019-0275-3.pdf>

Acceptability and feasibility of wearing activity monitors in community-dwelling older adults with dementia. Farina N, Sherlock G, Thomas S, Lowry R G, Banerjee S. **International Journal of Geriatric Psychiatry**. 2019. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/gps.5064>

The Association of the Body Composition of Children with 24-Hour Activity Composition. Dumuid D, Wake M, Clifford S, Burgner D, Carlin J B, Mensah F K, Frayssse F, Lycett K, Baur L, Olds T. 2019. **The Journal of Pediatrics**.

<https://reader.elsevier.com/reader/sd/pii/S0022347618317475?token=33C3DD31D4CF8C0083EC65B62FECC51F536BA8F1E04690AB8C8DDB9B6E9648691C90893E98029C21DD014310534D00BB>

The Story of Sedentary Behaviour and Physical Activity by Accelerometry: A Cohort Study of Adults From Awakening to ICU/Hospital Discharge. Baldwin C, Johnston K, Rowlands A, Frayssse F, Williams M.



2019. **Australian Critical Care**, 32, p.S11. [https://www.australiancriticalcare.com/article/S1036-7314\(18\)30321-7/pdf](https://www.australiancriticalcare.com/article/S1036-7314(18)30321-7/pdf)

The Games for Older Adults Active Life (GOAL) project for people with mild cognitive impairment and vascular cognitive impairment: a study protocol for a randomized controlled trial. Fabbri L, Mosca I E, Gerli F, Martini L, Pancani S, Lucidi G, Savazzi F, Baglio F, Vannetti F, Macchi C. GOAL Working Group. 2018. **Frontiers in Neurology**, 9. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6336896/pdf/fneur-09-01040.pdf>

Independent and combined influence of healthy lifestyle factors on academic performance in adolescents: DADOS Study. Adelantado-Renau M, Jiménez-Pavón D, Beltran-Valls M R, Moliner-Urdiales D. 2019. **Pediatric Research**, p.1. <https://www.nature.com/articles/s41390-019-0285-z.pdf>

Assessing the severity of respiratory infection-like symptoms using mobile health technology. Canterino M. 2018. Doctoral dissertation, Politecnico di Torino. <https://webthesis.biblio.polito.it/9344/1/tesi.pdf>

The feasibility of online video calling to engage patients with cystic fibrosis in exercise training. Tomlinson O, Shelley J, Trott J, Bowhay B, Chauhan R, Sheldon C D. 2019. **Journal of Telemedicine and Telecare**. [https://rde.dspace-express.com/bitstream/handle/11287/620952/Skype%20Manuscript\\_JTT\\_Revised\\_FINAL\\_CLEAN.pdf?sequence=1&isAllowed=y](https://rde.dspace-express.com/bitstream/handle/11287/620952/Skype%20Manuscript_JTT_Revised_FINAL_CLEAN.pdf?sequence=1&isAllowed=y)

Exploring mechanisms associated with the benefits of physical activity and the negative effects of sedentary behaviour. Gubelmann C. 2018. Doctoral dissertation, Université de Lausanne, Faculté de biologie et médecine. [https://serval.unil.ch/resource/serval:BIB\\_534E3BB9D8D0.P002/REF.pdf](https://serval.unil.ch/resource/serval:BIB_534E3BB9D8D0.P002/REF.pdf)

Associations between social isolation, loneliness, and objective physical activity in older men and women. Schrepft S, Jackowska M, Hamer M, Steptoe A. 2019. **BMC Public Health**, 19(1), p.74. <https://link.springer.com/content/pdf/10.1186%2Fs12889-019-6424-y.pdf>

The feasibility and acceptability of morning versus evening exercise for overweight and obese adults: A randomized controlled trial. Brooker P G, Gomersall S R, King N A, Leveritt M D. 2019. **Contemporary Clinical Trials Communications**, p.100320. <https://reader.elsevier.com/reader/sd/pii/S2451865418301625?token=21CE72991AEE0277A6CCDE28D283194AB82646CBF3A206755DD264205C88F0DB3735ABA90588A41946E74C8001F4C790>

Shedding light on depressive, anxiety and sleep disorders in Parkinson's disease. Rutten S. 2019. Doctoral dissertation Vrije Universiteit. <http://dare.ubvu.vu.nl/bitstream/handle/1871/55907/complete%20dissertation.pdf?sequence=6#page=171>

Associations between objectively measured and self-reported sleep with academic and cognitive performance in adolescents: DADOS study. Adelantado-Renau M, Beltran-Valls M R, Migueles J H, Artero E G, Legaz-Arrese A, Capdevila-Seder A, Moliner-Urdiales D. 2019. **Journal of Sleep Research**, p.e12811. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/jsr.12811>



Rural–Urban Differences in Baseline Dietary Intake and Physical Activity Levels of Adolescents. Euler R, Jimenez E Y, Sanders S, Kuhlemeier A, Van Horn M L, Cohen D, Gonzales-Pacheco D, Kong A S. 2019. **Preventing Chronic Disease**, 16. [https://www.cdc.gov/pcd/issues/2019/pdf/18\\_0200.pdf](https://www.cdc.gov/pcd/issues/2019/pdf/18_0200.pdf)

Mediterranean Built Environment and Weather as Modulator Factors on Physical Activity: Cross-Sectional Study. Fernández A C, Ruiz M, Wärnberg J, Baron J, Pérez N, Compa M, Fiol M, Romaguera D. 2018. In Proceedings of The 1st International Electronic Conference on Environmental Health Sciences (p. 1). MDPI AG. <https://sciforum.net/manuscripts/5649/manuscript.pdf>

Comparison of self-report and accelerometer measurement of physical activity according to sociodemographic characteristics in Korea. Lee S W, Shim J S, Song B M, Lee H J, Bae H Y, Park J H, Choi H R, Yang J W, Heo J E, Cho S M J, Lee G B. 2018. **Epidemiology and Health**. p.e2018060. <https://www.e-epih.org/upload/pdf/epih-e2018060-AOP.pdf>

Acceptability and Feasibility of Single-Component Primary School Physical Activity Interventions to Inform the AS: Sk Project. Taylor S, Noonan R, Knowles Z, McGrane B, Curry W, Fairclough S. 2018. **Children**. 5(12), p.171. <https://www.mdpi.com/2227-9067/5/12/171/htm>

Baby Steps—a structured group education programme with accompanying mobile web application designed to promote physical activity in women with a history of gestational diabetes: study protocol for a randomised controlled trial. Sukumar N, Dallosso H, Saravanan P, Yates T, Telling C, Shorthose K, Northern A, Schreder S, Brough C, Gray L, Davies M J. 2018. **Trials**. 19(1), p.682. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-018-3067-8>

¡ Viva Maryvale!: A Multilevel, Multisector Model to Community-Based Diabetes Prevention. Soltero E G, Ramos C, Williams A N, Hooker E, Mendez J, Wildy H, Davis K, Hernandez V, Contreras O A, Silva M, Lish E. 2019. **American Journal of Preventive Medicine**. 56(1), pp.58-65. <https://reader.elsevier.com/reader/sd/pii/S0749379718321792?token=9A7475FFBFFD831BAB6E974472153907E3C99A744E3E15683FCA32BAED312E0D3CEF8B0E1D9EE6CE077632F706075D88>

Evaluation of wrist and hip sedentary behaviour and moderate-to-vigorous physical activity raw acceleration cutpoints in older adults. Sanders G J, Boddy L M, Sparks S A, Curry W B, Roe B, Kaehne A, Fairclough S J. 2018. **Journal of Sports Sciences**. pp.1-10. <https://shapeamerica.tandfonline.com/doi/pdf/10.1080/02640414.2018.1555904?needAccess=true>

Perceptual and Cardiorespiratory Responses to High-Intensity Interval Exercise in Adolescents: Does Work Intensity Matter? Malik A A, Williams C A, Weston K L, Barker A R. 2019. **Journal of Sports Science and Medicine**. 18(1), pp.1-12. <https://www.jssm.org/volume18/iss1/cap/jssm-18-1.pdf>

Disruption of sleep, sleep-wake activity rhythm, and nocturnal melatonin production in breast cancer patients undergoing adjuvant chemotherapy: prospective cohort study. Li W, Kwok C C H, Chan D C W, Ho A W Y, Ho C S, Zhang J, Wing Y K, Wang F, Tse L A. 2018. **Sleep Medicine**. <https://reader.elsevier.com/reader/sd/pii/S1389945718306191?token=AA287BACB7B8296162DAC23E52D98375AAEB14BFD3490117D18BDEA4F0BEBF46293279C926CDA3C207B5CBAD3E7DD52C>





During day and night: Childhood psychotic experiences and objective and subjective sleep problems. Koopman-Verhoeff M E, Bolhuis K, Cecil C A, Kocevaska D, Hudziak J J, Hillegers M H, Mileva-Seitz V R, Reiss I K, Duijts L, Verhulst F, Luijk M P. 2018. **Schizophrenia Research**.  
<https://reader.elsevier.com/reader/sd/pii/S0920996418306911?token=FA168D9BBFE8E19B17382E5E4E8EF39A65A21028F015AA12FC75FAC30F815D9EE116E9DB16BF0BB25F1255C4605D4342>

Sleep-wake, cognitive and clinical correlates of treatment outcome with repetitive transcranial magnetic stimulation for young adults with depression. Kaur M, Naismith S L, Lagopoulos J, Hermens D F, Lee R S, Carpenter J S, Fitzgerald P B, Hoy K E, Scott E M, Hickie I B. 2018. **Psychiatry Research**. 271 (2019) 335-342.  
<https://reader.elsevier.com/reader/sd/pii/S0165178118316342?token=7193A3BBE80C70AD325129571441F4011158824E9306C98F9441C718575F778CED18591862812280A08D7FA268593F10>

Establishing raw acceleration thresholds to classify sedentary and stationary behaviour in children. Hurter L, Fairclough S, Knowles Z, Porcellato L, Cooper-Ryan A, Boddy L. 2018. **Children**. 5(12), p.172.  
<https://www.mdpi.com/2227-9067/5/12/172/htm>

Validity of objective methods for measuring sedentary behaviour in older adults: a systematic review. Heesch K C, Hill R L, Aguilar-Farias N, van Uffelen J G, Pavey T. 2018. **International Journal of Behavioral Nutrition and Physical Activity**. 15(1), p.119.  
<https://ijbnpa.biomedcentral.com/track/pdf/10.1186/s12966-018-0749-2>

Calibration and Validation of Accelerometer-based Activity Monitors: A Systematic Review of Machine-Learning Approaches. Farrahi V, Niemelä M, Kangas M, Korpelainen R, Jämsä T. 2018. **Gait & Posture**. 68(2019) 285-299.  
<https://reader.elsevier.com/reader/sd/pii/S0966636218313092?token=820E301FAA145AC516B15DAEE19C47DDF533E6E5E99F9F06EF84BD6271F60C22EE1E07972DE561AC5B0330A1DCC3AE97>

Changes in physical activities patterns assessed by accelerometry after bariatric surgery: A systematic review and meta-analysis. Barbosa C G R, Verlengia R, Ribeiro A G S V, de Oliveira M R M, Crisp A H. 2018. **Obesity Medicine**.  
<https://reader.elsevier.com/reader/sd/pii/S2451847618300241?token=CBBA4A3B136B740C0DD3137A92D674D75E739B8673F7F23403AB3E90209F891288FA4F34D47E673AD785C894F5DE91C6>

Association Between Maximal Oxygen Consumption and Physical Activity and Sedentary Lifestyle in Metabolic Syndrome. Usefulness of Questionnaires. Tojal L, Alonso-Gómez A, Alberich S, Wärnberg J, Sorto C, Portillo M P, Schröder H, Salas-Salvadó J, Arós F. 2018. **Revista Española de Cardiología (English Edition)**.  
<https://www.sciencedirect.com/science/article/pii/S1885585718304419>

Relationships between Motor Competence, Physical Activity, and Obesity in British Preschool Aged Children. Hall C J, Eyre E L, Oxford S W, Duncan M J. 2018. **Journal of Functional Morphology and Kinesiology**. 3(4), p.57. <https://www.mdpi.com/2411-5142/3/4/57/htm>



Kaplan AS (2018). Development of Two-Regression models to predict Energy Expenditure in Youth using a GENEActiv and Axivity AX3 activity expenditure in youth using a GENEActiv and Activity AX3 Activity Monitor. University of Tennessee

Identifying Free-Living Physical Activities Using Lab-Based Models with Wearable Accelerometers. Dutta A, Ma O, Toledo M, Pregonero A, Ainsworth B, Buman M, Bliss D. 2018. **Sensors**. 18(11), p.3893. <https://www.mdpi.com/1424-8220/18/11/3893/html>

The influence of sedentary behaviour on muscle-tendon properties and resultant postural balance in older adults. Wullems J A. 2018. Doctoral dissertation, Manchester Metropolitan University and Katholieke Universiteit Leuven. [https://e-space.mmu.ac.uk/620938/1/PhD%20thesis\\_Jorgen%20Wullems\\_final%20version\\_14062018.pdf](https://e-space.mmu.ac.uk/620938/1/PhD%20thesis_Jorgen%20Wullems_final%20version_14062018.pdf)

Assessment of upper limb use in children with typical development and neurodevelopmental disorders by inertial sensors: a systematic review. Braito I, Maselli M, Sgandurra G, Inguaggiato E, Beani E, Cecchi F, Cioni G, Boyd R. 2018. **Journal of Neuroengineering and Rehabilitation**. 15(1), p.94. <https://jneuroengrehab.biomedcentral.com/track/pdf/10.1186/s12984-018-0447-y>

Examining the efficacy of a multicomponent m-Health physical activity, diet and sleep intervention for weight loss in overweight and obese adults: randomised controlled trial protocol. Duncan M J, Brown W J, Burrows T L, Collins C E, Fenton S, Glozier N, Kolt G S, Morgan P J, Hensley M, Holliday E G, Murawski B. 2018. **BMJ Open**. 8(10), p.e026179. <https://bmjopen.bmj.com/content/bmjopen/8/10/e026179.full.pdf>

Treatment of fatigue with physical activity and behavioural change support in vasculitis: study protocol for an open-label randomised controlled feasibility study. Harper L, Morgan M D, Chanouzas D, Caulfield H K, Coughlan L, Dean C, Fletcher K, Cramp F, Greenfield S, Hewitt C A, Ives N J. 2018. **BMJ Open**. 8(10), p.e023769. <https://bmjopen.bmj.com/content/bmjopen/8/10/e023769.full.pdf>

Preliminary comparison between actigraphic measures and sleep diary reports in people with Mild Cognitive Impairment. Pancani S, Fabbri L, Martini L, Mosca I, Gerli F, Vannetti F. 2018. **Gait and Posture**. 66(1), Supplement 1, pp.S31-S31. <https://reader.elsevier.com/reader/sd/pii/S0966636218312414?token=8AD81B4C58EB68B95D4477FB0323C4D218B26A20B9DF8D5B3E5C7091A4D87E56381C941DDCF3146EAE3AB2357EB6FB20>

A formative study exploring perceptions of physical activity and physical activity monitoring among children and young people with cystic fibrosis and health care professionals. Shelley J, Fairclough SJ, Knowles Z R, Southern K W, McCormack P, Dawson E A, Graves L E, Hanlon C. 2018. **BMC Pediatrics**. 18(1), p.335. <https://bmcpediatr.biomedcentral.com/track/pdf/10.1186/s12887-018-1301-x>

Movement through Active Personalised engagement (MAP)—a self-management programme designed to promote physical activity in people with multimorbidity: study protocol for a randomised controlled trial. Dallosso H, Yates T, Mani H, Gray L J, Dhalwani N, Baldry E, Gillies C, Cradock S, Batt M, Davies M J, Khunti K. 2018. **Trials**. 19(1), p.576. <https://link.springer.com/content/pdf/10.1186%2Fs13063-018-2939-2.pdf>



Relationships between muscle size, strength, and physical activity in adults with muscular dystrophy. **Journal of Cachexia, Scopenia and Muscle**. Jacques M F, Onambele-Pearson G L, Reeves N D, Stebbings G K, Smith J, Morse C I. 2018. <https://onlinelibrary.wiley.com/doi/epdf/10.1002/jcsm.12347>

Longitudinal determinants of 12-month changes on bone health in adolescent male athletes. Ubago-Guisado E, Vlachopoulos D, Fatouros I G, Deli C K, Leontsini D, Moreno L A, Courteix D, Gracia-Marco L. 2018. **Archives of Osteoporosis**. 13(1), p.106. <https://link.springer.com/content/pdf/10.1007%2Fs11657-018-0519-4.pdf>

Circadian rhythms and psychiatric profiles in young adults with unipolar depressive disorders. Robillard R, Carpenter J S, Rogers N L, Fares S, Grierson A B, Hermens D F, Naismith S L, Mullin S J, Feilds K L, Glozier N, Scott E M. 2018. **Translational Psychiatry**. 8(1), p.213. <https://www.nature.com/articles/s41398-018-0255-y.pdf>

Developing a Stratified Approach to Treatment in Type 2 Diabetes. Shakweh E. 2018. University of Exeter (Masters dissertation). <https://ore.exeter.ac.uk/repository/bitstream/handle/10871/34218/ShakwehE.pdf?sequence=1&isAllowed=y>

Physical Activity after Cardiac Events (PACES)—a group education programme with subsequent text-message support designed to increase physical activity in individuals with diagnosed coronary heart disease: study protocol for a randomised controlled trial. Herring L Y, Dallosso H, Chatterjee S, Bodicoat D, Schreder S, Khunti K, Yates T, Seidu S, Hudson I, Davies M J. 2018. **Trials**. 19(1), p.537. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-018-2923-x>

Cross-sectional associations of objectively-measured sleep characteristics with obesity and type 2 diabetes in the PREDIMED-Plus trial. Rosique-Esteban N, Papandreou C, Romaguera D, Warnberg J, Corella D, Martínez-González M Á, Díaz-López A, Estruch R, Vioque J, Arós F, Garcia-Rios A. 2018. **Sleep**. <https://www.ncbi.nlm.nih.gov/pubmed/30285250>

The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: the REACH-HF multicenter randomized controlled trial. Dalal H M, Taylor, R S, Jolly K, Davis R C, Doherty, P, Miles J, Van Lingen, R, Warren F C, Green C, Wingham, J, Greaves C. 2018. **European Journal of Preventive Cardiology**. [https://research.birmingham.ac.uk/portal/files/54314118/Manuscript\\_REACH\\_HF\\_finalEJPC.pdf](https://research.birmingham.ac.uk/portal/files/54314118/Manuscript_REACH_HF_finalEJPC.pdf)

Continuous 7-days activity tracking in patients with parkinson disease: A 1-year continuative multidisciplinary rehabilitation. De Giovannini E, Anzolin P, Baccarin Z, Favaron F, Lain C, Locallo N, Pianalto P, Tomasi C, Rabuffetti M. 2018. **Gait and posture**. 66(1), Supplement 1 pp.S13-S14. <https://reader.elsevier.com/reader/sd/pii/S096663621831213X?token=095546D1CA7CFBF884236BE7F0BB66041E1777A057680D98F955D6CB133508AEE5AB46796D7A2335F8220E71755A0D05>

Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. Holt R I G, Gossage-Worrall R, Hind, M J Bradburn,



P McCrone, T Morris, C Edwardson, K Barnard, M E Carey, M J Davies, C M Dickens D, Doherty Y, Etherington A, French P, Gaughran F, Greenwood K E, Kalidindi S, Khunti K, Laugharne R, Pendlebury J, Rathod S, Saxon D, Shiers D, Siddiqi N, Swaby E A, Waller G, Wright S. 2018. **BJPsych**. <https://www.ncbi.nlm.nih.gov/pubmed/30251622>

Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. Ingram W, Webb D, Taylor R S, Anokye N, Yardley L, Jolly K, Mutrie N, Campbell J L, Dean S G, Greaves C, Steele M. 2018. **BMJ Open**. 8(9), p.e022382. <https://bmjopen.bmj.com/content/bmjopen/8/9/e022382.full.pdf>

Activity Monitoring with a Wrist-Worn, Accelerometer-Based Device. Lin W Y, Verma V, Lee M Y, Lai C S. 2018. **Micromachines**. 9(9), p.450. <https://www.mdpi.com/2072-666X/9/9/450/htm>

Analyzing sensor based human activity data using time series segmentation to determine sleep duration. Lad Y D. 2018. Masters Theses. 7802. [http://scholarsmine.mst.edu/masters\\_theses/7802](http://scholarsmine.mst.edu/masters_theses/7802)

Protocol for a randomised controlled trial of interventions to promote adoption and maintenance of physical activity in adults with mental illness. Chapman J J, Suetani S, Siskind D, Kisely S, Breakspear M, Byrne J H, Patterson S. 2018. **BMJ Open**. 8(9), p.e023460. <https://bmjopen.bmj.com/content/bmjopen/8/9/e023460.full.pdf>

Physical Activity, Fatigue, and Sleep in People with Parkinson's Disease: A Secondary per Protocol Analysis from an Intervention Trial. Coe S, Franssen M, Collett J, Boyle D, Meaney A. Chantry, R., Esser, P., Izadi, H. and Dawes, H. 2018. **Parkinson's Disease**. <https://www.hindawi.com/journals/pd/2018/1517807/>

Measuring activity in patients with sarcoidosis-a pilot trial of two wrist-worn accelerometer devices. Atkins C P, Jones A P, Wilson A M. 2018. **Sarcoidosis Vasculitis and Diffuse Lung Disease**. 35(1), pp.62-68. <http://mattioli1885journals.com/index.php/sarcoidosis/article/view/5848>

Evaluation of the Tinetti score and fall risk assessment via accelerometry-based movement analysis. Rivolta MW, Aktaruzzaman M, Rizzo G, Lafortuna CL, Ferrarin M, Bovi G, Bonardi DR, Caspani A, Sassi R. 2018. Artificial Intelligence in Medicine. Article in press <https://www.sciencedirect.com/science/article/pii/S09333365717303901?via%3Dihub>

Detection of nocturnal scratching movements in patients with atopic dermatitis using accelerometers and recurrent neural networks. Moreau A, Anderer P, Ross M, Cerny A, Almazan T H, Peterson B. 2018. **IEEE Journal of Biomedical and Health Informatics**. 22(4), pp.1011-1018. <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7944549>

Home-based exercise enhances health-related quality of life in persons with spinal cord injury: A randomized controlled trial. Nightingale T E, Rouse P C, Walhin J P, Thompson D, Bilzon J L. 2018. **Archives of Physical Medicine and Rehabilitation**.



[https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S000399931830354X.pdf?locale=en\\_US](https://www.clinicalkey.com/service/content/pdf/watermarked/1-s2.0-S000399931830354X.pdf?locale=en_US)

eHealth interventions to promote objectively measured physical activity in community-dwelling older people. Jonkman N H, van Schooten K S, Maier A B, Pijnappels M. 2018. **Maturitas**. 113, pp.32-39. <https://reader.elsevier.com/reader/sd/57A433693E68022F7F8F580968F3100FEFA626C1D00EF8321511F0B960C0F9980BB7009D950E0CE5494795762642A63D>

Promoting physical activity in rural Australian adults using an online intervention. Mitchell B L, Smith A E, Rowlands A V, Frayse F, Parfitt G, Lewis N R, Dollman J. 2018. **Journal of Science and Medicine in Sport**. <https://reader.elsevier.com/reader/sd/BF78C7F6A0C2DFD9CD5967F38F93E33E672256CC619938F944068DD174B2B8CA53DB0D551FBB4F2C612763E7927F09FE>

Tart cherry concentrate does not enhance muscle protein synthesis response to exercise and protein in healthy older men. Jackman, S R, Brook M S, Pulsford R M, Cockcroft E J, Campbell M I, Rankin D, Atherton P, Smith K, Bowtell J L. 2018. **Experimental Gerontology**. <https://reader.elsevier.com/reader/sd/63426994E598CF2D2F52081D8AB856049725BC763896FF81AA807688B750C5CDF536F06FB63F64DCF4D5CD3C454900D4>

Normative values for sleep parameters in pre-schoolers using actigraphy. Sahlberg L, Lapinleimu H, Elovainio M, Rönnlund H, Virtanen I. 2018. **Clinical Neurophysiology**, 129(9), pp.1964-1970. <https://reader.elsevier.com/reader/sd/925039B4613F7E794296564FDBB413CC742741182C5D3857003DB4B1224F9482F03B763388D0E81608DE33AD19B51512>

Physical activity characterisation: does one site fit all? Clark C C, Nobre G C, Fernandes J F, Moran J, Drury B, Mannini A, Gronek P, Podstawski R. 2018. **Physiological Measurement**. <http://iopscience.iop.org/article/10.1088/1361-6579/aadad0/pdf>

Treating anxiety after stroke (TASK): the feasibility phase of a novel web-enabled randomised controlled trial. Chun H Y Y, Carson A J, Dennis M S, Mead G E, Whiteley W N. 2018. **Pilot and Feasibility Studies**. 4(1), p.139. <https://pilotfeasibilitystudies.biomedcentral.com/track/pdf/10.1186/s40814-018-0329-x>

Cohort Profile Update: The Irish Longitudinal Study on Ageing (TILDA). Donoghue O A, McGarrigle C A, Foley M, Fagan A, Meaney J, Kenny R A. 2018. **International Journal of Epidemiology**. <https://academic.oup.com/ije/article-abstract/47/5/1398/5071919?redirectedFrom=fulltext>

Detecting Behaviour Changes in Accelerometer Data. Diaz C and Yacef K. <http://ceur-ws.org/Vol-2148/paper03.pdf>

Estimating sleep parameters using an accelerometer without sleep diary. Van Hees VT, Sabia S, Jones SF, Wood AR, Anderson KN, Kivimaki M, Frayling TM, Pack AI, Bucan M, Trenell MI, Mazzotti DR, Gehrman PR, Singh-Manoux RA, Weedon MN. **Nature Scientific reports**, Article number 12975 (2018). <https://www.nature.com/articles/s41598-018-31266-z> (OS)



Perceptual and prefrontal cortex haemodynamic responses to high-intensity interval exercise with decreasing and increasing work-intensity in adolescents. Malik A A, Williams C A, Weston K L, Barker A R. 2018. **International Journal of Psychophysiology**.  
<https://reader.elsevier.com/reader/sd/B8F92F391665A28693BA868BA373199979810E7792910090B2A062A5321C17CA33A4EE4BCF6BF67E86859570D6570E01>

Association Between Objectively Measured Physical Activity and Plasma BDNF in Adolescents: DADOS Study. Beltran-Valls M R, Adelantado-Renau M, Moliner-Urdiales D. 2018. **Journal of Molecular Neuroscience**, pp.1-5. <https://link.springer.com/content/pdf/10.1007%2Fs12031-018-1122-2.pdf>

Sustained effects of prior red light on pupil diameter and vigilance during subsequent darkness. van der Meijden W P, te Lindert B H, Ramautar J R, Wei Y, Coppens J E, Kamermans M, Cajochen C, Bourgin P, Van Someren E J. 2018. **Proc. R. Soc. B**, 285(1883), p.20180989.  
<http://rspb.royalsocietypublishing.org/content/royprsb/285/1883/20180989.full.pdf>

Web-Based Intervention Using Behavioral Activation and Physical Activity for Adults With Depression (The eMotion Study): Pilot Randomized Controlled Trial. Lambert J D, Greaves C J, Farrand P, Price L, Haase A M, Taylor A H. 2018. **Journal of medical Internet research**, 20(7), p.e10112.  
<https://asset.jmir.pub/assets/731cb08e7cf8e9e9a329f2f999d97a46.pdf>

The influence of adherence to the Mediterranean diet on academic performance is mediated by sleep quality in adolescents. Adelantado-Renau M, Beltran-Valls M R, Esteban-Cornejo I, Martínez-Vizcaíno V, Santaliestra-Pasías, A M, Moliner-Urdiales D. 2018. **Acta Paediatrica**.  
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/apa.14472>

Mechanisms of blood pressure control following acute exercise in adolescents: Effects of exercise intensity on haemodynamics and baroreflex sensitivity. Oliveira R, Barker A R, Debras F, O'Doherty A, Williams C A. 2018. **Experimental physiology**.  
<https://physoc.onlinelibrary.wiley.com/doi/epdf/10.1113/EP086999>

Analyzing walking speeds with ankle and wrist worn accelerometers in a cohort with myotonic dystrophy. Jimenez-Moreno A C, Charman S J, Nikolenko N, Larweh M, Turner C, Gorman G, Lochmüller H, Catt M. 2018. **Disability and Rehabilitation**, pp.1-7.  
<https://www.tandfonline.com/doi/pdf/10.1080/09638288.2018.1482376?needAccess=true>

Circadian profiles of patients diagnosed with unresponsive wakefulness syndrome or minimally conscious state – actigraphy-based approach. Stróż, A. Philosophy and Sociology Department (Doctoral dissertation, Institute of Experimental Physics). Thesis  
[https://www.researchgate.net/publication/325996150\\_Circadian\\_profiles\\_of\\_patients\\_diagnosed\\_with\\_unresponsive\\_wakefulness\\_syndrome\\_or\\_minimally\\_conscious\\_state\\_-\\_actigraphy-based\\_approach](https://www.researchgate.net/publication/325996150_Circadian_profiles_of_patients_diagnosed_with_unresponsive_wakefulness_syndrome_or_minimally_conscious_state_-_actigraphy-based_approach)

Wrist-worn accelerometry for runners: Objective quantification of training load. Stiles V H, Pearce M, Moore I, Langford J, Rowlands A. 2018. **Medicine & Science in Sports & Exercise**.  
<https://insights.ovid.com/crossref?an=00005768-900000000-96853>



Children's Compliance With Wrist-Worn Accelerometry Within a Cluster-Randomized Controlled Trial: Findings From the Healthy Lifestyles Programme. Price L, Wyatt K, Lloyd J, Abraham C, Creanor S, Dean S, M. 2018. **Pediatric Exercise Science**, 30(2), pp.281-287.

<https://www.ncbi.nlm.nih.gov/pubmed/29417877>

Agreement Between Dual-Energy X-Ray Absorptiometry and Quantitative Ultrasound to Evaluate Bone Health in Adolescents: The PRO-BONE Study. Torres-Costoso A, Vlachopoulos D, Ubago-Guisado E, Ferri-Morales A, Cavero-Redondo I, Martínez-Vizcaino V, Gracia-Marco L. 2018. **Pediatric Exercise Science**, 20(XX), pp.1-8. <https://www.ncbi.nlm.nih.gov/pubmed/29804497>

Recurrent On-Duty Sleepiness and Alertness Management Strategies in Long-Haul Airline Pilots. Sallinen M, Åkerstedt T, Härmä M, Henelius A, Ketola K, Leinikka M, Kecklund G, Sihvola M, Tuori A, Virkkala J, Puttonen S. 2018. **Aerospace Medicine and Human Performance**, 89(7), pp.601-608. <https://www.ncbi.nlm.nih.gov/pubmed/29921351>

The effect of sleep quality on academic performance is mediated by Internet use time: DADOS study. Adelantado-Renau M, Diez-Fernandez A, Beltran-Valls M R, Soriano-Maldonado A, Moliner-Urdiales D. 2018. **Journal de Pediatria**.

<https://reader.elsevier.com/reader/sd/1A8D0A1A1E47587EE2DE8EA652E7023BCD66E7808CDF72773E4F6D60C6FA974F8FBB1A2C557E6743E082A8A82FFD814E>

Temporal Alignment Improves Feature Quality: an Experiment on Activity Recognition with Accelerometer Data. Choi H, Wang Q, Toledo M, Turaga P, Buman M, Srivastava A. 2018. In **Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops** (pp. 349-357).

[http://openaccess.thecvf.com/content\\_cvpr\\_2018\\_workshops/papers/w10/Choi\\_Temporal\\_Alignment\\_Improves\\_CVPR\\_2018\\_paper.pdf](http://openaccess.thecvf.com/content_cvpr_2018_workshops/papers/w10/Choi_Temporal_Alignment_Improves_CVPR_2018_paper.pdf)

Mechanisms and modulators of cognitive training gain transfer in cognitively healthy aging: study protocol of the AgeGain study. Wolf D, Tüscher O, Teipel S, Mierau A, Strüder H, Drzezga A, Baier B, Binder H, Fellgiebel A. 2018. **Trials**, 19(1), p.337. <https://trialsjournal.biomedcentral.com/track/pdf/10.1186/s13063-018-2688-2>

An evaluation of sleep disturbance on in-patient psychiatric units in the UK. Horne S, Hay K, Watson S, Anderson K N. 2018. **BJPsych Bulletin**, pp.1-5. [https://www.cambridge.org/core/services/aop-cambridge-core/content/view/DFE0E6D02FAE1C5F2CD8B9EB834B0ADD/S2056469418000426a.pdf/an\\_evaluation\\_of\\_sleep\\_disturbance\\_on\\_inpatient\\_psychiatric\\_units\\_in\\_the\\_uk.pdf](https://www.cambridge.org/core/services/aop-cambridge-core/content/view/DFE0E6D02FAE1C5F2CD8B9EB834B0ADD/S2056469418000426a.pdf/an_evaluation_of_sleep_disturbance_on_inpatient_psychiatric_units_in_the_uk.pdf)

Comparison Of Daily Energy Expenditure And Weekly Physical Activity Exposure Estimated Using Consumer And Research-grade Physical Activity Monitors During Officer Cadet Initial Military Training. Powell S D, Siddall A G, Thompson J E, Edwards V C, Jackson S, Greeves J P, Wardle S, Blacker S D, Myers S D. 2018. 2625 Board# 7 June 1 3. **Medicine & Science in Sports & Exercise**, 50(5S), p.640.

[https://journals.lww.com/acsm-msse/Fulltext/2018/05001/Comparison\\_Of\\_Daily\\_Energy\\_Expenditure\\_And\\_Weekly.2117.aspx](https://journals.lww.com/acsm-msse/Fulltext/2018/05001/Comparison_Of_Daily_Energy_Expenditure_And_Weekly.2117.aspx)



Comparison of Research-and Consumer-grade Energy Expenditure Estimation Methods during 10 Days of Military Training. Siddall A G, Thompson J E, Powell S D, Edwards V C, Kefyalew S S, Singh P A, Orford E R, Venables M C, Jackson S, Greeves J P, Blacker S D. 2018. 2624 Board# 6 June 13. **Medicine & Science in Sports & Exercise**, 50(5S), p.640. [https://journals.lww.com/acsm-msse/Fulltext/2018/05001/Comparison\\_of\\_Research\\_and\\_Consumer\\_grade\\_Energy.2116.aspx](https://journals.lww.com/acsm-msse/Fulltext/2018/05001/Comparison_of_Research_and_Consumer_grade_Energy.2116.aspx)

Wearing Comfort and Acceptability of Ambulatory Physical Activity Monitoring Devices in Soldiers. Beeler N, Roos L, Delves S K, Veenstra B J, Friedl K, Buller M J, Wyss T. 2018. **The IISE Transactions on Occupational Ergonomics and Human Factors**, 6(1), pp.1-10. <https://www.tandfonline.com/doi/pdf/10.1080/24725838.2018.1435431?needAccess=true>

Risk taking behaviour in young adults: The role of sleep and associated psychophysiological states. Rossa K R. 2018. Doctoral dissertation, Queensland University of Technology. [https://eprints.qut.edu.au/118059/1/Kalina\\_Rossa\\_Thesis.pdf](https://eprints.qut.edu.au/118059/1/Kalina_Rossa_Thesis.pdf)

Rituximab is Ineffective for Treatment of Fatigue in Primary Biliary Cholangitis: A phase-2 Randomised Controlled Trial. Khanna A, Jopson L, Howel D, Bryant A, Blamire A, Newton J L Jones D E. 2018. **Hepatology**. Accepted Author Manuscript. doi:10.1002/hep.30099 <https://aasldpubs.onlinelibrary.wiley.com/doi/epdf/10.1002/hep.30099>

Are consumption of dairy products and physical activity independently related to bone mineral density of 6-year-old children? Longitudinal and cross-sectional analyses in a birth cohort from Brazil. Bielemann R M, dos S Vaz J, Domingues M R, Matijasevich A, Santos I S, Ekelund U, Horta B L. 2018. **Public Health Nutrition**, pp.1-11. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6141993/> (OS)

Association of activity behaviours and patterns with cardiovascular risk factors in Swiss middle-aged adults: The CoLaus study. Gubelmann C, Antiochos P, Vollenweider P, Marques-Vidal P. 2018. **Preventive Medicine Reports** 11, p31-36 <https://reader.elsevier.com/reader/sd/23B0D83D93BA075D93E50C95A8A9858A5F4D90467314D24863BAE42E18DE4B5A7D398ECE37C3D5125FBA87E7630E44A7>

A randomised trial of observational learning from 2D and 3D models in robotically assisted surgery. Harris D J, Vine S J, Wilson M R, McGrath J S, LeBel M E, Buckingham G. 2018. **Surgical Endoscopy**, pp.1-6. <https://link.springer.com/content/pdf/10.1007%2Fs00464-018-6203-3.pdf>

Telerehabilitation versus traditional centre-based pulmonary rehabilitation for people with chronic respiratory disease: protocol for a randomised controlled trial. Cox N S, McDonald C F, Alison J A, Mahal A, Wootton R, Hill C J, Bondarenko J, Macdonald H, O'Halloran P, Zanaboni P, Clarke K. 2018. **BMC Pulmonary Medicine** 18(1), p.71. <https://bmcpulmed.biomedcentral.com/track/pdf/10.1186/s12890-018-0646-0>

Algorithm design for portable accelerometers for the detection, quantification, and differentiation of the tremors in parkinson disease vs essential tremor in controlled and daily living conditions. Orta D S J, López-Pizano A J, Hernandez-Ruiz A, Vázquez-Diosdado J A, Rodríguez-Ortiz U, Valladares E J. 2018. F181. **Clinical Neurophysiology** 129, p.e136. <https://reader.elsevier.com/reader/sd/19CEED58EF91806895125EF319154ED260219AF9558234ED2C05F56FA31FAA07AF642A35A748E335F0464C6018DC3B53>





Associations of physical activity and sedentary behaviour with metabolic syndrome in rural Australian adults. Mitchell B L, Smith A E, Rowlands A V, Parfitt G, Dollman J. 2018. **Journal of Science and Medicine in Sport**. [https://www.jsams.org/article/S1440-2440\(18\)30136-1/pdf](https://www.jsams.org/article/S1440-2440(18)30136-1/pdf)

Association of activity status and patterns with salivary cortisol: the population-based CoLaus study. Gubelmann C, Kuehner C, Vollenweider P, Marques-Vidal P. 2018. **European Journal of Applied Physiology**, pp.1-8. <https://link.springer.com/content/pdf/10.1007%2Fs00421-018-3881-4.pdf>

Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. Burton E, Hill K D, Lautenschlager N T, Thøgersen-Ntoumani, C, Lewin, G, Boyle E, Howie E. 2018. **BMC Geriatrics** 18(1), p.103. <https://bmcgeriatr.biomedcentral.com/track/pdf/10.1186/s12877-018-0793-4>

Effectiveness of the 'Girls Active'school-based physical activity programme: A cluster randomised controlled trial. Harrington D M, Davies M J, Bodicoat D H, Charles J M, Chudasama Y V, Gorely T, Khunti K, Plekhanova T, Rowlands A V, Sherar L B and Edwards R T. 2018. **International Journal of Behavioral Nutrition and Physical Activity** 15(1), p.40. <https://ijbnpa.biomedcentral.com/track/pdf/10.1186/s12966-018-0664-6>

Reliability and validity of the international physical activity questionnaire compared to calibrated accelerometer cut-off points in the quantification of sedentary behaviour and physical activity in older adults. Ryan D J, Wullems J A, Stebbings G K, Morse C I, Stewart CE. and Onambele-Pearson G L. 2018. **PloS one** 13(4), pp.e0195712-e0195712 <http://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0195712&type=printable>

Patient self-management in primary care patients with mild COPD-a randomised controlled trial of telephone health coaching. Jolly K, Sidhu M S, Hewitt C A, Coventry P, Daley A, Jordan R, Heneghan C, Singh S, Ives N, Adab P and Jowett S. 2018. **BMJ**. <http://eprints.whiterose.ac.uk/129818/>

A review of physiological and behavioral monitoring with digital sensors for neuropsychiatric illnesses. Reinertsen E and Clifford G D. 2018 **Physiol. Meas.** in press <https://doi.org/10.1088/1361-6579/aabf64>

Bone health, activity and sedentariness at age 11–12 years: Cross-sectional Australian population-derived study. Osborn W, Simm P, Olds T, Lycett K, Mensah F K., Muller J, Fraysse F, Ismail N, Vlok J, Burgner D and Carlin J B. 2018. **Bone**. <https://www.ncbi.nlm.nih.gov/pubmed/29674127>

A single day of bed rest, irrespective of energy balance, does not affect skeletal muscle gene expression or insulin sensitivity. Dirks M L, Stephens F B, Jackman S R, Gordo J G, Machin D, Pulsford, R.M., van Loon, L.J. and Wall, B.T. 2018. **Experimental Physiology** <https://physoc.onlinelibrary.wiley.com/doi/epdf/10.1113/EP086961>

Comparability of children's sedentary time estimates derived from wrist worn GENEActiv and hip worn ActiGraph accelerometer thresholds. Boddy L M, Noonan R J, Kim Y, Rowlands A V, Welk G J, Knowles Z R and Fairclough S J. 2018. **Journal of Science and Medicine in Sport**. [http://www.jsams.org/article/S1440-2440\(18\)30099-9/pdf](http://www.jsams.org/article/S1440-2440(18)30099-9/pdf)



Objectively Measured Physical Activity and Sleep and its Associations With Depressive and Anxiety Disorders. Lamers, F, Difrancesco S, Riese H, van Hemert B, Schoevers R and Penninx B. 2018. T118. **Biological Psychiatry** 83(9), p.S174.

<https://www.sciencedirect.com/science/article/pii/S0006322318305560>

A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. Lang C C, Smith K, Wingham J, Eyre V, Greaves C J, Warren F C, Green C, Jolly K, Davis R C, Doherty P J and Miles J. 2018. **BMJ Open** 8(4), p.e019649. <http://bmjopen.bmj.com/content/bmjopen/8/4/e019649.full.pdf>

Recess environment and curriculum intervention on children's physical activity: IPLAY. Nigg C R, Kutchman E, Amato K, Schaefer C A, Zhang G, Anwar M M U, Anthamatten P, Browning R C, Brink L and Hill J. 2018. **Translational Behavioral Medicine**.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6669811/> (OS)

Treating Anxiety after StroKe (TASK)—feasibility randomized controlled trial. Mead P M D, Carson A, Chun H Y Y. number AC17087, S. and Number, R.E.C.

[https://www.clinicaltrials.gov/ProvidedDocs/13/NCT03439813/Prot\\_SAP\\_000.pdf](https://www.clinicaltrials.gov/ProvidedDocs/13/NCT03439813/Prot_SAP_000.pdf)

A school-based intervention program in promoting leisure-time physical activity: trial protocol. Kawabata M, Chua K L and Chatzisarantis N L. 2018. **BMC Public Health** 18(1), p.433.

<https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-018-5320-1>

Physical Activity is Associated with Higher Sleep Efficiency in the General Population: The CoLauS Study. Gubelmann C, Heinzer R, Haba-Rubio J, Vollenweider P and Marques-Vidal P. 2018. **Sleep**

<https://academic.oup.com/sleep/article/41/7/zsy070/4956778> (OS)

Associations Between Objectively Measured Physical Activity, Body Composition and Sarcopenia: Findings from the Hertfordshire Sarcopenia Study (HSS). Westbury L D, Dodds R M, Syddall H E, Baczynska A M, Shaw S C, Dennison E M, Roberts H C, Sayer A A, Cooper C and Patel H P. 2018.

**Calcified Tissue International** pp.1-9 <https://link.springer.com/content/pdf/10.1007%2Fs00223-018-0413-5.pdf>

Assessment of physical activity intensity and duration in the paediatric population: evidence to support an a priori hypothesis and sample size in the agreement between subjective and objective

methods. Nascimento-Ferreira M V, De Moraes A C F, Oliveira P T, Rendo-Urteaga T, Gracia-Marco L, Forjaz C L M, Moreno L A. and Carvalho H B. 2018. **Obesity Reviews**

<https://onlinelibrary.wiley.com/doi/epdf/10.1111/obr.12676>

Accelerometry-Derived Physical Activity Correlations Between Parents and Their Fourth-Grade Child Are Specific to Time of Day and Activity Level. Strutz E, Browning R, Smith S, Lohse B and Cunningham-Sabo L. 2018. **Journal of Physical Activity and Health** 20(XX), pp.1-8.

<https://journals.humankinetics.com/doi/pdf/10.1123/jpah.2016-0645>

Improving cardiometabolic and mental health in women with gestational diabetes mellitus and their offspring: study protocol for MySweetHeart Trial, a randomised controlled trial. Horsch A, Gilbert L, Lanzi S, Gross J, Kayser B, Vial Y, Simeoni U, Hans, Berney A, Scholz U and Barakat R. 2018. **BMJ**

**Open** 8(2), p.e020462. <http://bmjopen.bmj.com/content/bmjopen/8/2/e020462.full.pdf>



Physical activity among hospitalised older people: insights from upper and lower limb accelerometry. Lim S E R, Dodds R, Bacon D, Sayer A A and Roberts, H.C. 2018. **Aging Clinical and Experimental Research** pp.1-7. <https://link.springer.com/content/pdf/10.1007%2Fs40520-018-0930-0.pdf>

Package 'GGIR'. van Hees V T, Fang Z, Zhao J H, Heywood J, Mirkes E, Sabia S, Migueles J H. Jan 2018 <http://debianmirror.wwi.dk/mirrors/mirrors/cran/web/packages/GGIR/GGIR.pdf>

Physical activity derived from questionnaires and wrist-worn accelerometers: comparability and the role of demographic, lifestyle, and health factors among a population-based sample of older adults. Koolhaas C M, van Rooij F J, Cepeda M, Tiemeier H, Franco O H, Schoufour J D. **Clinical Epidemiology** Jan 2018 10, p.1 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5739112/pdf/clep-10-001.pdf>

Cross-validation and out-of-sample testing of physical activity intensity predictions using a wrist-worn accelerometer. Montoye A H, Westgate B S, Fonley M R, Pfeiffer K A. **Journal of Applied Physiology** Jan 2018 [https://www.physiology.org/doi/full/10.1152/jappphysiol.00760.2017?url\\_ver=Z39.88-2003&rfr\\_id=ori%3Arid%3Acrossref.org&rfr\\_dat=cr\\_pub%3Dpubmed&](https://www.physiology.org/doi/full/10.1152/jappphysiol.00760.2017?url_ver=Z39.88-2003&rfr_id=ori%3Arid%3Acrossref.org&rfr_dat=cr_pub%3Dpubmed&) (OS)

Pulse Width Does Not Influence the Gains Achieved With Neuromuscular Electrical Stimulation in People With Multiple Sclerosis: Double-Blind, Randomized Trial. Almuklass A M, Davis L, Hamilton L D, Hebert J R, Alvarez E, Enoka R M. **Neurorehabilitation and Neural Repair** Jan 2018 p.1545968317753681 <http://journals.sagepub.com/doi/pdf/10.1177/1545968317753681>

Beyond Cut-points: Accelerometer Metrics that Capture the Physical Activity Profile. Rowlands A V, Edwardson C L, Davies M J, Khunti K, Harrington D M, Yates T. **Med Sci Sports Exerc** Jan 2018 <https://insights.ovid.com/pubmed?pmid=29360664>

Associations between physical behaviour patterns and levels of depressive symptoms, anxiety and well-being in middle-aged adults: a cross-sectional study using isotemporal substitution models. Dillon C B, McMahon E, O'Regan G, Perry I J. **BMJ Open** Jan 2018 8(1) p.e018978 <http://bmjopen.bmj.com/content/bmjopen/8/1/e018978.full.pdf>

One Year Outcomes from an Adolescent Obesity Prevention and Management Intervention in School-Based Health Centers. Jimenez E Y., Sanders S, Vallabhan M, Kong A S. **Journal of Adolescent Health** Feb 2018 62(2), pp.S120-S121 [https://www.jahonline.org/article/S1054-139X\(17\)30774-7/pdf](https://www.jahonline.org/article/S1054-139X(17)30774-7/pdf)

Converting between estimates of moderate-to-vigorous physical activity derived from raw accelerations measured at the wrist and from ActiGraph counts measured at the hip: The Rosetta Stone. Brazendale K, Beets M W, Rowlands A V, Chandler J L, Fairclough S J, Boddy L M, Olds T S, Parfitt G, Noonan R, Downs S J. **Journal of Sports Sciences** 2017 <https://www.ncbi.nlm.nih.gov/pubmed/29708474>

Compliance of Adolescent Girls to Repeated Deployments of Wrist-worn Accelerometers. Rowlands A V, Harrington D M, Bodicoat D H, Davies M J, Sherar LB, Gorely T, Khunti K and Edwardson C L. 2018. **Medicine & Science in Sports & Exercise**. <https://www.ncbi.nlm.nih.gov/pubmed/29474208>



Reliability of autonomic and vascular components of baroreflex sensitivity in adolescents. Oliveira R S, Barker A R, Debras F, O'Doherty A, Williams C A. **Clinical Physiology and Functional Imaging**. <http://onlinelibrary.wiley.com/doi/10.1111/cpf.12511/epdf>

Segmenting accelerometer data from daily life with unsupervised machine learning. van Kuppevelt DE, Heywood J, Hamer M, Sabia S, Fitzsimons E, van Hees V. **bioRxiv** 2018 p.263046. <https://www.biorxiv.org/content/biorxiv/early/2018/02/13/263046.full.pdf>

Involuntary and voluntary recall of musical memories: A comparison of temporal accuracy and emotional responses. Jakubowski K, Bashir Z, Farrugia N, Stewart L. **Memory & Cognition** 2018 Jan 29:1-6. <https://link.springer.com/content/pdf/10.3758%2Fs13421-018-0792-x.pdf>

Physical activity characteristics of adolescents at the baseline of a weight management trial. Mishra K, Ngo T, Sanders S, Jimenez E Y, Skipper B, Kong A. Jan 2018 **Western Medical Research conference** (formerly Western Regional Meeting), January 25–27 2018, Carmel, California. <http://jim.bmj.com/content/jim/66/1/63.full.pdf>

Topic models for automated motor analysis in schizophrenia patients\*. Tron T, Resheff Y S, Bazhmin M, Grinshpoon A, Peled A, Weinshall D. 2017. In **Body Sensor Networks (BSN)**, 2017 IEEE international conference on. IEEE. [http://www.cs.huji.ac.il/~daphna/papers/TronEtal\\_BSN2017.pdf](http://www.cs.huji.ac.il/~daphna/papers/TronEtal_BSN2017.pdf)

ARIMA-based Motor Anomaly Detection in Schizophrenia Inpatients. Tron T, Resheff Y S, Bazhmin M, Weinshall D, Peled A. [http://www.cs.huji.ac.il/~daphna/papers/TronEtal\\_BHI2017.pdf](http://www.cs.huji.ac.il/~daphna/papers/TronEtal_BHI2017.pdf)

Implementing Resistance Training in Secondary Schools: A Cluster RCT. Kennedy S G, Smith J J, Morgan P J, Peralta L R, Hilland T A, Eather N, Lonsdale C, Okely A D, Plotnikoff R C, Salmon J, Dewar D L. **Medicine and Science in Sports and Exercise** Jan 2018 50(1):62–72 <https://insights.ovid.com/crossref?an=00005768-201801000-00009>

Calibration of raw accelerometer data to measure physical activity: a systematic review. de Almeida Mendes M, da Silva I C M, Ramires, V, Reichert F, Martins R, Tomasi E. **Gait & Posture** March 2018 Volume 61 Pages 98-110 <https://www.ncbi.nlm.nih.gov/pubmed/29324298>

Seasonality of physical activity, sedentary behavior, and sleep in a middle-aged and elderly population: the Rotterdam Study. Cepeda M, Koolhaas C M, van Rooij F J, Tiemeier H, Guxens M, Franco O H, Schoufour J D. **Maturitas** Dec 2017. [http://www.maturitas.org/article/S0378-5122\(17\)31047-2/pdf](http://www.maturitas.org/article/S0378-5122(17)31047-2/pdf)

Community-based Rehabilitation Training after stroke: Results of a pilot randomised controlled trial (ReTrain) investigating acceptability and feasibility. Dean S G, Poltawski L, Foster A, Taylor R S, Spencer A, James M, Allison R, Stevens S, Norris M, Shepherd A I, Landa P, Pulsford R M, Hollands L, Calirti R. Dec 2017 **BMJ Open** <https://bmjopen.bmj.com/content/8/2/e018409> (OS)



[A Machine Learning Approach to Analysis of Bilogger Data in Movement Ecology](http://www.cs.huji.ac.il/~daphna/theses/Resheff_2017.pdf). Resheff Y S. Dec 2017 Thesis for the degree "Doctor of Philosophy in Brain Sciences: Computation and Information Processing. The Hebrew University of Jerusalem.

[http://www.cs.huji.ac.il/~daphna/theses/Resheff\\_2017.pdf](http://www.cs.huji.ac.il/~daphna/theses/Resheff_2017.pdf)

Assessment of sleep parameters from raw accelerometry data. Van Hees V T, Sabia S, Jones S E, Wood A R, Anderson K, Trenell M I, Kivimäki M, Weedon M N, Singh-Manoux A. **Sleep Medicine** Dec 2017. 40 Supplement 1 e333 <https://www.sciencedirect.com/science/article/abs/pii/S1389945717314132>

Telemedicine Cognitive Behavioral Therapy for Anxiety after Stroke: Proof-of-Concept Randomized Controlled Trial. Chun H Y Y, Carson A J, Tsanas A, Dennis M S, Mead G E, Calabria C, Whiteley W N. 2020. **Stroke**. 51(8):2297–306. <https://link.springer.com/content/pdf/10.1007%2Fs10549-017-4614-9.pdf>

Feasibility study of a randomised controlled trial to investigate the treatment of sarcoidosis-associated fatigue with methylphenidate (FaST-MP): a study protocol. Atkins C, Fordham R, Clark A B, Stockl A, Jones A P and Wilson A M. **BMJ Open** Dec 2017 7 e018532

<http://bmjopen.bmj.com/content/bmjopen/7/12/e018532.full.pdf>

Of weekend warriors and couch potatoes: Socio-economic determinants of physical activity in Swiss middle-aged adults. Gubelmann C, Vollenweider P and Marques-Vidal P. **Prev Med** Dec 2017 105 350-355 <http://www.ncbi.nlm.nih.gov/pubmed/28988999>

Cluster-randomised controlled trial to assess the effectiveness and cost-effectiveness of an obesity prevention programme for Chinese primary school-aged children: the CHIRPY DRAGON study protocol. Li B, Liu W J, Adab P, Pallan M, Hemming K, Frew E, Lin R, Martin J, Liu W and Cheng K K. **BMJ Open** Dec 2017 7 e018415 <http://bmjopen.bmj.com/content/7/11/e018415>

Exercise response in Parkinson's disease: insights from a cross-sectional comparison with sedentary controls and a per-protocol analysis of a randomised controlled trial. Mavrommati F, Collett J, Franssen M, Meaney A, Sexton C, Dennis-West A, Betts J F, Izadi H, Bogdanovic M and Tims M. **BMJ Open** Dec 2017 7 e017194 <http://bmjopen.bmj.com/content/bmjopen/7/12/e017194.full.pdf>

Impact of Exercise on Cardiometabolic Component Risks in Spinal Cord-injured Humans. Nightingale T E, Walhin J P, Thompson D and Bilzon J L J. **Med Sci Sports Exerc** Dec 2017 49 2469-2477 <http://www.ncbi.nlm.nih.gov/pubmed/28753161>

Comparability and feasibility of wrist- and hip-worn accelerometers in free-living adolescents. Scott J J, Rowlands A V, Cliff D P, Morgan P J, Plotnikoff R C and Lubans D R. **J Sci Med Sport** Dec 2017 20 1101-1106 <http://www.ncbi.nlm.nih.gov/pubmed/28501418>

Study protocol for the FITR Heart Study: Feasibility, safety, adherence, and efficacy of high intensity interval training in a hospital-initiated rehabilitation program for coronary heart disease. Taylor J, Keating S E, Leveritt M D, Holland D J, Gomersall S R and Coombes J S. **Contemporary Clinical Trials Communications** Dec 2017 8 181-191 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5898506/> (OS)



Persuasive Technology in Reducing Prolonged Sedentary Behavior at Work: A Systematic Review. Wang Y, Wu L, Lange J-P, Fadhil A and Reiterer H. **arXiv preprint arXiv:1712.02547** Dec 2017 <https://arxiv.org/ftp/arxiv/papers/1712/1712.02547.pdf>

Replacement of Sedentary Time with Physical Activity: Impact on Lipoproteins. Phillips C M, Dillon C B and Perry I J. **MSSE** Dec 2017 <http://www.ncbi.nlm.nih.gov/pubmed/29219943>

Comparing motivational, self-regulatory and habitual processes in a computer-tailored physical activity intervention in hospital employees-protocol for the PATHS randomised controlled trial. Kwasnicka D, Vandelanotte C, Rebar A, Gardner B, Short C, Duncan M, Crook D and Hagger M S. 2017 **BMC Public Health** 17(1), p.518 <https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-017-4415-4>

Built environment and physical activity: domain-and activity-specific associations among Brazilian adolescents. da Silva I C M, Hino A A, Lopes A, Ekelund U, Brage S, Gonçalves H, Menezes A B, Reis R S and Hallal P C. 2017 **BMC Public Health** 17(1), p.616 <https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-017-4538-7>

A study protocol of a three-group randomized feasibility trial of an online yoga intervention for mothers after stillbirth (The Mindful Health Study). Huberty J, Matthews J, Leiferman J, Cacciatore J and Gold KJ, 2018 **Pilot and Feasibility Studies** 4(1), p.12 <https://pilotfeasibilitystudies.biomedcentral.com/articles/10.1186/s40814-017-0162-7>

Design and methods for a cluster-controlled trial conducted at sixty-eight daycare facilities evaluating the impact of “JolinchenKids–Fit and Healthy in Daycare”, a program for health promotion in 3-to 6-year-old children. Steenbock B, Zeeb H, Rach S, Pohlabeln H and Pischke C.R. 2018 **BMC Public Health** 18(1), p.6 <https://bmcpublichealth.biomedcentral.com/track/pdf/10.1186/s12889-017-4551-x>

Breaking up sedentary time with seated upper body activity can regulate metabolic health in obese high risk adults: A randomised crossover trial. McCarthy M, Edwardson C L., Davies MJ, Henson J, Rowlands A, King J, Bodicoat D H, Khunti K and Yates T. 2017 **Diabetes, Obesity and Metabolism** <https://onlinelibrary.wiley.com/doi/full/10.1111/dom.13016>

The effect of observing novice and expert performance on acquisition of surgical skills on a robotic platform. Harris D J, Vine S J, Wilson M R, McGrath J S, LeBel M E and Buckingham G. **PLoS One** Nov 2017 12 e0188233 <http://www.ncbi.nlm.nih.gov/pubmed/29141046>

Effectiveness of the Healthy Lifestyles Programme (HeLP) to prevent obesity in UK primary-school children: a cluster randomised controlled trial. Lloyd J, Creanor S, Logan S, Green C, Dean S G, Hillsdon M, Abraham C, Tomlinson R, Pearson V, Taylor R S, Ryan E, Price L, Streeter A and Wyatt K. **The Lancet Child & Adolescent Health** Nov 2018 2 35-45 <https://pearl.plymouth.ac.uk/bitstream/handle/10026.1/10363/Lancet%20HeLP%20Results%20301117.pdf?sequence=1>

Comparison of children's free-living physical activity derived from wrist and hip raw accelerations during the segmented week. Noonan R J, Boddy L M, Kim Y, Knowles Z R and Fairclough S J. **J Sports Sci** Nov 2017 35 2067-2072 <http://www.ncbi.nlm.nih.gov/pubmed/27841709>



Automated detection of sleep-boundary times using wrist-worn accelerometry. O'Donnell J, Hollowell S, Salimi-Khorshidi G, Velardo C, Sexton C, Rahimi K, Johansen-Berg H, Tarassenko L and Doherty A. **bioRxiv** Nov 2017 <https://www.biorxiv.org/content/biorxiv/early/2017/11/28/225516.full.pdf>

Identification of predictors of objectively measured physical activity in 12-month-old British infants: a machine learning driven study. Raza H, Zhou S-M, Hill R, Lyons R A and Brophy S. **The Lancet** Nov 2017 390 S74 [http://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736\(17\)33009-X.pdf](http://www.thelancet.com/pdfs/journals/lancet/PIIS0140-6736(17)33009-X.pdf)

Performance of thigh-mounted triaxial accelerometer algorithms in objective quantification of sedentary behaviour and physical activity in older adults. Wullems J A, Verschueren S M P, Degens H, Morse C I and Onambele G L. **PLoS One** Nov 2017 12 e0188215 <http://www.ncbi.nlm.nih.gov/pubmed/29155839>

"Active Team" a social and gamified app-based physical activity intervention: randomised controlled trial study protocol. Edney S, Plotnikoff R, Vandelanotte C, Olds T, De Bourdeaudhuij I, Ryan J and Maher C. **BMC Public Health** Nov 2017 17 859 <http://www.ncbi.nlm.nih.gov/pubmed/29096614>

Does objectively measured physical activity modify the association between early weight gain and fat mass in young adulthood? Kolle E, Horta B L, Wells J, Brage S, Barros F C, Ekelund U and Hallal P C. **BMC Public Health** Nov 2017 17 905 <http://www.ncbi.nlm.nih.gov/pubmed/29178867>

Acute Effects of Nitrate-Rich Beetroot Juice on Blood Pressure, Hemostasis and Vascular Inflammation Markers in Healthy Older Adults: A Randomized, Placebo-Controlled Crossover Study. Raubenheimer K, Hickey D, Leveritt M, Fassett R, Ortiz de Zevallos Munoz J, Allen J D, Briskey D, Parker T J, Kerr G, Peake J M, Pecheniuk N M and Neubauer O. **Nutrients** Nov 2017 9 <http://www.ncbi.nlm.nih.gov/pubmed/29165355>

Skeletal muscle insulin signaling and whole-body glucose metabolism following acute sleep restriction in healthy males. Sweeney E L, Jeromson S, Hamilton D L, Brooks N E, Walshe I H. **Physiological Reports** Dec 2017 5(23) e13498 <http://physreports.physiology.org/content/physreports/5/23/e13498.full.pdf>

The comfort, acceptability and accuracy of energy expenditure estimation from wearable ambulatory physical activity monitoring systems in soldiers. Wyss T, Roos L, Beeler N, Veenstra B, Delves S, Buller M and Friedl K. **Journal of Science and Medicine in Sport** Dec 2017 20 S133-S134 [http://www.jsams.org/article/S1440-2440\(17\)31544-X/pdf](http://www.jsams.org/article/S1440-2440(17)31544-X/pdf)

Flavonoid rich dark cocoa may improve fatigue in people with multiple sclerosis, yet has no effect on glycaemic response: An exploratory trial. Coe S, Axelsson E, Murphy V, Santos M, Collett J, Clegg M, Izadi H, Harrison J M, Buckingham E and Dawes H. **Clinical Nutrition ESPEN** Oct 2017 21 20-25 [http://www.clinicalnutritionespen.com/article/S2405-4577\(17\)30280-2/pdf](http://www.clinicalnutritionespen.com/article/S2405-4577(17)30280-2/pdf)

Classification of Rest and Active Periods in Actigraphy Data Using PCA. Muns I W, Lad Y, Guardiola I G and Thimgan M. **Procedia Computer Science** Oct 2017 114 275-280 <https://www.sciencedirect.com/science/article/pii/S1877050917318355>

Does replacing sedentary behaviour with light or moderate to vigorous physical activity modulate inflammatory status in adults? Phillips C M, Dillon C B and Perry I J. **Int J Behav Nutr Phys Act** Oct 2017 14 138 <http://www.ncbi.nlm.nih.gov/pubmed/29020958>



Lean mass explains the association between muscular fitness and bone outcomes in 13-year-old boys. Ubago-Guisado E, Vlachopoulos D, Ferreira de Moraes A C, Torres-Costoso A, Wilkinson K, Metcalf B, Sanchez-Sanchez J, Gallardo L and Gracia-Marco L. **Acta Paediatr** Oct 2017 106 1658-1665  
<http://www.ncbi.nlm.nih.gov/pubmed/28672065>

Regular Practice of Competitive Sports Does Not Impair Sleep in Adolescents: DADOS Study. Beltran-Valls M R, Garcia Artero E, Capdevila-Seder A, Legaz-Arrese A, Adelantado-Renau M and Moliner-Urdiales D. **Pediatr Exerc Sci** Oct 2017 1-8 <http://www.ncbi.nlm.nih.gov/pubmed/29039246>

Accelerometer-assessed Physical Activity in Epidemiology: Are Monitors Equivalent? Rowlands A V, Mirkes E M, Yates T, Clemes S, Davies M, Khunti K and Edwardson C L. **Med Sci Sports Exerc** Oct 2017 <http://www.ncbi.nlm.nih.gov/pubmed/28976493>

Wrist Acceleration Cut-points for Moderate-to-Vigorous Physical Activity in Youth. van Loo C M T, Okely A D, Batterham M J, Hinkley T, Ekelund U, Brage S, Reilly J J, Trost S G, Jones R A, Janssen X and Cliff D P. **Med Sci Sports Exerc** Oct 2017 <http://www.ncbi.nlm.nih.gov/pubmed/29023358>

Reconstructing physical activity monitoring outcome measures using an interval sampling approach. Amor J D and James C J. **Engineering in Medicine and Biology Society (EMBC), 2017 39th Annual International Conference of the IEEE** Sep 2017 2365-2368  
<http://ieeexplore.ieee.org/stamp/stamp.jsp?arnumber=8037331>

Assessing actimeters for inclusion in the Healthy Brain Network. Clucas J, White C, Koo B, Milham M and Klein A. **bioRxiv** Sep 2017 <https://www.biorxiv.org/content/biorxiv/early/2017/09/01/183772.full.pdf>

Physical Activity Monitoring in Patients with Neurological Disorders: A Review of Novel Body-Worn Devices. Giggins Oonagh M, Clay I and Walsh L. **Digital Biomarkers** Sep 2017  
<https://www.karger.com/Article/Pdf/477384>

Age-Related Anabolic Resistance of Myofibrillar Protein Synthesis Is Exacerbated in Obese Inactive Individuals. Smeuninx B, McKendry J, Wilson D, Martin U and Breen L. **J Clin Endocrinol Metab** Sep 2017 102 3535-3545 <http://www.ncbi.nlm.nih.gov/pubmed/28911148>

Modelling locomotion periods and cadence distribution in daily life: how many days are required? Soltani A, Dejnabadi H, Fasel B, Ionescu A, Gubelmann C, Marques-Vidal P M, Vollenweider P and Aminian K. **Gait & Posture** Sep 2017 57 298  
[https://www.researchgate.net/publication/319486657\\_Modelling\\_locomotion\\_periods\\_and\\_cadence\\_distribution\\_in\\_daily\\_life\\_how\\_many\\_days\\_are\\_required](https://www.researchgate.net/publication/319486657_Modelling_locomotion_periods_and_cadence_distribution_in_daily_life_how_many_days_are_required) (OS)

Levels of activity identification & sleep duration detection with a wrist-worn accelerometer-based device. Verma V K, Lin W-Y, Lee M-Y and Lai C-S. **Engineering in Medicine and Biology Society (EMBC), 2017 39th Annual International Conference of the IEEE** Sep 2017 2369-237  
<https://ieeexplore.ieee.org/document/8037332> (OS)

The effect of 12-month participation in osteogenic and non-osteogenic sports on bone development in adolescent male athletes. The PRO-BONE study. Vlachopoulos D, Barker A R, Ubago-Guisado E, Ortega F B, Krstrup P, Metcalf B, Castro Pinero J, Ruiz J R, Knapp K M, Williams C A, Moreno L A and Gracia-Marco L. **J Sci Med Sport** Sep 2017 <http://www.ncbi.nlm.nih.gov/pubmed/28886923>





Effect of breakfast omission and consumption on energy intake and physical activity in adolescent girls: a randomised controlled trial. Zakrzewski-Fruer J K, Plekhanova T, Mandila D, Lekatis Y and Tolfrey K. **Br J Nutr** Sep 2017 118 392-400 <http://www.ncbi.nlm.nih.gov/pubmed/28901889>

Physical Activity, Sedentary Behavior and the Risk of Overweight and Obesity in School-Aged Children. Keane E, Li X, Harrington J M, Fitzgerald A P, Perry I J and Kearney P M. **Pediatr Exerc Sci** Aug 2017 29 408-418 <http://www.ncbi.nlm.nih.gov/pubmed/28388271>

Wrist-worn triaxial accelerometry predicts the energy expenditure of non-vigorous daily physical activities. Sirichana W, Dolezal B A, Neufeld E V, Wang X and Cooper C B. **J Sci Med Sport** Aug 2017 20 761-765 <http://www.ncbi.nlm.nih.gov/pubmed/28159535>

Validity and reliability of accelerometry in identification of lying, sitting, standing or purposeful activity in adult hospital inpatients recovering from acute or critical illness: a systematic review. Anderson J L, Green A J, Yoward L S and Hall H K. **Clin Rehabil** Aug 2017 269215517724850 <http://www.ncbi.nlm.nih.gov/pubmed/28805075>

The impact of active stakeholder involvement on recruitment, retention and engagement of schools, children and their families in the cluster randomised controlled trial of the Healthy Lifestyles Programme (HeLP): a school-based intervention to prevent obesity. Lloyd J, McHugh C, Minton J, Eke H and Wyatt K. **Trials** Aug 2017 18 378 <http://www.ncbi.nlm.nih.gov/pubmed/28807006>

Exploring the impact of high intensity interval training on adolescents' objectively measured physical activity: Findings from a randomized controlled trial. Costigan S A, Ridgers N D, Eather N, Plotnikoff R C, Harris N and Lubans D R. **J Sports Sci** May 2018 36 1087-1094 <http://www.ncbi.nlm.nih.gov/pubmed/28726550>

Accelerometer assessed moderate-to-vigorous physical activity and successful ageing: results from the Whitehall II study. Menai M, van Hees V T, Elbaz A, Kivimaki M, Singh-Manoux A and Sabia S. **Sci Rep** Apr 2017 8 45772 <http://www.ncbi.nlm.nih.gov/pubmed/28367987>

Trial baseline characteristics of a cluster randomised controlled trial of a school-located obesity prevention programme; the Healthy Lifestyles Programme (HeLP) trial. Lloyd J, Creanor S, Price L, Abraham C, Dean S, Green C, Hillsdon M, Pearson V, Taylor R S, Tomlinson R, Logan S, Hurst A, Ryan E, Daurge W and Wyatt K. **BMC Public Health** Apr 2017 17 291 <http://www.ncbi.nlm.nih.gov/pubmed/28376846>

Measuring Habitual Physical Activity in Neuromuscular Disorders: A Systematic Review. Jimenez-Moreno A C, Newman J, Charman S J, Catt M, Trenell M I, Gorman G S, Hogrel J Y and Lochmuller H. **J Neuromuscul Dis** Feb 2017 4 25-52 <http://www.ncbi.nlm.nih.gov/pubmed/28269791>

Sleep-related mediators of the Physical Activity and Sedentary Behavior-cardiometabolic biomarker relationship in middle age adults. B Lanich. May 2017 **MSc thesis Arizona State University** [https://repository.asu.edu/attachments/186416/content/Lanich\\_asu\\_0010N\\_16940.pdf](https://repository.asu.edu/attachments/186416/content/Lanich_asu_0010N_16940.pdf)

Assessment of physical activity of hospitalised older adults: A systematic review. SER Lim, K Ibrahim, AA Sayer, HC Roberts - **The Journal of Nutrition, Health & Aging** May 2017 <https://link.springer.com/article/10.1007/s12603-017-0931-2>



Sleep stage transition dynamics reveal specific stage 2 vulnerability in insomnia. Wei Y, Colombo MA, Ramautar JR, Blanken TF, van der Werf YD, Spiegelhalder K, Feige B, Riemann D, Van Someren EJW. **Sleep**, 2017 AoP <https://academic.oup.com/sleep/article/40/9/zsx117/3926054> (OS)

Understanding physical activity in cancer patients and survivors: new methodology, new challenges, and new opportunities. JA Schrack, G Gresham, AA Wanigatunga - **Molecular Case Studies**, 2017 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5495035/pdf/SchrackMCS001933.pdf> (OS)

Physical activity, sedentary behaviour and the risk of overweight and obesity in school aged children. Keane E, Li X, Harrington JM, Fitzgerald AP, Perry IJ, Kearney PM. **Pediatric Exercise Science** 2017 p1-27 <http://journals.humankinetics.com/doi/abs/10.1123/pes.2016-0234>

Longitudinal associations between changes in screen-time and mental health outcomes in adolescents. Babic MJ, Smith JJ, Morgan PJ, Eather N, Plotnikoff RC, Lubans DR. **Mental Health and Physical Activity** 2017 vol 12 pp124-131 <http://linkinghub.elsevier.com/retrieve/pii/S1755296616300862?showall=true>

A feasibility study into the measurement of physical activity levels of adults with intellectual disabilities using accelerometers and the International Physical Activity Questionnaire. Dairo YM, Collett J, Dawes H. **British Journal of Learning Disabilities** 2017;45:129-137 <http://onlinelibrary.wiley.com/wol1/doi/10.1111/bld.12188/full>

Bipolar disorder, a rhythmopathy induced by dopamine system dysregulation. Mantere O), Storch KF, Buyukkurt A, Courchesne C. **Bipolar Disorders** May 2017 Abstract Vol 19, Issue S1 p38-39 <http://onlinelibrary.wiley.com/doi/10.1111/bdi.2112477/full>

Agreement and reliability of fasted and oral glucose tolerance test-derived indices of insulin sensitivity and beta cell function in boys. Cockcroft EJ, Williams CA, Jackman SR, Armstrong N, Barker AR. **Int J Sports Med**. 2017 <https://www.thieme-connect.de/DOI/DOI?10.1055/s-0043-104932>

Validity of consumer-based physical activity monitors for estimating energy expenditure in youth. Blythe A, Crouter SE, LaMunion SR. **University of Tennessee** Honors Thesis project May 2017 [http://trace.tennessee.edu/cgi/viewcontent.cgi?article=3146&context=utk\\_chanhonoproj](http://trace.tennessee.edu/cgi/viewcontent.cgi?article=3146&context=utk_chanhonoproj)

The impact of an m-Health financial incentives program on the physical activity and diet of Australian truck drivers. Gilson ND, Pavey TG, Wright ORL, Vandelanotte C, Duncan MJ, Gomersall S, Trost SG, Brown WJ. **BMC Public Health** 2017 17:467 <https://bmcpublihealth.biomedcentral.com/articles/10.1186/s12889-017-4380-y>

Feasibility, acceptability and efficacy of a web-based computer-tailored physical activity intervention for pregnant women-the Fit4Two randomised controlled trial. M Hayman, P Reaburn, M Browne, C Vandelanotte, S Alley, CE Short. **BMC Pregnancy and Childbirth**. March 2017

A single bout of high-intensity interval exercise and work-matched moderate-intensity exercise has minimal effect on glucose tolerance and insulin sensitivity in 7-to 10 year old boys. EJ Cockcroft, CA Williams, SR Jackman, S Bassi, N Armstrong, AR Barker. **J of Sport Sci**. Feb 2017 <http://www.tandfonline.com/doi/abs/10.1080/02640414.2017.1287934>

Physical activity throughout adolescence and HbA1c in early adulthood: birth cohort study PM Nakamura, GI Mielke, BL Horta, MC Assunção, H Gonçalves, AMB Menezes, FC Barros, U Ekelund, S



Brage, FC Wehrmeister, IO Oliveira, PC Hallal. **J of Phys Act and Health**. Jan 2017 (AoPrint).  
<http://journals.humankinetics.com/doi/abs/10.1123/jpah.2016-0245>

Measuring sedentary behaviors in patients with idiopathic pulmonary fibrosis using wrist-worn accelerometers. C Atkins, M Baxter, A Jones, A Wilson - **The Clinical Respiratory Journal**, 2017  
<http://onlinelibrary.wiley.com/doi/10.1111/crj.12589/full>

Physical activity levels objectively measured among older adults: a population-based study in a Southern city of Brazil VV Ramires, FC Wehrmeister, AW Böhm, L Galliano, U Ekelund, S Brage, ICM da Silva-  
**International Journal of Behavioral Nutrition and Physical Activity** Feb 2017  
<https://ijbnpa.biomedcentral.com/articles/10.1186/s12966-017-0465-3>

Levels and sociodemographic correlates of accelerometer-based physical activity in Irish children: a cross-sectional study. X Li, PM Kearney, E Keane, JM Harrington, AP Fitzgerald - **Journal of Epidemiology and Community Health**, Jan 2017 <http://jech.bmj.com/content/early/2017/01/27/jech-2016-207691>

Experiences of remote mood and activity monitoring in bipolar disorder: A qualitative study KEA Saunders, AC Bilderbeck, P Panchal, LZ Atkinson, JR Geddes, GM Goodwin - **European Psychiatry**, March 2017 [http://www.europsy-journal.com/article/S0924-9338\(16\)30171-7/pdf](http://www.europsy-journal.com/article/S0924-9338(16)30171-7/pdf)

Mixing Online Panel Data Collection with Innovative Methods. A Scherpenzeel - 2017 **Methodische Probleme von Mixed-Mode-Ansätzen in der Umfrageforschung** Part of the series Schriftenreihe der ASI - Arbeitsgemeinschaft Sozialwissenschaftlicher Institute pp 27-49. Book Chapter (Munich Centre for Economics of Ageing) [http://link.springer.com/chapter/10.1007/978-3-658-15834-7\\_2](http://link.springer.com/chapter/10.1007/978-3-658-15834-7_2)

Large Scale Population Assessment of Physical Activity Using Wrist Worn Accelerometers: The UK Biobank Study. A Doherty, D Jackson, N Hammerla, T Plötz, P Olivier, MH Granat, T White, VT van Hees, MI Trenell, CG Owen, SJ Preece, R Gillions, S Sheard, T Peakman, S Brage, NJ Wareham **PLOS ONE**, Feb 2017  
<http://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0169649&type=printable>

Sleep, alertness and alertness management among commercial airline pilots on short-haul and long-haul flights M Sallinen, M Sihvola, S Puttonen, K Ketola, A Tuori, M Härmä, G Kecklund, T Åkerstedt-  
**Accident Analysis & Prevention**, Volume 98, January 2017, Pages 320–9  
<http://www.sciencedirect.com/science/article/pii/S0001457516303888>

Applications of provenance in performance prediction and data storage optimization. S Woodman, H Hiden, P Watson - **Future Generation Computer Systems**, Jan 2017  
<http://www.sciencedirect.com/science/article/pii/S0167739X17300213>

Comparison of linear and non-linear models for predicting energy expenditure from raw accelerometer data. AHK Montoye, M Begum, Z Henning, KA Pfeiffer - **Physiological Measurement**, Jan 2017  
<http://iopscience.iop.org/article/10.1088/1361-6579/38/2/343/meta>

Physical Activity throughout Adolescence and Cognitive Performance at 18 Years of Age. I Esteban-Cornejo, PC Hallal, GI Mielke, AM Menezes, H Gonçalves, F Wehrmeister, U Ekelund, AJ Rombaldi-  
**MSSE**, 2015 <http://europepmc.org/articles/pmc4563921>



Learning approach for classification of GENEActiv accelerometer data for unique activity identification. A Dutta, O Ma, MP Buman, DW Bliss. 2016 **IEEE International Conference Wearable and Implantable Body Sensor Networks** <http://ieeexplore.ieee.org/abstract/document/7516288/>

Validation of the Phillips et al. GENEActiv accelerometer wrist cut-points in children aged 5–8 years old. MJ Duncan, S Wilson, J Tallis, E Eyre. **Eur J of Pediatrics**. Dec 2016 vol 175 <https://link.springer.com/article/10.1007/s00431-016-2795-6>

Wrist accelerometer cut-points for classifying sedentary behavior in children. CMT van Loo, AD Okely, MJ Batterham, T Hinkley, U Ekelund, B Søren and JJ Reilly, SG Trost, RA Jones, X Janssen, DP Cliff, **MSSE** 2016

Multi-sensor actigraphic long-lasting monitoring in healthy subjects. A Fugazza. 2016 **THESIS** Milano <https://www.politesi.polimi.it/handle/10589/122782>

A statistical estimation framework for energy expenditure of physical activities from a wrist-worn accelerometer. Q Wang, S Lohit, MJ Toledo, MP Buman, P Turaga **38<sup>th</sup> Annual Int Conf Eng in Med and Biol Soc**. Oct 2016 <http://ieeexplore.ieee.org/abstract/document/7591270/>

Intermittent walking, but not standing, improves postprandial insulin and glucose relative to sustained sitting: A randomised cross-over study in inactive middle-aged men. RM Pulsford, J Blackwell, M Hillsdon, K Kos. Aug 2016. **J of Sci and Med in Sport** <http://www.sciencedirect.com/science/article/pii/S1440244016301554>

A double-blind randomized controlled trial to assess the effect of bright light therapy on depression in patients with Parkinson's disease. S Rutten, C Vriend, JH Smit, HW Berendse, AW Hoogendoorn, OA van den Heuvel and YD van der Werf **BMC Psychiatry** Oct 2016 <https://bmcp psychiatry.biomedcentral.com/articles/10.1186/s12888-016-1050-z>

Objectively-measured physical activity in children is influenced by social indicators rather than biological lifecourse factors: Evidence from a Brazilian cohort. AG Knuth, ICM Silva, VT van Hees, K Cordeira, A Matijasevich, A Barros, I Satosb, U Ekelund, PC Hallal. **Preventative Medicine** vol 97 April 2017 <http://www.sciencedirect.com/science/article/pii/S0091743516304546>

Balanced: a randomised trial examining the efficacy of two self-monitoring methods for an app-based multi-behaviour intervention to improve physical activity. MJ Duncan, C Vandelanotte, SG Trost, AL Rebar, N Rogers, NW Burton, B Murawski, A Rayward, S Fenton and WJ. Brown. **BMC Public Health** 2016 <https://bmcpublihealth.biomedcentral.com/articles/10.1186/s12889-016-3256-x>

Objectively measured physical activity of extreme early and late maturing girls. LB Sherar, SP Cumming, DH Bodicoat, RT Edwards, CL Edwardson, T Gorely, DM Harrington, K Harrington, K Khunti, T Plekhanova, AV Rowlands, T Yates, MJ Davies. **Pediatric Exercise Science**. 2016 Supplement, Vol. 28, p26-26. 1/2p. <http://web.b.ebscohost.com/abstract?direct=true&profile=ehost&scope=site&authtype=crawler&jrnl=08998493&AN=120431774&h=230LAF%2fhGQvPJmRsa3x7e5m7d5hWnUUHk1%2f812sK1Rk%2bneviVsfJJKjEhBTG%2bhaWd0tvKVfEiY03gB7Pob0X%2bA%3d%3d&crl=c&resultNs=AdminWebAuth&resultLocal=ErrCrlNotAuth&crlhashurl=login.aspx%3fdirect%3dtrue%26profile%3dehost%26scope%3dsite%26authype%3dcrawler%26jrnl%3d08998493%26AN%3d120431774>



P-50 The impact of stretching and massage therapy on pain and function of females suffering carpal tunnel syndrome. S Salehi, M Bohlouli, FM Shahpar, MP Esfahani, FA Lahiji, H Aslani - ABSTRACT 2016 - [bjsm.bmj.com](http://bjsm.bmj.com/content/50/Suppl_1/A59.2) [http://bjsm.bmj.com/content/50/Suppl\\_1/A59.2](http://bjsm.bmj.com/content/50/Suppl_1/A59.2)

Acute effects on cognitive performance following bouts of standing and light-intensity physical activity in a simulated workplace environment. SL Mullane, MP Buman, ZS Zeigler, NC Crespo, GA Gaesser. **J Sci and Med in Sport** 2016 [http://www.jsams.org/article/S1440-2440\(16\)30215-8/abstract](http://www.jsams.org/article/S1440-2440(16)30215-8/abstract)

Poor parental sleep and the reported sleep quality of their children. H Rönnlund, M Elovainio, I Virtanen, J Matomäki, H Lapinleimu. **Pediatrics**, 2016 <https://pediatrics.aappublications.org/content/pediatrics/137/4/e20153425.full.pdf> (OS)

Ambulator, and Active Couch Potato older adults. D Ryan, CI Morse, GK Stebbings, GK Stewart, GL Pearson. **Physiology** 2016 (The proceedings of the Phys Soc) POSTER <http://www.physoc.org/proceedings/abstract/Proc%20Physiol%20Soc%2037PCB171>

Simultaneous validation of five activity monitors for use in adult populations. C Powell, BP Carson, KP Dowd, AE Donnelly. **Scandinavian J of Med & Sci in Sports**. Nov 2016 <http://onlinelibrary.wiley.com/doi/10.1111/sms.12813/full>

Intensity Thresholds on Raw Acceleration Data: Euclidean Norm Minus One (ENMO) and Mean Amplitude Deviation (MAD) Approaches. K Bakrania, T Yates, AV Rowlands, DW Eslinger, S Bunnewell, H Sanders, M Davies, K Knunti, CL Edwardson. **PloS one**, 2016 <http://journals.plos.org/plosone/article/file?id=10.1371/journal.pone.0164045&type=printable>

Evaluation of raw acceleration sedentary thresholds in children and adults. M Hildebrand, BH Hansen, VT van Hees, U Ekelund. **Scandinavian Journal of Medicine & Sci in Sports** Nov 2016 <http://onlinelibrary.wiley.com/doi/10.1111/sms.12795/full>

Changes in physical activity after bariatric surgery: using objective and self-reported measures. S Afshar, K Seymour, SB Kelly, S Woodcock, VT van Hees, JC Mathers. **Surgery for Obesity and Related Diseases**. Sept 2016 <http://www.sciencedirect.com/science/article/pii/S1550728916306980>

Active School Lesson Breaks Increase Daily Vigorous Physical Activity, But Not Daily Moderate to Vigorous Physical Activity in Elementary School Boys. AN Wilson, T Olds, K Lushington, S Parvazian, J Dollman. **Pediatric Exercise Science**. 2016 <http://journals.humankinetics.com/doi/pdf/10.1123/pes.2016-0057>

Comparing Gaussian Mixture Model and Hidden Markov Model to Classify Unique Physical Activities from Accelerometer Sensor Data. A Dutta, O Ma, M Toledo, MP Buman, DW Bliss. **Machine Learning and Applications**. 2016 <http://ieeexplore.ieee.org/abstract/document/7838166/>

'Walk This Way'—a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: a study protocol for a randomised controlled trial. J Williams, B Stubbs, F Gaughran, T Craig - **Trials**, 2016 <https://trialsjournal.biomedcentral.com/articles/10.1186/s13063-016-1660-2>

Periodicity intensity for indicating behaviour shifts from lifelog data. F Hu, A Smeaton - The IEEE International Conference on **Bioinformatics and Biomedicine 2016** International Workshop on Biomedical and Health Informatics, 15-18 Dec. 2016, <http://doras.dcu.ie/21469/>



Comparing different sleep diaries with activity tracker data. J Klein **Master Thesis**, Utrecht 2016  
<https://dspace.library.uu.nl/handle/1874/341681>

Pineal volume and evening melatonin in young people with affective disorders. JS Carpenter, AC Abelmann, SN Hatton, R Robillard, DF Hermens, MR Bennett, J Lagopoulos, IB Hickie. **Brain Imaging and Behavior**. Nov 2016 <https://link.springer.com/article/10.1007/s11682-016-9650-2>

Wrist-worn accelerometer measures of movement by people with Parkinson's attending dance classes at the University of Hertfordshire. R Hadley, P Lovatt, L Annett – **Parkinson's UK Conference** Nov 2016 Poster  
[http://researchprofiles.herts.ac.uk/portal/files/10653767/Rebecca\\_Hadley\\_Parkinson\\_s\\_UK\\_conference\\_Nov\\_2016.pdf](http://researchprofiles.herts.ac.uk/portal/files/10653767/Rebecca_Hadley_Parkinson_s_UK_conference_Nov_2016.pdf)

Wrist-independent energy expenditure prediction models from raw accelerometer data. AHK Montoye, JM Pivarnik, LM Mudd, S Biswas, KA Pfeiffer – **Physiological Measurement** Sept 2016  
<http://iopscience.iop.org/article/10.1088/0967-3334/37/10/1770/meta>

The effect of percutaneous coronary intervention on habitual physical activity in older patients SJ Charman, VT van Hees, L Quinn, JR Dunford, B Bawamia, M Veerasamy, MI Trenell, DG Jakovljevic, V Kunadian. **BMC Cardiovascular Disorders**. Dec 2016  
<https://bmccardiovascdisord.biomedcentral.com/articles/10.1186/s12872-016-0428-7>

Community-based Rehabilitation Training after stroke: protocol of a pilot randomised controlled trial (ReTrain). SG Dean, L Poltawski, A Forster, RS Taylor, A Spencer, M James, R Allison, S Stevens, M Norris, AI Shepherd, R Calitri. **BMJ open**, 2016  
<http://bmjopen.bmj.com/content/bmjopen/6/10/e012375.full.pdf>

Estimation of Physical Activity Energy Expenditure during Free-Living from Wrist Accelerometry in UK Adults. T White, K Westgate, NJ Wareham, S Brage. **PloS one**, 2016  
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0167472>

Wearable Monitoring for the Detection of Nocturnal Agitation in Dementia. AC Marcén, J Carro, V Monasterio – 2016 **PEC 2016 - International Conference on Pervasive and Embedded Computing**  
<http://denis.usj.es/wp-content/plugins/papercite/pdf/marcen2016.pdf>

Accelerometer-based determination of gait variability in older adults with knee osteoarthritis. CA Clermont, JM Barden. **Gait & Posture**, 2016  
<http://www.sciencedirect.com/science/article/pii/S0966636216305008>

Sleep and its effect on food related self-control. IEM van Hooijdonk – 2016 **Master Thesis** Utrecht  
<https://dspace.library.uu.nl/handle/1874/341680>

Accelerometer-Based Step Regularity Is Lower in Older Adults with Bilateral Knee Osteoarthritis. JM Barden, CA Clermont, D Kobsar, O Beauchat. **Frontiers in Human Neuroscience**. Dec 2016  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5143349/>

I keep a close watch on this heart of mine: increased interoception in insomnia. Y Wei, JR Ramautar, MA Colombo, D Stoffers, G Gómez-Herrero, W P van der Meijden, B H W Te Lindert, Y D van der Werf, EJW Van Someren **Sleep** Dec 2016 39 (12) 2113-2124  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5103799/> (OS)



Towards automated symptoms assessment in mental health. M Osipov 2016 PhD submission.  
**University of Oxford** <http://www.robots.ox.ac.uk/~davidc/pubs/thesisMO.pdf>

Exploring the relationship between patterns of physical activity, sedentary behaviour and cardiometabolic health in middle-aged Irish adults. C Dillon. PhD thesis 2016 **University College Cork**  
<https://cora.ucc.ie/bitstream/handle/10468/3310/Christina%20Dillon%20PhD%20Thesis%202016.pdf?sequence=1&isAllowed=y>

Raw accelerometer data analysis with GGIR R-package: Does accelerometer brand matter? Rowlands AV, Yates T, Davies M, Khunti K, Edwardson CL. **MSSE**. (2016) April [https://journals.lww.com/acsm-msse/Fulltext/2016/10000/Raw\\_Accelerometer\\_Data\\_Analysis\\_with\\_GGIR.10.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2016/10000/Raw_Accelerometer_Data_Analysis_with_GGIR.10.aspx#pdf-link) (OS)

Moving forward with backward compatibility: translating wrist accelerometer data. Rowlands AV, Cliff DP, Fairclough SJ, Boddy LM, Olds TS, Parfitt G, Noonan RJ, Downs SJ, Knowles ZR, Beets MW. **MSSE** (2016) June [https://journals.lww.com/acsm-msse/Fulltext/2016/11000/Moving\\_Forward\\_with\\_Backward\\_Compatibility\\_.9.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2016/11000/Moving_Forward_with_Backward_Compatibility_.9.aspx#pdf-link) (OS)

Scaling-up an efficacious school-based physical activity intervention: Study protocol for the 'Internet-based Professional Learning to help teachers support Activity in Youth (iPLAY) cluster randomized controlled trial and scale-up implementation evaluation. Lonsdale C, Sanders T, Cohen Parker P, Noetel M, Hartwig T, Vasoncellos D, Kirwan M, Morgan P, Salmon J, Moodie M, McKay H, Bennie A, Plotnikoff R, Cinelli RL, Greene D, Peralta LR, Cliff DP, Kolt GS, Gore JM, Gao L, Lubans, DR. **BMC Public Health** (2016) 16:873 <http://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3243-2>

Cultural adaptation of a children's weight management programme for Bangladeshi and Pakistani families in the UK: a cluster-randomised feasibility study protocol. Pallan M, Griffin T, Lancashire E, Hurley K, Blissett J, Frew E, Gill P, Griffith L, Hemming K, Jolly K, McGee E, Mulhern C, Parry J, Thompson JL, Adab P. **Pilot and Feasibility Studies** 2016. 2(48)  
[https://research.birmingham.ac.uk/portal/files/30368011/CHANGE\\_Study\\_protocol\\_paper.pdf](https://research.birmingham.ac.uk/portal/files/30368011/CHANGE_Study_protocol_paper.pdf) (OS)

Balanced: a randomized trial examining the efficacy of two self-monitoring methods for an app-based multi-behaviour intervention to improve physical activity, sitting and sleep in adults. Duncan MJ, Vandelanotte C, Trost SG, Rebar AL, Rogers N, Burton NW, Murawski B, Rayward A, Fenton S, Brown W. **BMC Public Health** 2016 16:670 <http://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3256-x>

Intervention to reduce recreational screen-time in adolescents: Outcomes and mediators from the 'switch-off 4 healthy minds (S4HM) cluster randomized controlled trial. Babic MJ, Smith JJ, Morgan PJ, Lonsdale C, Plotnikoff RC, Eather N, Skinner G, Baker AL, Pollock E, Lubans DR. **Preventive Medicine** 2016. Jul 26;91:50-57 [http://linkinghub.elsevier.com/retrieve/pii/S0091-7435\(16\)30190-6](http://linkinghub.elsevier.com/retrieve/pii/S0091-7435(16)30190-6)

Comparison of activity type classification accuracy from accelerometers worn on the hip, wrists, and thigh in young, apparently healthy adults. Montoye AHK, Pivarnik JM, Mudd LM, Biswas S, Pfeiffer KA. **Measurement in Physical Education and Exercise Science**. 2016. Vol 20 pp173-183  
<http://www.tandfonline.com/doi/full/10.1080/1091367X.2016.1192038?scroll=top&needAccess=true>

A school-based intervention incorporating smartphone technology to improve health-related fitness among adolescents: rationale and study protocol for the NEAT and ATLAS 2.0 cluster randomized controlled trial and dissemination study. Lubans DR, Smith JJ, Peralta LR, Plotnikoff RC, Okely AD, Salmon J, Eather N, Dewar DL, Kennedy S, Lonsdale C, Hilland TA, Estabrooks, Finn TL, Pollock E, Morgan PJ. **BMJ Open** 2016 6:e010448 <http://bmjopen.bmj.com/content/6/6/e010448.full>



Number of Days required to estimate habitual activity using wrist-worn GENEActiv Accelerometer: A cross-sectional study. Dillon CB, Fitzgerald AP, Kearney PM, Perry IJ, Rennie KL, Kozarski R, Phillips CM. **PLOSone May 2016**

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0109913>

Field evaluation of a random forest activity classifier for wrist-worn accelerometer data. Pavey TG, Gilson ND, Gomersall SR, Clark B, Trost SG. **J of Sci and Med in Sport**. 2016 ahead of print.

[http://www.jsams.org/article/S1440-2440\(16\)30108-6/fulltext](http://www.jsams.org/article/S1440-2440(16)30108-6/fulltext)

Accelerometer wear-site detection: When one site does not suit all, all of the time. Rowlands AV, Olds TS, Bakrania K, Stanley RM, Parfitt G, Eston RG, Yates T, Frayssse F. **J Sci and Med in Sport** 2016

[http://www.jsams.org/article/S1440-2440\(16\)30062-7/pdf](http://www.jsams.org/article/S1440-2440(16)30062-7/pdf)

A novel inexpensive use of smartphone technology for ecological momentary assessment in middle-aged women. Ehlers DK, Huberty J, Buman M, Hooker S, Tod M, de Vreede GJ. **J Phys Act Health** 2016 Mar;13(3):262-8 <https://www.ncbi.nlm.nih.gov/pubmed/26284689>

Validity and reliability of sleep time questionnaires in children and adolescents: A systematic review and meta-analysis. Nascimento-Ferraira MV, Collese TS, de Moraes ACF, Rendo-Urteaga T, Moreno LA, Carvalho HB. **Sleep Medicine Reviews**. 2016

<http://www.sciencedirect.com/science/article/pii/S1087079215001574>

The influence of a home-based exercise intervention on human health indices in individuals with chronic spinal cord injury (HOMEX-SCI): study protocol for a randomized controlled trial. Nightingale TE, Walhin JP, Turner JE, Thompson D, Bilzon JLJ. **Trials** 17:284

[http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4898470/pdf/13063\\_2016\\_Article\\_1396.pdf](http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4898470/pdf/13063_2016_Article_1396.pdf)

Fuel for Fun: a cluster – randomized controlled study of cooking skills, eating behaviours and physical activity of 4<sup>th</sup> graders and their families. Cunningham-Sabo L, Lohse B, Smith S, Browning R, Strutz, Nigg C, Balgopal, Kelly K, Ruder E. **BMC Public Health** 2016; 16:444

<http://www.ncbi.nlm.nih.gov/pubmed/27230565>

A protocol to encourage accelerometer wear in children and young people. McCann DA, Knowles ZR, Fairclough SJ, Graves LEF. **Qualitative Res in Sport, Ex and Health**. 2016 vol 8, issue 4

<http://www.tandfonline.com/doi/pdf/10.1080/2159676X.2016.1160949>

A systematic review and meta-analysis of workplace intervention strategies to reduce sedentary time in white-collar workers. Chu AHY, Ng SHX, Tan CS, Win AM, Koh D, Müller-Riemenschneider F. **Obesity Reviews** 2016 17(5)467-481 <http://onlinelibrary.wiley.com/doi/10.1111/obr.12388/abstract>

Validation and comparison of Accelerometers worn on the hip, thigh and wrists for measuring physical activity and sedentary behaviour. Montoye AHK, Pivarnik JM, Mudd LM, Biswas S, Pfeiffer KA. **AIMS Public Health** 2016 3(2)298-312 <http://www.aimspress.com/fileOther/PDF/aimsph/publichealth-03-00298.pdf>

Assessing daily physical activity in older adults: unraveling the complexity of monitors, measures and methods. Schrack JA, Cooper R, Koster A, Shiroma EJ, Murabito JM, Rejeski WJ, Ferrucci L, Harris TB. **J Gerontol A Biol Sci Med Sci**. 2016 71(8):1039 -48

<http://biomedgerontology.oxfordjournals.org/content/71/8/1039.long>





Sleep to the beat: A nap favours consolidation of timing. Verweij IM, Onuki Y, Van Someren EWJ. **Behav Neurosci** 2016 Jun;130-(3):298-304. <http://psycnet.apa.org/journals/bne/130/3/298/>

Switchbox Leiden: study design and data collection. Jansen SW, Akintola AA, Oei NY, Pijl H, Roelfsema F, Westendorp RG, van der Grond J, van Heemst D. 2016 Chapter 2 of Thesis p24-30. **University of Leiden**  
[https://openaccess.leidenuniv.nl/bitstream/handle/1887/37577/Jansen\\_Thesis\\_Final\\_thesis\\_10\\_1\\_16.pdf?sequence=4#page=24](https://openaccess.leidenuniv.nl/bitstream/handle/1887/37577/Jansen_Thesis_Final_thesis_10_1_16.pdf?sequence=4#page=24)

Selection and Validation of biosensors for a novel healthcare environment. Schettler JR. Masters Thesis, **University of Oklahoma**. 2016 <https://shareok.org/handle/11244/34635>

Revisiting self-regulatory techniques to promote physical activity in older adults: Null findings from a randomized controlled trial. Warner LM, Wolff JK, Ziegelmann JP, Schwarzer R, Wurm S. **Psychology and Health** 2016. <http://www.tandfonline.com/doi/abs/10.1080/08870446.2016.1185523>

The reliability of a single protocol to determine endothelial, microvascular and autonomic functions in adolescents. Bond B, Williams CA, Barker AR. **Clin Physiol Funct Imaging**. 2016 Epub ahead of print. <http://www.ncbi.nlm.nih.gov/pubmed/27004991>

An internet-based physical activity intervention to improve quality of life of inactive older adults: a randomized controlled trial. Broekhuizen K, de Gelder J, Wijsman CA, Wijsman LW, Westendorp RGJ, Verhagen E, Slagboom PE, de Craen AJ, van Mechelen W, van Heemst D, van der Ouderaa F, Mooijaart ne. **J Med Internet Res** 2016 18(4):e74  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4917725/>

The potential benefits of Zumba Gold® in people with mild-moderate Parkinson's: feasibility and effects of dance styles and number of sessions. Deletrat A, Bateman J, Esser P, Targen N, Dawes H. **Complementary Therapies in Medicine** 2016 27:68-73  
<http://www.sciencedirect.com/science/article/pii/S0965229916300620>

Atividade física, tempo de tela a utilização de medicamentos em adolescents: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil, 1993. Bergmann GG, Bertolde AD, Mielke GI et al. 2016. **Cadernos de Saude Publica** [http://www.scielo.org/scielo.php?script=sci\\_abstract&pid=S0102-311X2016000400708&lng=p&tlng=p](http://www.scielo.org/scielo.php?script=sci_abstract&pid=S0102-311X2016000400708&lng=p&tlng=p)

Impaired perception of biological motion in Parkinson's Disease. Jaywant A, Shiffrar M, Roy S, Cronin-Golomb A. **Neuropsychology**. 2016 epub ahead of print <https://www.researchgate.net/home>

Physical activity, screen time, and use of medicines among adolescents: the 1993 Pelotas (Brazil) birth cohort study. Bergmann GG, Bertoldi AD, Mielke GI, Camargo AL, Matijasevich A, Hallal PC. **Cad Saude Publica** 2016;32(4):e00011715 <http://www.scielo.br/pdf/csp/v32n4/1678-4464-csp-32-04-e00011715.pdf> (article in Portuguese)

Quantifying poststroke apathy with actimeters. Goldfine AM, Dehdad B, Kennedy JM, Sabot B, Semper C, Putrino D. **J of Neuropsychiatry and Clinical Neurosciences** 2016 (ahead of print)  
<http://neuro.psychiatryonline.org/doi/pdf/10.1176/appi.neuropsych.15090235>

Impact of Goal Priority and goal conflict on the Intention-health behaviour relationship: Tests on physical activity and other health behaviours. Connor M, Abraham C, Prestwich A, Hutter R, Hallam J, Sykes-Muskett B, Morris B, Hurling R. **Health Psychology** 2016 <http://eprints.whiterose.ac.uk/93789/>



High intensity interval exercise is an effective alternative to moderate intensity exercise for improving glucose tolerance and insulin sensitivity in adolescent boys. Cockcroft EJ, Williams CA, Tomlinson OW, Vlachopoulos D, Jackman AR, Armstrong N, Barker AR. **J of Sci and Med in Sport**. 2015 18:720-724 <http://www.sciencedirect.com/science/article/pii/S144024401400201>

Metabolic effects of a 13 weeks lifestyle intervention in older adults The Growing Old Together Study. Van de Rest O, Schutte BAM, Deelen J, Stassen SAM, van den Akker EB, van Heemst D, Dibbets-Schneider P, van Dipten-van der Veen RA, Kelderman M, Hankemeier T, Mooijaart SP, van der Grond J, Houwing-Duistermaat JJ, Beekman M, Feskens EJM, Slagboom PE. **Aging** Jan 2016 Vol 8 No 1 <http://www.impactaging.com/papers/v8/n1/pdf/100877.pdf>

Behavioural periodicity detection from 24h wrist accelerometry and associations with cardiometabolic risk and health-related quality of life. Buman MP, Hu F, Newman E, Smeaton AF, Epstein DR. **BioMed Research International**. Volume 2016 <http://www.hindawi.com/journals/bmri/2016/4856506/abs/>

Utilization and harmonization of adult accelerometry data: review and expert consensus. Wijndaele K, Westgate K, Stephens SK, Blair SN, Bull FC, Chastin SF, Dunstan DW, Ekelund U, Esliger DW, Freedson PS, Granat MH, Matthews CE, Owen N, Rowlands AV, Sherar LB, Tremblay MS, Trioano RP, Brage S, Brage S, Healy GN. **MSSE** 47(10):2129-39 Oct 2015 <http://journals.lww.com/acsm-msse/pages/results.aspx?txtkeywords=utilization+and+harmonization+of+adult+accelerometry+data>

The Diabetes Remission Clinical Trial (DiRECT): protocol for a cluster randomized trial. Leslie WS, Ford I, Sattar N, Hollingsworth KG, Adamson A, Snihotta FF, McCombie L, Brosnahan N, Ross H, Mathers JC, Peters C, Thom G, Barnes A, Kean S, McIlvenna Y, Rodrigues A, Rehackova L, Zhyzhneuskaya S, Taylor R, Lean MEJ **BMC Family Practice** 2016, 17:20 <https://bmcfampract.biomedcentral.com/track/pdf/10.1186/s12875-016-0406-2> (OS)

Project Energise: Using participatory approaches and real time prompts to reduce occupational sitting and increase physical activity in office workers. Gilson ND, Ng N, Pavey TG, Ryde GC, Straker L, Brown WJ. **J of Sci and Med in Sport**. [http://www.jsams.org/article/S1440-2440\(16\)00035-9/abstract?cc=y](http://www.jsams.org/article/S1440-2440(16)00035-9/abstract?cc=y)

Accuracy of posture allocation algorithms for thigh- and waist-worn accelerometers. Edwardson CL, Rowlands AV, Bunnewell S, Sanders J, Esliger DW, Gorey T, O'Connell S, Daviies M, Khunti K, Yates T. **MSSE** 48(6):1085-1090 June 2016. [https://journals.lww.com/acsm-msse/Fulltext/2016/06000/Accuracy\\_of\\_Posture\\_Allocation\\_Algorithms\\_for.14.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2016/06000/Accuracy_of_Posture_Allocation_Algorithms_for.14.aspx#pdf-link) (OS)

Clinical effectiveness and cost-effectiveness of the Rehabilitation Enablement in Chronic Heart Failure (REACH-HF) facilitated self-care rehabilitation intervention in heart failure patients and caregivers: rationale and protocol for a multicenter randomized controlled trial. Taylor RS, Hayward C, Eyre V, Austin J, Davies R, Doherty P, Jolly K, Wingham J, Van Lingen R, Abraham C, Green C, Warren FC, Britten N, Greaves CJ, Singh S, Buckingham S, Paul K, Dalal. **BMJ Open** February 2016 <http://bmjopen.bmj.com/content/5/12/e009994>

Assessing the effectiveness of High Intensity Interval Training (HIIT) for smoking cessation in women: HIIT to quit study protocol. Pavey TG, Gartner CE, Coombes JS, Brown WJ. **BMC Public Health** (2015) 15:1309 <https://bmcpublihealth.biomedcentral.com/track/pdf/10.1186/s12889-015-2631-3> (OS)

Developing a method to test the validity of 24 hour time use diaries using wearable cameras: A feasibility pilot. Kelly P, ThomasE, Doherty A, Foster CE. **PLOS One** 10(12): E0142198 Dec 2015 <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0142198>



Health resorts as gateways for regional, standardized, sports club based exercise programmes to increase the weekly time of moderate- to vigorous-intensity physical activity: study protocol. Lackinger C, Strehn A, Domer TE, Niebauer J, Titze S. **BMC Public Health** (2015) 15:1265  
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4687275/> (OS)

Metabolically Healthy Obesity. Associations with physical activity, sedentary behaviour and metabolic decline. PhD Thesis. 2015 **Department of Epidemiology and Public Health. University College London** <http://discovery.ucl.ac.uk/1472874/1/PhD%20-%20J.A.%20Bell.pdf>

Investigating Temporal and Melodic Aspects of Musical Imagery. Jakubowski KJ. Thesis PhD. Department of Psychology, **Goldsmiths. University of London**.  
[http://research.gold.ac.uk/15076/1/PSY\\_thesis\\_JakubowskiK\\_2015.pdf](http://research.gold.ac.uk/15076/1/PSY_thesis_JakubowskiK_2015.pdf)

Sedentary Sphere: wrist-worn accelerometer-brand independent posture classification. Rowlands AV, Tates T, Olds TS, Davies M, Khunti K, Edwardson CL. (2015 Nov **MSSE** Epub ahead of print) **MSSE** 48(4) 748-754 April 2016 [https://journals.lww.com/acsm-msse/Fulltext/2016/04000/Sedentary\\_Sphere\\_Wrist\\_Worn\\_Accelerometer\\_Brand.22.aspx](https://journals.lww.com/acsm-msse/Fulltext/2016/04000/Sedentary_Sphere_Wrist_Worn_Accelerometer_Brand.22.aspx) (OS)

Is the International Physical Activity Questionnaire Long Form (IPAQ) a reliable measure of free-living sedentary behaviour and physical activity in older persons? Comparisons with accelerometer measures. Ryan D, Wullems JA, Stebbings G, Morse CI, Stewart CE, Onambele-Pearson G. International Scientific Symposium in collaboration with the European Group for Research into Elderly and Physical Activity. **'The three dimensional effect of physical activity in old age – physical, mental and emotion'**. 2015, pp27  
[https://www.researchgate.net/profile/Lovro\\_Stefan/publication/283855141\\_PHYSICAL\\_PHYSIOLOGICAL\\_AND\\_PSYCHOLOGICAL\\_FITNESS\\_OF\\_FREE\\_LIVING\\_ACTIVE\\_AND\\_NON\\_ACTIVE\\_OLDER\\_FEMALE\\_ADULTS/links/5648bad908ae451880ae9ac3.pdf](https://www.researchgate.net/profile/Lovro_Stefan/publication/283855141_PHYSICAL_PHYSIOLOGICAL_AND_PSYCHOLOGICAL_FITNESS_OF_FREE_LIVING_ACTIVE_AND_NON_ACTIVE_OLDER_FEMALE_ADULTS/links/5648bad908ae451880ae9ac3.pdf)

International Society of Behavioural Nutrition and Physical Activity. Edinburgh 2015  
[https://www.isbnpa.org/files/annual\\_meetings/2015/06/10/16/attachments/557869344c5e6.pdf](https://www.isbnpa.org/files/annual_meetings/2015/06/10/16/attachments/557869344c5e6.pdf)

Acute Relationships between daily self-efficacy, physical activity and self-worth in middle aged women. Ehlers *et al* (oral presentation) p189

Physical activity monitoring compliance strategies in children: A formative study McCann *et al* (oral presentation) p 240

Project Energise: describing the patterns of objectively measured desk sitting, sedentary behaviour and physical activity of Australian office workers. Ng *et al* (poster) p284

Exploring children's compliance to wearing wrist and hip mounted accelerometers Noonan *et al* (poster) p401

Exploring the impact of wear time upon physical activity estimates in children. Phillips *et al* (posters) p434

Children's physical activity patterns derived from wrist and hip-worn raw accelerometer data. Fairclough *et al* (posters) p505

Combining behavioural activation and physical activity (BACpAc): acceptability, feasibility and preliminary outcomes in a pragmatic pilot RCT with patients with depression in IAPT services. Taylor *et al* (poster) p516



Objectively measured physical activity and the risk of childhood obesity in school children. Keane *et al* (poster) p521

Cross-sectional analysis of weekly levels and patterns of objectively measured physical behaviour with cardiometabolic health in middle-aged adults. Dillon *et al* (poster) p523

Healthy obesity and objective physical activity. Bell *et al*. (poster) p631

24 hours of sleep, sedentary behavior and physical activity with nine wearable devices. Rosenberger ME, Buman MP, Haskell WL, McConnell MV, Carstensen LL. **MSSE** 2015 (EPub, ahead of print)  
<http://journals.lww.com/acsm-msse/pages/results.aspx?txtkeywords=rosenberger>

A comparison of subjective and objective measures of physical activity from the Newcastle 85+ study Innerd P, Catt M, Collerton J, Davis K, Trenell M, Kirkwood TBL, Jagger C. **Age and Ageing**. May 2015  
<http://ageing.oxfordjournals.org/content/early/2015/05/26/ageing.afv062.full.pdf+html>

Assessment of sleep and circadian rhythm disorders in the very old: the Newcastle 85+ Cohort Study. Kirstie N. Anderson, Michael Catt, Joanna Collerton, Karen Davies, Thomas von Zglinicki, Thomas B. L. Kirkwood, Carol Jagger. *Age and Ageing*, Volume 43, Issue 1, January 2014, Pages 57–63,  
<https://academic.oup.com/ageing/article/43/1/57/24018>

A Novel, Open access method to assess sleep duration using a wrist-worn accelerometer. Van Hees VT, Sabia S, Anderson KN, Denton SJ, Oliver J, Catt M, Abell JG, Kivimäki M, Trennell MI, Singh-Manoux A. **PLOSone** Nov 2015 DOI:10.1371  
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0142533>

PP74 (poster) Cross-sectional analysis of weekly levels and patterns of objectively measured physical behaviour with cardiometabolic health in middle-aged adults. Dillon CD, Dahly DD, Donnelly AD, Phillips CP. September 2015 **J of Epidemiology and Community Health** 69 (suppl 1) 0  
[http://jech.bmj.com/content/69/Suppl\\_1/A84.2.abstract?sid=78dbd66c-a82a-4664-81ed-f8aea0eab88c](http://jech.bmj.com/content/69/Suppl_1/A84.2.abstract?sid=78dbd66c-a82a-4664-81ed-f8aea0eab88c)

PP75 (poster) Daily cumulative patterns of objectively measured physical activity and sedentary behaviour by cardiometabolic health status in middle-aged adults; a cross-sectional analysis. Dillon CD, Dahly DD, Donnelly AD, Phillips CP. September 2015 **J of Epidemiology and Community Health** 69 (suppl1) [http://jech.bmj.com/content/69/Suppl\\_1/A84.3.full.pdf+html?sid=68e8c510-9092-40b5-b2f5-e0592d924855](http://jech.bmj.com/content/69/Suppl_1/A84.3.full.pdf+html?sid=68e8c510-9092-40b5-b2f5-e0592d924855)

An investigation into the effects of different types of exercise on the maintenance of approach motivation levels. Lowenstein JAS, Wright K, Taylor A, Moberly NJ. **2015 Mental Health and Physical Activity** 9 (2015) 24-34 <https://www.sciencedirect.com/science/article/abs/pii/S1755296615000216>

A validation study of the web-based physical activity questionnaire active-Q against the GENEa accelerometer. Bonn SE, Bergman P, Lagerros YT, Sjölander A, Bälter K. **JIMR Res Protoc**. 2015 Jul-Sep; 4(3):e86 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4527001/>

Acceptability and efficacy of a low intensity family-based weight loss intervention. Benzo RM. 2015. Masters Thesis. **The University of Iowa**.  
<http://ir.uiowa.edu/cgi/viewcontent.cgi?article=5883&context=etd>

Light therapy for better mood and insulin sensitivity in patients with major depression and types 2 diabetes: a randomized, double-blind, parallel-arm trial. Brouwer A, van Raalte DH, Diamant M, Rutters



F, van Someren EJW, Snoek FJ, Beekman ATF, Bremmer MA. **BMC Psychiatry** 2015, 15:169  
<http://www.biomedcentral.com/content/pdf/s12888-015-0543-5.pdf>

Cohort profile: Growing up in Wales: The Environments for Healthy Living study. Morgan KL, Khanom A, Hill RA, Lyons RA, Brophy ST. **Int J of Epid**, 2015, 1-10  
<https://ije.oxfordjournals.org/content/early/2015/10/01/ije.dyv178.full.pdf+html>

Issues and challenges in sedentary behaviour measurement. Kang M, Rowe DA. **Measurement in Physical Education and Exercise Science**, 19: 105-115 2015  
<http://www.tandfonline.com/doi/pdf/10.1080/1091367X.2015.1055566>

Using Periodicity intensity to detect Long term behaviour change. Hu F, Smeaton AF, Newman E, Buman MP. **UBICOMP/ISWC@15** Adjunct. Sept 2015, Osaka  
<https://asu.pure.elsevier.com/en/publications/using-periodicity-intensity-to-detect-long-term-behaviour-change>

Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomized controlled trial (BACPAc) Pentecost C, Farrand P, Greaves CJ, Taylor RS, Warren FC, Hillsdon M, Green C, Welsman JR, Rayson K, Evans PH, Taylor AH. **Trials** 2015 16:367 <http://www.trialsjournal.com/content/pdf/s13063-015-0881-0.pdf>

Criterion validity and calibration of the GENEActiv accelerometer in adults. Dillon C, Powell C, Dowd D, Carson B, Donnelly A. **Conference paper ICAMPAM** June 2015 (OS)  
[https://www.researchgate.net/publication/278106265\\_Criterion\\_validity\\_and\\_calibration\\_of\\_the\\_GENEActiv\\_accelerometer\\_in\\_adults](https://www.researchgate.net/publication/278106265_Criterion_validity_and_calibration_of_the_GENEActiv_accelerometer_in_adults)

Wear compliance and activity in children wearing wrist and hip-mounted accelerometers. Fairclough SJ, Noonan R, Rowlands AV, van Hees V, Knowles Z, Boddy LM. **MSSE** Feb 2016, 48(2);245-253 (2015 Pub ahead of print) [https://journals.lww.com/acsm-msse/Fulltext/2016/02000/Wear\\_Compliance\\_and\\_Activity\\_in\\_Children\\_Wearing.9.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2016/02000/Wear_Compliance_and_Activity_in_Children_Wearing.9.aspx#pdf-link) (OS)

Sedentary behavior among elite professional footballers: health and performance implications. Weiler R, Aggio D, Hamer M, Taylor T, Kumar B. **BMJ Open Sport Exerc Med** 2015  
<http://bmjopensem.bmj.com/content/1/1/e000023.full.pdf+html>

The effect of knee osteoarthritis on the variability and fractal dynamics of human gait. Clermont CA, 2015. Thesis. University of Regina 2015 <http://ourspace.uregina.ca:8080/handle/10294/5839>

Connecting a National Community of Mothers: Online yoga therapy to reduce PTS symptoms after stillbirth. Huberty J, Mitchell J, Matthews J. 2015 Presentation  
[http://c.ymcdn.com/sites/www.iayt.org/resource/resmgr/docs\\_sytar2015\\_handouts/cic1d\\_mitchell-et-al\\_pts-stil.pdf](http://c.ymcdn.com/sites/www.iayt.org/resource/resmgr/docs_sytar2015_handouts/cic1d_mitchell-et-al_pts-stil.pdf)

PP78 Age disparities in the use of cardiovascular medicines: a retrospective cohort analysis of newly treated type 2 diabetes patients. Grimes RT, Bennett K, Henman MC. **J of Epidemiology and Community Health** 2015 69: suppl 1 A85-A86  
[http://jech.bmj.com/content/69/Suppl\\_1/A85.2.full.pdf+html](http://jech.bmj.com/content/69/Suppl_1/A85.2.full.pdf+html)

Real-time personalized monitoring to estimate occupational heat stress in ambient assisted working. Pancardo P, Acosta FD, Hernández-Nolasco JA, Wister MA, López-de-Ipiña D. **Sensors** 2015 15,16956-16980 <http://www.mdpi.com/1424-8220/15/7/16956/htm>



The role of co-design in wearables adoption. Nevay S, Lim CSC. University of Dundee. BESIDE Research [https://www.beside.ac.uk/sites/default/files/NEVAYLIM\\_EHFUoD15.pdf](https://www.beside.ac.uk/sites/default/files/NEVAYLIM_EHFUoD15.pdf)

Total worker health intervention increases activity of sedentary workers. Carr L,J, Leonhard C, Tucker S, Fethke N, Benzo R, Gerr F. **Am J of Preventive Medicine** 2015  
[http://www.ajpmonline.org/article/S0749-3797\(15\)00332-3/pdf](http://www.ajpmonline.org/article/S0749-3797(15)00332-3/pdf)

Feasibility of three wearable sensors for 24h monitoring in middle-aged women. Huberty J, Ehlers DK, Kurka J, Ainsworth, Buman M. **BMC Womens Health** (2015)15:55  
<http://www.biomedcentral.com/content/pdf/s12905-015-0212-3.pdf>

Objectively measured physical activity and sedentary-time are associated with arterial stiffness in Brazilian young adults. Horta BL, Schaan BD, Bielemann RM, Vianna CÁ, Gigante DP, Barris FC, Ekelund U, Hallal PC. **Atherosclerosis** September 2015 [http://www.atherosclerosis-journal.com/article/S0021-9150\(15\)30117-9/pdf](http://www.atherosclerosis-journal.com/article/S0021-9150(15)30117-9/pdf)

Project Energise: Using participatory approaches and real time prompts to reduce occupational sitting and increase physical activity in office workers. Gilson ND, Ng N, Pavey TG , Ryde GC, Straker L, Brown WJ. Proc 19<sup>th</sup> **Triennial Congress of the EIA**, Melbourne 9-14 August 2015

Periodicity-based swimming performance feature extraction and parameter estimation. Zhao Y, Gerhard D, Barden J. **Sports Engineering** July 2015. <http://link.springer.com/article/10.1007/s12283-015-0178-2>

The speed of our mental soundtracks: Tracking the tempo of involuntary musical imagery in everyday life. Jakubowski K, Farrugia N, Halpern AR, Sankarpandi SK, Stewart L June 2015 **Memory and Cognition** <http://link.springer.com/article/10.3758%2Fs13421-015-0531-5>

NMR based biomarkers to study age-related changes in the human quadriceps. Azzabou N, Hogrel JY, Carlier PG. **Experimental Gerontology**. June 2015  
<http://www.sciencedirect.com/science/article/pii/S0531556515300012>

Behavioural periodicity detection from 24h waveform wrist accelerometry. Buman MP, Hu F, Newman E, Smeaton AF, Epstein DR June 2015 **ICAMPAM** poster  
[http://doras.dcu.ie/20643/1/ICAMPAM\\_2014\\_Poster\\_-\\_ASU\\_DCU.pdf](http://doras.dcu.ie/20643/1/ICAMPAM_2014_Poster_-_ASU_DCU.pdf)

Comparison of raw accelerometry outputs from commercial devices; importance of body position and gait velocity. Norris M, Dowd KP, Kenny IC, Donnelly AE. Researchgate.net **ICAMPAM** 2015 (poster)  
[https://www.researchgate.net/publication/277664575\\_Norris\\_et\\_al\\_2015\\_ICAMPAM\\_COMPARISON\\_OF\\_RAW\\_ACCELEROMETRY\\_OUTPUT\\_FROM\\_COMMERCIAL\\_DEVICES\\_poster](https://www.researchgate.net/publication/277664575_Norris_et_al_2015_ICAMPAM_COMPARISON_OF_RAW_ACCELEROMETRY_OUTPUT_FROM_COMMERCIAL_DEVICES_poster)

The understanding and interpretation of innovative technology-enabled multidimensional physical activity feedback in patients at risk of future chronic disease Western MJ, Peacock OJ, Stathi A, Thompson D **PloS One** May 2015 <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0126156>

STEPWISE: STructured lifestyle Education for People With SchizophrEnia. Holt R. April 2015 Research Protocol, University of Southampton, University of Leicester, University of Sheffield.  
[http://www.nets.nihr.ac.uk/data/assets/pdf\\_file/0019/115561/PRO-12-28-05.pdf](http://www.nets.nihr.ac.uk/data/assets/pdf_file/0019/115561/PRO-12-28-05.pdf)

Mental toughness as a moderator of the intention-behaviour gap in the rehabilitation of knee pain. Gucciardi DF, Parrish AM, Okely AD. 2015 **J of Sci and Med in sport**  
[http://www.jsams.org/article/S1440-2440\(15\)00135-8/pdf](http://www.jsams.org/article/S1440-2440(15)00135-8/pdf)



Hand hygiene duration and technique recognition using wrist-worn sensors. Galluzzi V, Herman T, Polgreen P, **IPSN 2015 (Proceedings of the 14<sup>th</sup> International Conference on Information Processing in Sensor Networks)** <http://dl.acm.org/citation.cfm?id=2737106>

Classification of accelerometer wear and non-wear events in seconds for monitoring free-living physical activity. Zhou SM, Hill RA, Morgan K, Stratton G, Gravenor MB, Bijlsma G, Brophy S. **BMJ** April 2015 <http://bmjopen.bmj.com/content/5/5/e007447.full.pdf+html>

Healthy obesity and objective physical activity. Bell JA, Hamer M, van Hees VT, Singh-Manoux, A, Kivimäki, Sabia S. **Am Soc for Nut** 2015 <http://ajcn.nutrition.org/content/early/2015/07/08/ajcn.115.110924.abstract>

Influence of accelerometer type and placement on physical activity energy expenditure prediction in manual wheelchair users. Nightingale TE, Walhin JP, Thompson D, Bilzon LJ. **PloS one** 2015 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4425541/>

A cluster randomized controlled trial to investigate the effectiveness and cost effectiveness of the 'Girls Active' intervention: a study protocol. Edwardson CL, Harrington DM, Yates T, Bodicoat DH, Khunti K, Gorely T, Sherar LB, Edwards RT, Wright C, Harrington K, Davies MJ. **BMC Public Health** 2015 15:526. <http://www.biomedcentral.com/1471-2458/15/526/>

Effect of a program of short bouts of exercise on bone health in adolescents involved in different sports: the PRO-BONE study. Vlachopoulos D, Barker AR, Williams CA, Knapp KM, Metcalf BS, Gracia-Marco L. **BMC Public Health.** (2015) 15:361 <http://www.biomedcentral.com/content/pdf/s12889-015-1633-5.pdf>

The validity of the GENEActiv wrist-worn accelerometer for measuring adult sedentary time in free living. Pavey TG, Gomersall SR, Clark BK, Brown WJ. **J of Sci and Med in Sport.** April 2015 [http://www.jsams.org/article/S1440-2440\(15\)00089-4/abstract](http://www.jsams.org/article/S1440-2440(15)00089-4/abstract)

Exercise intensity and the protection from postprandial vascular dysfunction in adolescents. Bond B, Gates PE, Jackman S, Corless L, Williams CA, Barker AR. **Am J of Phys – Heart and Circulatory Phys.** March 2015. <http://ajpheart.physiology.org/content/early/2015/03/25/ajpheart.00074.2015>

Physical activity and adiposity markers at older ages: Accelerometer versus Questionnaire data. Sabia S, Cogranne P, van Hees VT, Bell JA, Elbaz A, Kivimaki M, Singh-Manoux A. **JAMDA,** 2015 e1-e7 <http://www.sciencedirect.com/science/article/pii/S1525861015000936>

Rationale and study protocol for 'Switch-off 4 Healthy Minds' (S4HM): A cluster randomized controlled trial to reduce recreational screen time in adolescents. Babic MJ, Morgan PJ, Plotnikoff RC, Lonsdale C, Eather N, Skinner G, Baker AL, Pollock E, Lubans DR. **Contemporary Clin Trials.** 40 (2015) 150-158 <http://www.sciencedirect.com/science/article/pii/S1551714414001864>

Cohort Profile update: The 1982 Pelotas (Brazil) birth cohort study. Horta BL, Gigante DP, Goncalves H, dos Santos Motta JV, de Mola CL, Oliveira IO, Barros FC, Victoria CG. **Int J of Epid,** 2015, 1-6 <http://ije.oxfordjournals.org/content/early/2015/03/01/ije.dyv017.full.pdf+html>

Validation of two accelerometers to determine mechanical loading of physical activities in children. Meyer U, Ernst D, Schott S, Riera C, Hettendorf J, Romkes J, Granacher U, Gopfert B, Kriemler S. **J Sports Sci.** 2015. Jan 26:1-8 <https://www.ncbi.nlm.nih.gov/pubmed/25620031>



Patient self-management in primary care patients with mild COPD – protocol of a randomized controlled trial of telephone health coaching. Sidhu MS, Daley A, Jordan R, Coventry PA, Heneghan C, Jowett S, Singh S, Marsh J, Adab P, Varghese J, Nunan D, Blakemore A, Stevens J, Dowson L, Fitzmaurice D, Jolly K. **BMC Pulmonary Medicine**, 2015 15:16 <http://www.biomedcentral.com/1471-2466/15/16>

Package GGIR. van Hees VT, Fang Z, Zhao JH, Sabia S **CRAN** Feb 2015 <http://cran.r-project.org/web/packages/GGIR/index.html>

Energy expenditure prediction using raw accelerometer data in simulated free-living. Montoye AHK, Mudd LM, Biswas S, Pfeiffer A. **MSSE** 2015 EPub ahead of print [http://journals.lww.com/acsm-msse/Abstract/publishahead/Energy\\_Expenditure\\_Prediction\\_Using\\_Raw.97844.aspx](http://journals.lww.com/acsm-msse/Abstract/publishahead/Energy_Expenditure_Prediction_Using_Raw.97844.aspx)

Physical activity levels in three Brazilian birth cohorts as assessed with raw triaxial wrist accelerometry. Da Silva ICM, van Hees VT, Ramires VV, Knuth AG, Bielemann RM, Ekelund U, Brage S, Hallal PC. **Int J of Epid**, 2014 1959-1968 <http://ije.oxfordjournals.org/content/43/6/1959.full.pdf+html>

Rural Environments and Community Health (REACH): a randomized controlled trial protocol for an online walking intervention in rural adults. Mitchell BL, Lewis NR, Smith AE, Rowlands AV, Parfitt G, Dollman J. **BMC Public Health**, 2014, 14:969 <http://www.biomedcentral.com/1471-2458/14/969>

OP66 Multilevel influences on overweight and obesity in 8-11 year old Irish children: findings from the Cork Children's Lifestyle Study (CCLaS). (Abstract) **J Epidemiol Community Health** 2014;68:A34 [http://jech.bmj.com/content/68/Suppl\\_1/A34.1.abstract](http://jech.bmj.com/content/68/Suppl_1/A34.1.abstract)

Non-consent to a wrist-worn accelerometer in older adults: The role of socio-demographic, behavioural and health factors. Hassani M, Kivimaki M, Elbaz A, Shipley M, Singh-Manoux A, Sabia S. **PLOS one** vol 9, Issue 10, e110816 <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0110816>

The Dynamics of Ageing. Evidence from the English Longitudinal Study of Ageing 2002-2012 (Wave 6). Editors Banks J, Nazroo J, Steptoe A. **Institute for Fiscal Studies**. October 2014 <http://www.elsa-project.ac.uk/publicationDetails/id/7411>

Sedentary behavior and physical activity among older patients following percutaneous coronary intervention presented with stable angina versus acute coronary syndrome. (Abstract) Denton SJ, van Hees VT, Bawamia B, Veerasamy M, Quinn L, Dunford JR, Trenell MI, Jakovljevic DG, Kunadian V. **Circulation** 2014; 130:A13125 [https://www.ahajournals.org/doi/abs/10.1161/circ.130.suppl\\_2.13125?sid=c1a96bdd-ba1b-4f04-aba7-1de356653527http%3A%2F%2Fcirc.ahajournals.org%2Fcontent%2F130%2FSuppl\\_2.toc](https://www.ahajournals.org/doi/abs/10.1161/circ.130.suppl_2.13125?sid=c1a96bdd-ba1b-4f04-aba7-1de356653527http%3A%2F%2Fcirc.ahajournals.org%2Fcontent%2F130%2FSuppl_2.toc)

Limits of the correlation of wrist-worn accelerometry with oxygen uptake (Abstract) Sirichana W, Sail K, Taylor M, Wang X, Barjaktarvic I, Kleerup EC, Cooper CB. **Am J Respir Crit Care Med** 2014, 189 A6271 [http://www.atsjournals.org/doi/abs/10.1164/ajrccm-conference.2014.189.1\\_MeetingAbstracts.A6271](http://www.atsjournals.org/doi/abs/10.1164/ajrccm-conference.2014.189.1_MeetingAbstracts.A6271)

Acute affective responses to prescribed and self-selected exercise sessions in adolescent girls: an observational study. Hamlyn-Williams CC, Freeman P, Parfitt G. **BMC Sports Sci, Med and rehab**. 2014 6:35 <http://www.biomedcentral.com/content/pdf/2052-1847-6-35.pdf>

The validity of the GENEActiv wrist-worn accelerometer for measuring sedentary behaviour in free living. Pavey T, Gomersall S, Clark B, Waryouni F, Brown W. **J Sci and Med in Sport** Dec 2014 18 suppl1 e34 [http://www.jsams.org/article/S1440-2440\(14\)00429-0/abstract](http://www.jsams.org/article/S1440-2440(14)00429-0/abstract)





Glucose metabolism in healthy ageing. Wijsman CA. PhD thesis. 2014 Leiden University. Netherlands

Dose-response Effects of a Web-based physical activity program on body composition and metabolic health in inactive adults: Additional analyses of a randomized controlled trial. Vroege DP, Wijsman CA, Broekhuizen, de Craen AJM, van Heemst D, van der Ouderaa FJG, van Mechelen W, Slagboom PE, Catt M, Westendorp RGJ, Verhagen EALM, Mooijaart. **J Med Internet Res** Dec 2014; 16(12):e265 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4275504/?report=printable>

Wearable tech lets boss track your work, rest and play. **New Scientist** Oct 2014. Aviva Rutkin <http://www.newscientist.com/article/mg22429913.000-wearable-tech-lets-boss-track-your-work-rest-and-play.html?full=true#.VLZqyXmzXml>

Diet, physical activity, lifestyle behaviours, and prevalence of childhood obesity in Irish children: the Cork Children's Lifestyle Study Protocol. Keane E, Kearney PM, Perry IJ, Browne GM, Harrington JM. **JMIR Res Protoc** 2014 3(3) e44 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4147704/?report=printable>

Effects of Moderate-to-Vigorous Intensity physical activity on overnight and next-day hypoglycemia in active adolescents with Type 1 Diabetes. Metcalf KM, Singhvi A, Tsalikan, Tansey MJ, Zimmerman MB, Esliger DW, Janz KF. **Diabetes Care** May 2014; 37 1272-78 <http://care.diabetesjournals.org/content/37/5/1272.full.pdf+html?sid=046acd6b-781a-4f74-9483-64f458aa1e42>

Auto-calibration of accelerometer data for free-living physical activity assessment using local gravity and temperature: an evaluation on four continents. van Hees VT, Fang Z, Langford J, Assah F, Mohammed A, da Silva ICM, Trenell MI, White T, Wareham NJ, Brage S. **J App Physiol** August 2014 <http://jap.physiology.org/content/early/2014/07/31/jappphysiol.00421.2014>

Comparison of measured acceleration output from accelerometry-based activity monitors. Rowlands AV, Frayssse F, Catt M, Stiles VH, Stanley RM, Eston RG, Olds TS. **MSSE** (2014 Published AoP) 47(1):201-210 Jan 2015 [https://journals.lww.com/acsm-msse/Fulltext/2015/01000/Comparability\\_of\\_Measured\\_Acceleration\\_from.26.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2015/01000/Comparability_of_Measured_Acceleration_from.26.aspx#pdf-link)

Validation of accelerometers for measurement of physical activity energy expenditure in South Asians and Europeans. Afaq S, Tan ST, Afzal U, Loh M, Dimarco A, Kooner J, Chambers J. **Heart** 2014 Jun;100 Suppl 3:A66-7 [https://heart.bmj.com/content/100/Suppl\\_3/A66.2](https://heart.bmj.com/content/100/Suppl_3/A66.2)

Comparability of Measured Acceleration from Accelerometry-Based Activity Monitors. Rowlands AV, Frayssse F, Catt M, Stiles VH, Stanley RM, Eston RG, Olds TS. **MSSE** May 2014 (Epub ahead of print) [http://journals.lww.com/acsm-msse/Abstract/publishahead/Comparability\\_of\\_Measured\\_Acceleration\\_from.98033.aspx](http://journals.lww.com/acsm-msse/Abstract/publishahead/Comparability_of_Measured_Acceleration_from.98033.aspx)

Effects of breathing on hip roll asymmetry in competitive front crawl swimming. Barber MV, Barden JM. **Proceedings of BMS** 2014.

Children's Physical Activity Assessed with Wrist- and Hip-Worn Accelerometers. Rowlands AV, Rennie K, Kozarski R, Stanley RM, Eston RG, Parfitt GC, Olds TS. **MSSE**. (Apr 28 2014. Epub AoP) Dec 2014 46(12):2308-2316 [https://journals.lww.com/acsm-msse/Fulltext/2014/12000/Children\\_s\\_Physical\\_Activity\\_Assessed\\_with\\_Wrist\\_.15.aspx](https://journals.lww.com/acsm-msse/Fulltext/2014/12000/Children_s_Physical_Activity_Assessed_with_Wrist_.15.aspx) (OS)

The Human Cloud at Work; A Study into the Impact of Wearable Technologies in the Workplace. 2014. Rackspace <http://www.rackspace.co.uk/sites/default/files/Human%20Cloud%20at%20Work.pdf>



Introducing the sedentary sphere: analysis, identification and visualization of sedentary behaviours. Rowlands AV, Fraysse F, Cai J, Eston RG, Olds TS. **Exercise and Sport Science Australia**, Adelaide, Australia. April 2014

Physical Activity and Excess Weight in Pregnancy Have Independent and Unique Effects on Delivery and Perinatal Outcomes. Morgan KL, Rahman MA, Hill RA, Zhou SM, Bijlsma G, Khanom A, Lyons RA, Brophy S. **PLoS one** April 10, 2014

<http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0094532>

Establishing and Evaluating Wrist Cutpoints for the GENEActiv Accelerometer in Youth. Schaefer CA, Nigg CR, Hill JO, Brink LA, Browning RC. **MSSE April 2014**; 46(4) 826-33

<http://journals.lww.com/acsm->

[msse/Fulltext/2014/04000/Establishing\\_and\\_Evaluating\\_Wrist\\_Cutpoints\\_for.24.aspx](msse/Fulltext/2014/04000/Establishing_and_Evaluating_Wrist_Cutpoints_for.24.aspx)

Association Between Questionnaire- and Accelerometer- Assessed Physical Activity: The Role of Sociodemographic Factors. Sabia S, van Hees VT, Martin J, Shipley MI, Hagger-Johnson G, Elbaz A, Kivimaki M, Singh-Manoux A. **Am J of Epidemiology** Feb 2014

<http://aje.oxfordjournals.org/content/early/2014/02/04/aje.kwt330.full.pdf+html>

A Smartphone Intervention for Adolescent Obesity: Study Protocol for a Randomised Controlled Non-inferiority Trial. O' Malley G, Clarke M, Burls A, Murphy S, Murphy N, Perry IJ. **Trials** 2014 15:43

<http://www.biomedcentral.com/content/pdf/1745-6215-15-43.pdf>

Age-group comparability of raw accelerometers output from wrist- and hip-worn monitors. Hildebrand M, Van Hees VT, Hansen BH, Ekelund U **MSSE** September 2014 46(9) 1816-1824 (PAoP Jan 2014)

<https://journals.lww.com/acsm->

[msse/Fulltext/2014/09000/Age\\_Group\\_Comparability\\_of\\_Raw\\_Accelerometer.17.aspx](msse/Fulltext/2014/09000/Age_Group_Comparability_of_Raw_Accelerometer.17.aspx)

Cross-validation of Waist-Worn GENE Accelerometer Cut-Points.

Welch WA, Bassett DR, Freedson PS, John D, Steeves JA, Conger SA, Ceaser TG, Howe CA, Sasaki JE **MSSE** 46 (9) 1825-30 Sept 2014 (PAoP Jan 2014) <https://journals.lww.com/acsm->

[msse/Fulltext/2014/09000/Cross\\_validation\\_of\\_Waist\\_Worn\\_GENE\\_Accelerometer.18.aspx](msse/Fulltext/2014/09000/Cross_validation_of_Waist_Worn_GENE_Accelerometer.18.aspx) (OS)

Taking up physical activity in later life and healthy ageing: the English Longitudinal Study of Ageing Hamer M, Lavoie KL, Bacon SL **Br J Sports Med** 2014 48:239-243

<http://bjsm.bmj.com/content/48/3/239.full.pdf+html>

A Guide to Assessing Physical Activity using Accelerometry in Cancer Patients. Broderick JM, Ryan J, O'Donnell DM, Hussey J. **Support Cancer Care**. Jan 2014

[http://www.mascc.org/assets/Pain\\_Center/2014\\_January/jan\\_2014-1.pdf](http://www.mascc.org/assets/Pain_Center/2014_January/jan_2014-1.pdf)

Separating movement and gravity components in an acceleration signal and implications for the assessment of human daily physical activity. Van Hees VT, Gorzelniak L, León ECD, Eder M, Pias M, Taherian S, Ekelund U, Renström F, Franks PW, Horsch A, Brage S. **PLoS One** April 2013

<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0061691>

Exercise feelings are associated with adolescent's physical activity behavior. Parfitt G, Hamlyn-Williams CC, Freeman P. Conference paper **J of Sci and Med in Sport**. 2013

[https://www.researchgate.net/publication/259258982\\_Exercise\\_feelings\\_are\\_associated\\_with\\_adolescent%27s\\_physical\\_activity\\_behaviour](https://www.researchgate.net/publication/259258982_Exercise_feelings_are_associated_with_adolescent%27s_physical_activity_behaviour)



Assessing Sedentary Behavior with the GENEActiv: Introducing the Sedentary Sphere. Rowlands AV, Olds TS, Hillsdon M, Pulsford R, Hurst TL, Eston RG, Gomersall SJ, Johnston K, Langford J. **J. Med Sci Sports Exerc** Nov. 2014; [http://journals.lww.com/acsm-msse/Abstract/publishahead/Assessing\\_Sedentary\\_Behavior\\_with\\_the\\_GENEActiv\\_.98196.aspx](http://journals.lww.com/acsm-msse/Abstract/publishahead/Assessing_Sedentary_Behavior_with_the_GENEActiv_.98196.aspx)

Effects of a web-based intervention on physical activity and metabolism in older adults: Randomized Controlled Trial Wijsman CA, Westendorp RGJ, Verhagen EALM, Catt M, Slagboom E, de Craen AJM, Broekhuizen K, van Mechelen W, van Heemst D, van der Ouderaa F, Mooijaart SP. **J med internet research** 2013 (Nov 06);15(1):e233 [www.jmir.org/2013/11/e233/](http://www.jmir.org/2013/11/e233/)

Comparison of Raw Acceleration from the GENEActiv and Actigraph GT3X+ Activity Monitors. John D, Sasaki J, Staudenmayer J, Mavilia M, Freedson PS. **Sensors** 2013, 13, 14754-63 <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3871080/>

Deprivation-related and use-dependent plasticity go hand in hand Makin TR, Cramer AO, Scholz J, Hahamy A, Henderson Slater D, Tracey I, Johansen-Berg H. **elife** 2013;2:e01273 <http://elife.elifesciences.org/content/2/e01273>

The Healthy Lifestyles Programme (HeLP), a novel school-based intervention to prevent obesity in school children: study protocol for a randomized controlled trial. Wyatt KM, Lloyd JJ, Abraham C, Creanor S, Dean S, Densham E, Dauge W, Green C, Hillsdon M, Pearson V, Taylor RS, Tomlinson R, Logan S. **Trials** 2013, 14:95 <http://www.biomedcentral.com/content/pdf/1745-6215-14-95.pdf>

School-day physical activity in elementary school children: When and how much? Rauh EM. Thesis. Colorado State University. Oct 2013. 83 pages. <http://gradworks.umi.com/15/44/1544836.html>

Collecting a comprehensive evidence base to monitor fracture rehabilitation: A case study Callary SA, Thewlis D, Rowlands AV, Findlay DM, Solomon LB. **World Journal of Orthopedics** 2013 Oct 18;4(4):259-266 <http://www.wjgnet.com/2218-5836/full/v4/i4/259.htm>

Guide to the Assessment of Physical Activity: Clinical and Research Applications. A scientific statement from the American Heart Association. Strath SJ, Kaminsky LA, Ainsworth BE, Ekelund U, Freedson PS, Gary RN, Richardson CR, Smith DT, Swartz AM, **Circulation** Oct 2013 <http://circ.ahajournals.org/content/early/2013/10/14/01.cir.0000435708.67487.da.citation>

Use of Accelerometry to classify activity beneficial to bone in premenopausal women. Stiles VH, Griew PJ, Rowlands AV. **MSSE** 2013 Dec;45(12):2353-61 [https://journals.lww.com/acsm-msse/Fulltext/2013/12000/Use\\_of\\_Accelerometry\\_to\\_Classify\\_Activity.18.aspx](https://journals.lww.com/acsm-msse/Fulltext/2013/12000/Use_of_Accelerometry_to_Classify_Activity.18.aspx) (OS)

Calibration of the GENEActiv Accelerometer for Assessment of Physical Activity Intensity in Children. Phillips LR, Parfitt G, Rowlands AV. **J Sci Med Sport** 2013; Mar;16(2):124-8 [http://www.jsams.org/article/S1440-2440\(12\)00112-0/abstract](http://www.jsams.org/article/S1440-2440(12)00112-0/abstract)

Methodological Description of Accelerometry for Measuring Physical Activity in the 1993 and 2004 Pelotas (Brazil) Birth Cohorts (abstract in English, main article in Portuguese). Knuth AG, Assunção MC, Gonçalves H, Menezes AM, Santos IS, Barros AJ, Matijasevich A, Ramires VV, Silva IC, Hallal PC. **Cad Saude Publica**, 2013; Mar;29(3):557-65 [http://www.scielo.org/scielo.php?script=sci\\_arttext&pid=S0102-311X2013000700013&lng=en&nrm=iso&tlng=en](http://www.scielo.org/scielo.php?script=sci_arttext&pid=S0102-311X2013000700013&lng=en&nrm=iso&tlng=en)



Separating movement and gravity components in an acceleration signal and implications for the assessment of human daily physical activity. Van Hees, Gorzelniak L, León ECD, Eder M, Pias M, Taherian S, Ekelund U, Renström F, Franks PW, Horsch A, Brage S. **PLOSone** 2013; 8, issue e61691 <http://www.plosone.org/article/fetchObject.action?uri=info:doi/10.1371/journal.pone.0061691&representation=PDF>

Impact of Study Design on Development and Evaluation of an Activity-type Classifier.  
van Hees VT, Golubic R, Ekelund U, Brage S. **J Appl Physiol** 2013; 114:1042-1051 <http://jap.physiology.org/content/114/8/1042.long>

Effects of moderate to vigorous-intensity physical activity on nocturnal and next day hypoglycemia in adolescents with Type 1 Diabetes Kristen Marie Metcalf submitted for Master of Science. University of Iowa, Department Integrative Physiology. 2013 <http://ir.uiowa.edu/cgi/viewcontent.cgi?article=4709&context=etd> <http://ir.uiowa.edu/etd/2580/>

Daily Physical Activity in COPD: Quantification by Tri\_Axial Accelerometry. Sirichana W, Moore-Gillon CE, Patel MH, Taylor M, Storer TW, Cooper CB. **Am J Respir Crit Care Med** 187:2013:A1361 [http://www.atsjournals.org/doi/abs/10.1164/ajrccm-conference.2013.187.1\\_MeetingAbstracts.A1361](http://www.atsjournals.org/doi/abs/10.1164/ajrccm-conference.2013.187.1_MeetingAbstracts.A1361)

Classification Accuracy of the Wrist-Worn GENE Accelerometer. Welch WA, Bassett DR, Thompson DL, Freedson PS, Staudenmayer JW, John D, Steeves JA, Conger SA, Ceaser T, Howe CA, Sasaki JE, Fitzhugh EC. **MSSE** 44(4):742-748, April 2013 [https://journals.lww.com/acsm-msse/Fulltext/2013/10000/Classification\\_Accuracy\\_of\\_the\\_Wrist\\_Worn\\_Gravity.22.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2013/10000/Classification_Accuracy_of_the_Wrist_Worn_Gravity.22.aspx#pdf-link) (OS)

Sleep Estimates Using Microelectrical mechanical Systems (MEMS). te Lindert BHW and Van Someren ELW. **Sleep** 2013;36(5):781-789 <http://journalsleep.org/ViewAbstract.aspx?pid=28938>

Cohort Profile: The Cork and Kerry Diabetes and Heart Disease Study. Kearney PM, Harrington JM, McCarthy VJC, Fitzgerald AP, Perry I. **Int. J. Epidemiol.** 2012;1-10 <http://ije.oxfordjournals.org/content/early/2012/09/14/ije.dys131.long>

Use of Accelerometry to predict energy expenditure in military tasks  
Fleur Horner, Thesis submitted for Doctor of Philosophy, University of Bath. Department for Health. November 2012 [http://opus.bath.ac.uk/32444/1/UnivBath\\_PhD\\_2012\\_FE\\_Horner.pdf](http://opus.bath.ac.uk/32444/1/UnivBath_PhD_2012_FE_Horner.pdf)

Monitoring walking and cycling of middle-aged to older community dwellers using wireless wearable accelerometers. Zhang Y, Beenakker KGM, Butala PM, Lin CC, Little TDC, Maier AB, Stijntjes M, Vartanian, Wagenaar RC. MCL technical report 2012 **Proc 34<sup>th</sup> Annual Intl Conf IEEE Eng in Med and Biol Soc** [https://www.academia.edu/6234483/Monitoring\\_Walking\\_and\\_Cycling\\_of\\_Middle-Aged\\_to\\_Older\\_Community\\_Dwellers\\_Using\\_Wireless\\_Wearable\\_Accelerometers](https://www.academia.edu/6234483/Monitoring_Walking_and_Cycling_of_Middle-Aged_to_Older_Community_Dwellers_Using_Wireless_Wearable_Accelerometers)

Activity Classification using the GENE: Optimum Sampling Frequency and Number of Axes. Zhang S, Murray P, Zillmer R, Eston RG, Catt M, Rowlands AV. **Med Sci Sports Exerc.** 2012; Nov;44(11):2228-34 [http://journals.lww.com/acsm-msse/Abstract/2012/11000/Activity\\_Classification\\_Using\\_the\\_GENE\\_\\_Optimum.24.aspx](http://journals.lww.com/acsm-msse/Abstract/2012/11000/Activity_Classification_Using_the_GENE__Optimum.24.aspx)

Spectral Analysis of Accelerometric Data to identify human movement patterns  
Patrick Wohlfahrt, submitted for Bachelor thesis, Martin-Luther University of Halle-Wittenberg, Department of Physics. 8<sup>th</sup> August 2012 [http://www.physik.uni-halle.de/Fachgruppen/kantel/Bachelorarbeit\\_Wohlfahrt.pdf](http://www.physik.uni-halle.de/Fachgruppen/kantel/Bachelorarbeit_Wohlfahrt.pdf)



Physical Activity Classification using the GENE A Wrist-Worn Accelerometer. Zhang S, Rowlands AV, Murray P, Hurst, TL. **Med Sci Sport Exerc.** 2012; Apr;44(4):742-8 [http://journals.lww.com/acsm-msse/Abstract/2012/04000/Physical\\_Activity\\_Classification\\_Using\\_the\\_GENE\\_A.22.aspx](http://journals.lww.com/acsm-msse/Abstract/2012/04000/Physical_Activity_Classification_Using_the_GENE_A.22.aspx)

Accelerometer Counts and Raw Acceleration Output in Relation to Mechanical Loading. Rowlands AV, and Stiles VH. (2012). **J Biomech.** 2012; Feb 2;45(3):448-454 [http://www.jbiomech.com/article/S0021-9290\(11\)00769-X/abstract](http://www.jbiomech.com/article/S0021-9290(11)00769-X/abstract)

Estimation of Daily Energy Expenditure in Pregnant and Non-Pregnant Women Using a Wrist-Worn Tri-Axial Accelerometer. van Hees VT, Renström F, Wright A, Gradmark A, Catt M, Chen KY, LÖf M, Bluck L, Pomeroy J, Wareham NJ, Ekelund U, Brage S, Franks PW. **PLoS ONE.** 2011; 6(7):e22922 <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0022922>

Validation of the GENE A Accelerometer. Eslinger DW, Rowlands AV, Hurst TL, Catt M, Murray P, and Eston RG. **Med Sci Sport Exerc.** 2011; Jun;43(6):1085-93 [https://journals.lww.com/acsm-msse/Fulltext/2011/06000/Validation\\_of\\_the\\_GENE\\_A\\_Accelerometer.22.aspx#pdf-link](https://journals.lww.com/acsm-msse/Fulltext/2011/06000/Validation_of_the_GENE_A_Accelerometer.22.aspx#pdf-link) (OS)